*APPLICATION FOR A PERMIT

CERTIFICATE NO. 14413

To Appropriate the Public Waters of the State of Oregon

I,	Howard Lynch		••••••••••			
of	Junction City	(Name of applicar	-	f Lane		
	(Postoffice) Oregon					
following	described public waters of th	e State of Oregon, S	SUBJECT TO	EXISTI.	NG RIGI	TTS:
If	the applicant is a corporation,	give date and place	of incorporati	on	·	
1.	The source of the proposed a	ppropriation is Spr	ing Slough,		`Goodmai	ņ
Lake		, a tributary of .	Willamette	River		
2.	The amount of water which to	he applicant intends	to apply to be	neficial u	se is $\frac{1}{4}$	
cubic feet	t per second.	water is to be used from more t	han one source give	quantity from	on ah)	
**3						
0.	The use to which the water is	(Irrigat	ion, power, mining,	manufacturin	g, domestic s	upplies, etc.)
4.	The point of diversion is loca	ted 1230.9 ft. West	and .1512.	7ft. Sout	h from	the NE
corner of	Section 18,	(Section or subdivi	sion)			
•••••		able, give distance and bearing t				
being wit	thin the $\frac{\text{SE}_{\frac{1}{4}}}{\text{Give small ont}}$	t of diversion, each must be des $\frac{1}{1} \frac{1}{2}$ egal subdivision)			- /	15 S.
R4	W_{\bullet} , W . M ., in the county of W .					(2 01 5)
5.	The Pipe Lir	16 ch, canal or pipe line)	to t	e8	00 feet Miles or fe	
in length	, terminating in the SW_{4}^{1}		of Sec	18		•
R4	$\frac{W}{W}$, W. M., the proposed low	_ ,	hroughout on	the accor	npanying	
,	DI	ESCRIPTION OF W	VORKS			
Diversion	n Works—					
	(a) Height of dam			-		
	feet; material to be use	d and character of c	onstruction	••••••	(Loose rock, c	oncrete, masonry,
rock and brus	h, timber crib, etc., wasteway over or around d	dam)	·····		•	••••••
(8) Description of headgate					
(0) If water is to be pumped g	ive general description		Garden I		
C	entrifugal Pump. Ford. (Size and type of engin	son tractor.	ead water is to be			
•••••						•

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

C	A BT A T	SYSTEM	ΛĐ	DIDE	T.TNIW
C i	ANAI	SYSTEM	()K	PIPE	14 N #

eudgute. At neu	agate. wiath of	i top (at water i	ine)	jeet; width on ootto
housand feet.	feet; depth of	water	feet; grade	feet fall per o
•	<i>1</i>	niles from headg	ate: width on top (at wat	er line)
	feet; width or	n bottom	feet; depth of	water fee
		l per one thousan		
				in.; size at
				ifference in elevation betwe
_		ft. Is	grade uniform?Y	Estimated capaci
4	sec. ft.			
8. Location	on of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
15 S.	4 W.	18	$SW_{4}^{\frac{1}{4}}$ of $NE_{4}^{\frac{1}{4}}$	13.00
· 15 S.			$\mathtt{SE}^{rac{1}{4}}$ of $\mathtt{NE}^{rac{1}{4}}$	
	***************************************		***************************************	
			•	
			•••••	
,				
	•			
	•••••			
		,	ired, attach separate sheet)	
• •	·			
(b) Kind	of crops raised	Garden and g	rasses, clover and A	lfalfa
ower or Minin				
9. (a) T_{0}	otal amount of	power to be deve	loped	theoretical horsepow
(b) Q	uantity of wate	r to be used for	power	sec. ft.
(c) To	otal fall to be ut	ilized	Head)	
				be developed
(e) Si	ıch works to be	located in		of Sec
			(Legal subdivision)	,
(No. N. or S.)				
			eam?(Yes or No)	
		, Sec	, Tp(No. N. or S	.), R, W.
	he use to which	power is to be	applied is	

Mun	NICIPAL OR DOMESTIC SUPPLY—	
	10. (a) To supply the city of	·
	County, having a	present population of
and	(Name of) an estimated population of	in 193
	(b) If for domestic use state numb	ber of families to be supplied
		one 11, 12, 13, and 14 in all cases
	11. Estimated cost of proposed works,	
	12. Construction work will begin on or	r before April 20, 1938
	13. Construction work will be complet	ed on or before August 30, 1940
	14. The water will be completely app	lied to the proposed use on or before Aug. 30, 1940
		Howard Lynch (Signature of applicant)
		•
	Signed in the presence of us as witnesse	
(1)	i. H. Waggoner (Name)	, 12452 Wash St., Fugene, Oregon. (Address of witness)
(2)	J. M. McCausland	, 140 6th Ave., W., Eugene, Oregon.
	(2-11-2)	(Address of witness)
	Nemuris,	
		·
STA	TE OF OREGON.	
,	County of Marion,	
Č		. •
	This is to certify that I have examined	the foregoing application, together with the accompanying
map	es and data, and return the same for	
•		
	······	
	·	application must be returned to the State Engineer, with
corr	ections on or before	
2011	WITNESS my hand this	
	TITIES THY HUMO HILS	my 0/ 190
		STATE ENGINEER

Application	No17294
Permit No.	13000

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 20th day of April
	193.8, at 8:00 o'clock
••	Returned to applicant:
	Corrected application received:
	Approved:
	May 31, 1938
	Recorded in book No of
	Permits on page 13000.
,	CHAS. E. STRICKLIN. STATE ENGINEER
	Drainage Basin No. 2 Page 76-d.
	Fees Paid \$9.50.
STATE OF OREGON,)	PERMIT
County of Marion.	
The right herein grad	nd the following limitations and conditions: nted is limited to the amount of water which can be applied to beneficial use
The right herein grade and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of
The right herein grade and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use .25 cubic feet per second measured at the point of diversion from the
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of s water is to be applied is Irrigation s appropriation shall be limited to
The right herein grade and shall not exceed	cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of swater is to be applied is Irrigation s appropriation shall be limited to 1/80th of one cubic foot per at for each acre irrigated and shall be further limited to a seed 2½ acre feet per acre for each acre irrigated during the ach year,
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of s water is to be applied is Irrigation s appropriation shall be limited to
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of 8 water is to be applied is 1 Irrigation 8 appropriation shall be limited to 1/80th of one cubic foot per at for each acre irrigated and shall be further limited to a need 2 acre feet per acre for each acre irrigated during the ach year,
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of s water is to be applied is Irrigation s appropriation shall be limited to 1/80th of one cubic foot per at for each acre irrigated and shall be further limited to a need 2½ acre feet per acre for each acre irrigated during the ach year, I reasonable rotation system as may be ordered by the proper state officer. This permit is April 20, 1938
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of 8 water is to be applied is 1 rrigation 8 appropriation shall be limited to 1/80th of one cubic foot per at for each acre irrigated and shall be further limited to a need 2 acre feet per acre for each acre irrigated during the ach year, 9 reasonable rotation system as may be ordered by the proper state officer. This permit is April 20, 1938 1 work shall begin on or before 10 May 31, 1939 and shall
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Spring Slough, head of swater is to be applied is
The right herein grant and shall not exceed	nted is limited to the amount of water which can be applied to beneficial use 25