

12443

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Joseph I. Condon (Name of applicant) of 3634 S. E. Powell Blvd., Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Milk Creek (Name of stream), a tributary of Molalla River

2. The amount of water which the applicant intends to apply to beneficial use is 0.155 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Power and Domestic use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located at the corner of South 51° 40' East 1088 ft. from the center of Section 33, Township 4 South, Range 3 East, Willamette Meridian (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 of SE 1/4 of Sec. 33, Tp. 4 S., R. 3 E., W. M., in the county of Clackamas

5. The Pipe line to be 400' in length, terminating in the NW 1/4 of SE 1/4 of Sec. 33, Tp. 4 S., R. 3 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction No dam to be used

(b) Description of headgate None

(c) If water is to be pumped give general description Install 3' x 3' x 2 1/2" wooden tank to supply ram, using 3" Columbia Ram installed at water level. Ram will use 60 gallons per minute and will deliver to place of use of water 15,000 gallons per 24 hours through a 1 1/2" pipe 400' in length. A 30' lift will be made from ram level to place of use. Amount of water delivered by ram will be equivalent to 0.02 second-foot per second.

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

**CANAL SYSTEM OR PIPE LINE—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 400' ft.; size at intake, 1½ in.; size at 400 ft. from intake 1½ in.; size at place of use 1½ in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? Yes Estimated capacity, 0.02 sec. ft.

**8. Location of area to be irrigated, or place of use .....**

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S.	3 E., W.M.	33	NW¼ SE¼	Dom. & Power

(If more space required, attach separate sheet)

(a) Character of soil Camas Silt Loam, Olympic Silt Loam  
 (b) Kind of crops raised Pasture, Cherries, Apples, Peaches, Filberts, Walnuts, Garden.

**POWER OR MINING PURPOSES—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
(Head)  
 (d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec....., Tp....., R....., W. M.  
(No. N. or S.)                      (No. E. or W.)  
(Legal subdivision)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
 Sec....., Tp....., R....., W. M.  
(No. N. or S.)                      (No. E. or W.)

(h) The use to which power is to be applied is Operation of Ram.

(i) The nature of the mines to be served .....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied three (3).

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 550.00
- 12. Construction work will begin on or before Has been commenced.
- 13. Construction work will be completed on or before October 1, 1938
- 14. The water will be completely applied to the proposed use on or before October 1, 1938.

Joseph I. Condon  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) A. Bertuleit, Portland, Oregon  
(Name) (Address of witness)
- (2) M. A. Swayze, Portland, Oregon.  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 20, 1938.

WITNESS my hand this 19th day of May, 1938.

CHAS. E. STRICKLIN  
LN STATE ENGINEER

Application No. 17328

Permit No. 13042

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 16th day of May

1938, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 20, 1938

Recorded in book No. 37 of

Permits on page 13042

CHAS. E. STRICKLIN.

STATE ENGINEER

Drainage Basin No. 2 Page 32B

Fees Paid \$10.25

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.155 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Milk Creek

The use to which this water is to be applied is Domestic and Power, being 0.134 c.f.s. for power and 0.021 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 16, 1938

Actual construction work shall begin on or before August 20, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1940

Complete application of the water to the proposed use shall be made on or before October 1, 1941

WITNESS my hand this 20th day of August, 1938.

CHAS. E. STRICKLIN.

STATE ENGINEER