## \*APPLICATION FOR A PERMIT CERTIFICATE NO. 14183

## To Appropriate the Public Waters of the State of Oregon

. I,	H. S. Galligar	)		
of	Hood River	(Name of a		Hood River
•	(P	ostoffice)		r a permit to appropriate th
		ers of the State of Oreg		
	<u>-</u>		•	
If t				on
1.				im. ame of stream)
	*			ame of stream)
		•		
				neficial use isQ.3.75
cubic feet	per second	(If water is to be used from	more than one source, give	quantity from each)
**3.	The use to which the	water is to be applied is	Irrigatio	<b>n</b>
			(Irrigation, power, mining,	manufacturing, domestic supplies, etc.)
4.	The point of diversion	n is located .1350. ft.	Northand 800	ft. West from the SE
corner of	Section 14.	(Section or	avhdivistan)	
		(If preferable, give distance and b	earing to section corner)	
	,	han one point of diversion, each mus		
being wit	hin theRE G	다습 ve smallest legal subdivision)	of Sec	14 , Tp. 2 N. (N. or S.)
(E. or	· <b>W</b> .)	county of Hood		
<b>5.</b>	ThePipe	Line (Main ditch, canal or pipe line)	to b	e 300! (Miles or feet)
in length,	terminating in the		of Sec	2 N . (N. or S.)
				the accompanying map.
		DESCRIPTION (	OF WORKS	
Diversion	N Works—			
6.	(a) Height of dam		gth on top20	feet, length at bottom
		to be used and character	-	
		•		(Loose rock, concrete, mason)
rock and brush	n, timber crib, etc., wasteway ove	r or around dam)		
( <i>b</i>				er and size of openings)
(0				trifugal
(0	Rleatri	c or Gas ?	enge <b>k</b> en kangang keminanan dialah salah s	(Size and type of pump)
	(Size and	c or Gas?	total head water is to be	lifted, etc.)

<sup>•</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANTAL	SYSTEM	OD DIDE	TINTE
UANAL	SYSTEM	OR FIRE	LINE-

ready area 110 110	aagate. wtatti o	top (at water		feet; width on bottor
housand feet.	. feet; depth of	water	feet; grade	feet fall per on
•	1	niles from head	gate: width on top (at wate	er line)
				vater feet
	feet fal			,
			,	in.; size at f
			•	fference in elevation betwee
ntake and place	of use,	ft. Is	grade uniform?Fal	rly Estimated capacity
	sec. ft.		•	
8. Locati	on of area to be	e irrigated, or p	place of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N.	10 E.	14	$NE_{a}^{1} SE_{a}^{1}$	30
		•••••••••••••••••••••••••••••••••••••••		
				-
	***************************************	,		
		•••••••		
			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-
		•••••••••••••••••••••••••••••••••••••••		
			quired, attach separate sheet)	
(a) Char	eacter of soil	Hood Silt		<u>-</u>
(b) Kind	of crops raised	Fruit Etc.		
ower or Minin	G PURPOSES—			
9. (a) T	otal amount of	power to be dev	eloped	theoretical horsepowe
(b) Q	uantity of wate	r to be used fo	r power	sec. ft.
(c) T	otal fall to be ut	ilized	feet.	
	·		(Head)	be developed
(4) 1	no navare of the	worns og med	ne of which the power is to	de developed
			(Legal subdivision)	of Sec
(No. N. or S.)	, R(No. E. or	, W. M.		
			ream?(Yes or No)	
$(g)$ $I_{I}$	f so, name strea	m and locate po	oint of return	
				(No. E. or W.)
			·	(No. E. or W.)
(h) $T$	np gron th grands			
(h) T	ne use to which	power is to be	applied to	

\_\_\_\_\_.

STATE ENGINEER

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
	esent population of
and an estimated population of	in 193
(b) If for domestic use state number of	of families to be supplied
(Answer questions 11,	, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	400.00
	fore One year after approval
	m or before Two years after approval
	to the proposed use on or before Three years
ai ter approval.	II 0 0-211
	H. S. Galligan. (Signature of applicant)
Signed in the presence of us as witnesses:	
	(Address of witness)
(2)(Name)	(Address of witness)
Remarks:	
STATE OF OREGON, County of Marion,	
STATE OF OREGON, 888.	
County of Marion, )	^
This is to certify that I have examined the p	foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this appl	lication must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this day	of, 19 <b>3</b>
•	·

Application	No. 17349	
Permit No.	13058	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 3rd day of June,
	193.8, at 2:15 o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	August 20, 1938
	Recorded in book No37
	Permits on page 13058.
	CHAS. E. STRICKLIN
	STATE ENGINEER
	Drainage Basin No4 Page20 Fees Paid9.50
STATE OF OREGON,	PERMIT
County of Marion.	S. •
and shall not exceed	anted is limited to the amount of water which can be applied to beneficial use 0.375 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from
Unname	ed Stream
	is water is to be applied isIrrigation
If for irrigation, th	is appropriation shall be limited to 1/80th of one cubic foot per lent for each acre irrigated and shall be further limited to a
	ceed 3 acre feet per acre for each acre irrigated during the
irrigation season,	
and shall be subject to suc	ch reasonable rotation system as may be ordered by the proper state officer.
The priority date of	f this permit is June 3, 1938
Actual construction	work shall begin on or before August 20, 1939 and shall
October 1 1940	vith reasonable diligence and be completed on or before
October 1. 1941	n of the water to the proposed use shall be made on or before
	d this 20th day of August , 1938
	CHAS. E. STRICKLIN STATE ENGINEER
Describe describeration describeration	