

*APPLICATION FOR A PERMIT CERTIFICATE NO. 14622

To appropriate the Public Waters of the State of Oregon

I, T. W. Kennedy (Name of applicant) of Selma (Postoffice), County of Josephine State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation:

1. The source of the proposed appropriation is East Fork Squaw Creek to Squaw Creek, a tributary of Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 0.29 cubic feet per second.

**3. The use to which the water is to be applied is irrigation 0.28 c.f.s. Domestic 0.01 c.f.s.

4. The point of diversion is located 300 ft. South and 300 ft. West from the center of Section 33.

being within the NE 1/4 SW 1/4 of Sec. 33, Tp. 37 S., R. 8 W., W. M., in the county of Josephine

5. The flume and ditch to be 1600 feet in length, terminating in the SW 1/4 SE 1/4 of Sec. 33, Tp. 37 S., R. 8 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 12 feet, length at bottom 12 feet; material to be used and character of construction Log and planks. Wasteway over dam.

(b) Description of headgate Timber. One opening 1' x 1'.

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100.00
- 12. Construction work will begin on or before June 6, 1939
- 13. Construction work will be completed on or before June 6, 1940
- 14. The water will be completely applied to the proposed use on or before June 6, 1940.

T. W. Kennedy
(Signature of applicant)

Selma, Oregon.

Signed in the presence of us as witnesses:

(1) G. C. Mayfield Holland, Oregon.
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 17351

Permit No. 13060

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 6th day of June

1938, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

August 20, 1938

Recorded in book No. 37 of Permits on page 13060

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 56-a

Fees Paid 14.50

STATE OF OREGON, ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.29 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

West Fork Squaw Creek

The use to which this water is to be applied is Irrigation and domestic, being 0.28 c.f.s. for irrigation and 0.01 c.f.s. for domestic

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second or its equivalent for each acre irrigated throughout the irrigation season from April 1st to November 1st of each year, and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 6, 1938

Actual construction work shall begin on or before August 20, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1940

Extended to Oct. 1, 1942

Complete application of the water to the proposed use shall be made on or before October 1, 1941

Extended to Oct. 1, 1942

WITNESS my hand this 20th day of August, 1938

CHAS. E. STRICKLIN

STATE ENGINEER