

76872  
~~40972~~  
 CERTIFICATE NO. 13981

**\*APPLICATION FOR A PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, H. H. Morris (Name of applicant)  
 of Kerby (Postoffice), County of Josephine,  
 State of Oregon, do hereby make application for a permit to appropriate the  
 following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rough and Ready Creek and  
(Name of stream)  
Parker Creek, a tributary of Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 1.7  
 cubic feet per second. 1.5 c.f.s. Rough and Ready. 0.2 c.f.s. Parker Creek  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2000 ft. North and 700 ft. West from the S<sup>1</sup>/<sub>4</sub>  
(N. or S.) (E. or W.)  
 corner of Section 14, Parker Creek, diversion is 600 feet N and 500 feet West from  
(Section or subdivision)  
 the S<sup>1</sup>/<sub>4</sub> corner of Section 12, both in T. 40 S., R. 9 W., W. M.  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
 being within the NE<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>, Sec. 14 and SE<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub> of Sec. 12 (both), Tp. 40 S.  
(Give smallest legal subdivision) (N. or S.)  
R. 9 W., W. M., in the county of Josephine  
(E. or W.)

5. The Ditch to be 2 miles  
(Main ditch, canal or pipe line) (Miles or feet)  
 in length, terminating in the NW<sup>1</sup>/<sub>4</sub> SE<sup>1</sup>/<sub>4</sub> of Sec. 12, Tp. 40 S.  
(Smallest legal subdivision) (N. or S.)  
R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

DIVERSION WORKS— Rough and Ready 2.0 feet 100  
Parker Creek 1.5 10  
 6. (a) Height of dam feet, length on top feet, length at bottom  
same feet; material to be used and character of construction  
(Loose rock, concrete, masonry,  
Timber crib dam. Plank facing. Wasteway over.  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber headgates. One opening each  
(Timber, concrete, etc., number and size of openings)  
ditch 2' x 2'

(c) If water is to be pumped give general description  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.  
 \*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.00 (Repair and enlargement)
- 12. Construction work will begin on or before June 21, 1939
- 13. Construction work will be completed on or before June 21, 1940
- 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_

H. H. Morris  
(Signature of applicant)  
Kerby, Oregon.

Signed in the presence of us as witnesses:

- (1) Hawley Parme, 1056 North 10th St., Grants Pass, Ore.  
(Name) (Address of witness)
- (2) Tom R. Pearce, Grants Pass, Oregon.  
(Name) (Address of witness)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 193\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193\_\_\_\_\_

STATE ENGINEER

Application No.....17379..

Permit No.....13080..

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. .... District No.....

*This instrument was first received in the  
office of the State Engineer at Salem, Oregon,*

on the .....21st. day of .....June.....,

193.....8, at .....1:00..... o'clock .....P.....M.

Returned to applicant:

Corrected application received:

Approved:

August 20, 1938

Recorded in book No.....37..... of

Permits on page 13080.....

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No.....15..... Page .....56-a.....

Fees Paid .....17.75.....

STATE OF OREGON, }  
County of Marion. } ss.

PERMIT

*This is to certify that I have examined the foregoing application and do hereby grant the same,  
subject to existing rights and the following limitations and conditions:*

*The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed .....1.7..... cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from .....Rough and Ready Creek  
and Parker Creek, being 1.5 c.f.s. from Rough and Ready Creek and 0.2 c.f.s. from  
Parker Creek.*

*The use to which this water is to be applied is .....Irrigation.....*

*If for irrigation, this appropriation shall be limited to .....1/50..... of one cubic foot per  
second or its equivalent for each acre irrigated throughout the irrigation season  
from April 1st to November 1st of each year, and shall be further limited to a  
diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during  
the irrigation season of each year,  
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.*

*The priority date of this permit is .....June 21, 1938.....*

*Actual construction work shall begin on or before .....August 20, 1939..... and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before .....  
October 1, 1940.....*

*Complete application of the water to the proposed use shall be made on or before .....  
October 1, 1941.....*

WITNESS my hand this .....20th. day of.....August....., 193.....8..

CHAS. E. STRICKLIN

STATE ENGINEER