CHATTIPICATE NO. 13357

## \*APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, E. J. and C. R. Dalton (Name of	unliant)
of Star Route, Box 18, Medford (Postoffice)	, County of Jackson
State of Oregon , do hereby n	rake application for a permit to appropriate the
following described public waters of the State of Oreg	on, SUBJECT TO EXISTING RIGHTS:
	lace of incorporation
1. The source of the proposed appropriation is, a tributary	first left hand fork of Galls Creek (Name of stream)
2. The amount of water which the applicant int	
cubic feet per second(If water is to be used from	
**3. The use to which the water is to be applied is	
3. The use to which the water is to be applied a	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located600 ft.	South and .1700 ft. West from the $\mathbb{E}^{\frac{1}{4}}_{\bullet}$
corner of Section 10, (Section or	subdivision)
(If preferable, give distance and b	
(If there is more than one point of diversion, each mus	
being within the $NW_4^1$ $SE_4^1$	of Sec. 10 , Tp. 37 S.
R. 3 W. W. M., in the county of Jackson	<b>1</b>
5. The Pipe line (Main ditch, canal or pipe line)	to be 900
in length, terminating in the $\frac{NW_{4}^{2}}{2} \frac{SE_{4}^{2}}{2}$ (Smallest legal subdivision	
R. 3 W. W. M., the proposed location being she	
DESCRIPTION (	OF WORKS
Diversion Works—	
6. (a) Height of dam feet, length	gth on top feet, length at bottom
feet; material to be used and character	of construction no dam (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate 20 £	t. box flume then into pipe Timber, concrete, etc., number and size of openings)
	ription (Siee and type of pump)
(Sine and type of engine or metor to be used,	total head water is to be lifted, etc.)

<sup>•</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the excaption of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

## CANAL SYSTEM OR PIPE LINE-

adgate. At headgate: width on top (at water line)			feet; width on bo	
usand feet.	feet; depth of	water	feet; grade	feet fall per
•		miles from head	lgate: width on top (at wate	er line)
			feet; depth of u	·
	feet fai			,
			,	
			ize at intake, 1.0	
m intake	in.;	size at place of	use1.0 in.; di	fference in elevation betu
ake and place	of use,100	ft. Is	grade uniform?Yes	Estimated capa
0.10	sec. ft.		· •	•
8. Locate	ion of area to b	e irrigated, or 1	place of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 S.	3 W.	10	$NW_4^1$ $SE_4^1$	Mill Pond
••••••				
			·	
	***************************************			
			a a s	
••••••				
•••••				-,
	***************************************	***************************************		
		(If more space re	quired, attach separate sheet)	<u> </u>
(a) Char	racter of soil			
(b) Kind	of crops raised		·	
	G PURPOSES—			•
		power to be der	veloped	theoretical horsepo
(b) G	Quantity of wate	er to be used fo	r power	sec. ft.
,				· · · · · · · · · · · · · · · · · · ·
		the second secon	(Head)	4 .
(a) 1	ne nature of th	e works oy mea	ns of which the power is to	be developed
(e) S	uch works to be	located in	(Legal subdivision)	of Sec
(No. N. or S.)	, R(No. E. o	, W. M.	:	
	•	•	ream?	
			(Yes or No) oint of return	8 - C
			•	
			(No. N. or S.)	
		manuam in to ha	amplied in	
(h) T	ne use to wnicn	power is to be	applied is	

STATE ENGINEER

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	,
	resent population of
and an estimated population of	in 193
(b) If for domestic use state number	of families to be supplied
(Answer questions 1	(1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	100.00
	efore July 1, 1938
13. Construction work will be completed	on or before One year
14. The water will be completely applied	d to the proposed use on or before 3 years
	E. J. and C. R. Dalton
	(Signature of applicant) Star Route, Box 18,
	Medford, Oregon.
Signed in the presence of us as witnesses:	
	Court House, Medford, Oregon.
(Name)	(Address of witness)
(2)(Name)	(Address of witness)
	milling purposes and returned
to stream without excessive	loss.
· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, County of Marion,	foregoing application, together with the accompanying
maps and data, and return the same for	·····
	······
<u></u>	
	olication must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this day	of, 193

Application	No. 17381
Permit No	13082

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. ..... District No.....

	This instra	•	rst received in at Salem. Or		
	on the 21s	_	_		
	193_8_, at			,	
	Returned to a	pplicant:		<del></del>	
	Corrected app		ived:		
	Approved:				
	A	igust 20,	1938		
	Recorded	n book No	37	of	
	Permits on po	ige13082			
	CHAS.	E. STRICK	LIN STATE ENGIN	ger	
	Drainage Bas Fees Paid		Page7	<u> </u>	
STATE OF OREGON, )		PERMIT			
County of Marion.	•				
and shall not exceedQ. stream, or its equivalent in	•10 cubic f	eet per secon	nd measured water users, fr	·om	on from the
The use to which th	is water is to be	applied is .	<u>M</u>	ill Pond	
If for irrigation, the second	is appropriation	shall be limi	ted to	of one c	ubic foot per
and shall be subject to suc	h reasonable rot	ation system	as may be o		state officer.
				August 20, 1939	
thereafter be prosecuted w					
0 1 1 10/0			se completed (	nt or oejore	
Complete application	n of the water to	the proposed	l use shall be	made on or before	
WITNESS my hand	l this 20th		August	1938	
				STRICKLIN	
			Q1220 4 1.4		