*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

· I,	William W. Tracy
of	(Name of applicant) Canyon City , County of Grant
	Oregon , do hereby make application for a permit to appropriate the
following	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If	the applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation is Tracy Creek (Name of stream)
	, a tributary ofJohn Day River
2.	The amount of water which the applicant intends to apply to beneficial use is Two
cubic fee	t per second. (If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied is Placer Mining (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	The point of diversion is located
corner of	$ m SE_{4}^{1} \ NE_{4}^{1}$ (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being wi	thin the $\frac{SE_{4}^{\frac{1}{2}} NE_{4}^{\frac{1}{2}}}{(Give smallest legal subdivision)}$ of Sec. 9 , $Tp. 14 S_{\bullet}$ (N. or S.)
R. 31	E. , W. M., in the county of Grant
5.	The Main Ditch to be about 3 miles (Main ditch, canal or pipe line) (Miles or feet)
in length	t, terminating in the SE\frac{1}{2} SE\frac{1}{2} of Sec. 34 , Tp. 13 South (Smallest legal subdivision)
R31	East, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversio	on Works—
6.	(a) Height of dam 4 feet, length on top 12 feet, length at bottom
4	feet; material to be used and character of construction Loose rock, brush and (Loose rock, concrete, masonry
	irt.
rock and brus	sh, timber crib, etc., wasteway over or around dam)
(1)	b) Description of headgate Timber, 2 feet wide, 2 feet high (Timber, concrets, etc., number and size of openings)
(0	c) If water is to be pumped give general description No (Size and type of pump)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*} A different form of application is provided where storage works are contemplated.

^{. **} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Salem. Oreson. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oreson.

94		-		
CANAL SYSTEM OF	r Pipe Line			•
7. (a) Gi	ve dimensions a	t each point of co	anal where materially chan	ged in size, stating miles from
headgate. At hea	adgate: width o	n top (at water	line)4	feet; width on bottom
2 thousand feet.	feet; depth of	water 2/3	feet; grade	1.5 feet fall per one
•	1	niles from heads	gate: width on top (at wate	er line) no change
	feet: width o	n bottom	feet; depth of i	vater feet;
grade				
		_		in.; size at ft.
•	,			ifference in elevation between
			•	Estimated capacity,
	,		grade willy or not	
	•	o immigrated con m	lace of use Place	er Mining
Township	Range	Section Section	Forty-acre Tract	Number Acres
				To Be Irrigated
13 S.			SW4 SW4	1
13 S.	31 E,	35	$NW_{\overline{4}}^{1}SW_{\overline{4}}^{1}$	40
13 S.	31 E.	35	$W_2^1 E_2^1 SW_4^1$	40
		· · · · · · · · · · · · · · · · · · ·	e jednosti se programa i programa	
			.,	
			× "	
•				
	***************************************	<u> </u>	uired, attach separate sheet)	
(a) Char	acter of soil	Gravel		
Power or Minin				A CONTRACTOR OF THE STATE OF TH
		power to be dev	eloped	theoretical horsepower
			r powerNone	
			feet.	
				he developed
, , , , (a) 1	ne nacure of th	e works by mea	ns of which the power is to	be developed
(e) S	uch works to he	located in		of Sec
			(Legal subdivision)	of Sec
(No. N. or S.)			warm 9 Vog	
			ream? Yes (Yes or No)	River
/ \ •	f so name streo	ım and locate po	int of return John Day	ITAGI.
(g) I_i				, R. 31 E. , W. M

(i) The nature of the mines to be served placer mining

STATE ENGINEER

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
	sent population of
and an estimated population of	
(b) If for domestic use state number of	f families to be supplied
(Answer questions 11,	12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$D	itch already constructed.
	ore
	n or before
	to the proposed use on or before
	William W. Tracy
	(Digital of applicant)
	Canyon City, Oregon
	-
Signed in the presence of us as witnesses:	
(1) J. M. Blank	Canyon City, Oregon
(Name) (2) C. W,	(Address of witness) Canyon City, Oregon.
(Name)	(Address of witness)
Remarks:	
·	

STATE OF OREGON, County of Marion,	
Country of Marion	
	foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this appl	ication must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this day of	of, 193

Application	No. 17394
Permit No.	13094

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 29th day of June,
	193. 8, at 1:00 o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	August 20, 1938
	Recorded in book No of
	Permits on page 13094
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 6 Page 22 Fees Paid 11.00
STATE OF OREGON,)	PERMIT
County of Marion.	
and shall not exceed	2.0 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Tracy Creek
	is water is to be applied is Placer Mining
	is appropriation shall be limited to of one cubic foot per
and shall be subject to suc	th reasonable rotation system as may be ordered by the proper state officer. this permit is June 29, 1938
Actual construction	work shall begin on or beforeAugust 20, 1939 and shall
thereafter be prosecuted w October 1, 1940	ith reasonable diligence and be completed on or before
Complete application	n of the water to the proposed use shall be made on or before
WITNESS my hand	d this 20th day of August , 1938
	CHAS. E. STRICKLIN
Downite for newer developmen	STATE ENGINEER