*APPLICATION FOR A PERMIT

CERTIFICATE NO. 14184

To Appropriate the Public Waters of the State of Oregon

I, Willard Totten and Wallace Totten (Name of applicant)
of Philomath County of Benton
(Postoffice) State ofOregon, do hereby make application for a permit to appropriate the state of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is South Fork of Marys River (Greasy (Name of stream)
Creek) and Rock Creek , a tributary of Marys River
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. One second foot from only one creek at a time (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
(First point of Div. Greasy Creek) 4. The point of diversion is located .180 ft. North and 165 ft East. from the
EXECUTE: Center of the SE ¹ / ₄ of Section 29, (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the $\frac{NE_4^{\frac{1}{2}} \text{ of } SE_4^{\frac{1}{2}}}{\text{(Give smallest legal subdivision)}}$ of Sec. 29 , Tp. $\frac{12 \text{ S.}}{\text{(N. or S.)}}$
R. 6 W. Benton Benton
5. The Main Ditch to be 500 feet
in length, terminating in the $\frac{NE_{4}^{1}}{S}$ of the SE_{4}^{1} of Sec. 29 , Tp . 12 S. (Smallest legal subdivision) (N. or S.)
R
DESCRIPTION OF WORKS
DIVERSION WORKS— (Water to be pumped by portable unit)
6. (a) Height of dam feet, length on top feet, length at botto
feet; material to be used and character of construction
(Loose rock, concrete, mason
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description Centrifugal pump of approx. 1
(Size and type of pump) cu. foot per sec. Cap. of Engine: Small Allis Chalmers Tractor Model B.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
Pumps 1. Suction lift 10 feet. Discharge lift 10 feet. Portable. (Maximum)

^{*}A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

CANAL SYSTEM OR PIPE LINE-

headge	ate. At head	dgate: width or	top (at water	r line) Two	feet; width on botto
thouse	ind feet. (N	o change in	size)	,	Two feet fall per o
		**			ater line)
					f water fe
grade		feet fal			
	(c) Lengtl	of pipe,	ft.; 8	size at intake,	in.; size at
from i	intake	in.;	size at place of	f use in.;	difference in elevation between
intake	and place o	f use,	ft. I	s grade uniform?	Estimated capaci
	••••••	sec. ft.	÷.		
	8. Location	n of area to be	irrigated, or	place of use	
T	ownship	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Point	12 S.	6 W.	29	NE_{4}^{1} of SE_{4}^{1}	7 Acres
ts of	12 S.	6 W.	29	NW_{4}^{1} of SE_{4}^{1}	3 Acres
sion 3.	12 5.	6 · W.	29	SE ¹ / ₄ of NE ¹ / ₄	90 Aenes
•			£3	DET OI NET	20 Acres
**********			•,••••		
		***************************************	••••••	,	

•••••			••••••••••••		-
		***************************************	************		
********		;·· · ; · · · · ·			
				equired, attach separate sheet)	· · · · · · · · · · · · · · · · · · ·
	(a) Chara	cter of soil	Silty Cla	y Loam	
	(b) Kind o	of crops raised	Irr. Past	ure, Forage, truck cr	ops and Small fruit.
Power	e or Mining	Purposes—			
	9. (a) To	tal amount of 1	power to be de	veloped	theoretical horsepou
	(b) Qu	antity of wate	r to be used f	or power	sec. ft.
	(c) Tot	tal fall to be ut	ilized	feet.	$(u_{i_1},\ldots,u_{i_m})\in \mathcal{C}_{i_m}$
					to be developed
7.11.	, (4) 20	e, 1000 and 0 of 0111	, wormer of more	and of total one poster to	
**********	(a) Su	ah ananka ta ha	loogtod in	<u>-</u>	of Co.
				(Legal subdivision)	of Sec
<i>17</i>		, R(No. E. or	-		
				tream?(Yes or No)	
	(g) If	so, name strea	m and locate p	point of return	Light State Control of the Control o
•••••			, Sec	, Tp(No. N. or	, R, W.
	(h) Th	e use to which	power is to be	e applied is	
					,

EXTRA SHEET FOR ADDITIONAL POINTS OF DIVERSION

2nd Point of Diversion: Greasy Creek

The point of diversion is located 1075 feet East and 33 feet South of the Center of Section 29, being within the North West Quarter of the South East Quarter of Section 29, Township 12 South, Range 6 West, W. M., the proposed location being shown on the accompanying map.

The main ditch to be 600 feet long terminating in the South East Quarter of the North East Quarter of Section 29, Township 12 South, Range 6 West, W. M.

3rd Point of Diversion: Rock Creek

The point of diversion is located 1400 feet East and 660 feet North of the Center of Section 29, being within the South East Quarter of the North East Quarter of Section 29, Township 12 South, Range 6 West, W. M., the proposed location being shown on the accompanying map.

The main ditch to be 400 feet long terminating in the South East $\frac{1}{4}$ of NE Quarter of Section 29, Township 12 South, Range 6 West, W. M.

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
County, having a	present population of
(Name of) and an estimated population of	
•	ber of families to be supplied
	ons 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works,	300.00
12. Construction work will begin on or	r beforeJuly 1, 1938
13. Construction work will be complet	ed on or before August 1, 1938
14. The water will be completely app	lied to the proposed use on or before July 1, 1940.
	Wallace Totten (Signature of applicant)
	Willard Totten
Signed in the presence of us as witnesse	
(1) Alice B. Coolidge (Name)	(Address of witness)
(2) R. A. Coolidge	Philomath, Oregon.
(Name)	(Address of witness)
STATE OF OREGON, County of Marion, \$88.	the foregoing application, together with the accompanying
corrections on or before	
WITNESS my hand this	day of, 193
	STATE ENGINEER

Application	No17395
Permit No.	13095

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No......

	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 30th day of June,	
	193 8., at 8:00 o'clock	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	August 20, 1938	
	Recorded in book No 37 of	
	Permits on page 13095	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No2 Page 22 Fees Paid \$9.50	
STATE OF OREGON,	PERMIT	
County of Marion.	•	
	at I have examined the foregoing application and do hereb and the following limitations and conditions:	y grant the same,
•	anted is limited to the amount of water which can be applie	ed to beneficial use
and shall not exceed1.	.0 cubic feet per second measured at the point of	diversion from the
stream, or its equivalent in	case of rotation with other water users, from	
South Fork	of Mary's River, Greasy Creek and Rock Creek	
The use to which th	is water is to be applied isIrrigation	
foot per second limited to a diversion a diversion a irrigated during per second per appropriated und above sources should be subject to such officer. The priority date of	on, this appropriation shall be limited to $1/30$ th or its equivalent for each acre irrigated and so version at the stream of not to exceed one acre ated during any 30-day period and shall be still at the stream of not to exceed $2\frac{1}{2}$ acre feet per at the irrigation season of each year, being $1/30$ acre from each stream, providing that the total der this right and any other rights from either hall not at any time exceed the quantity allowed reasonable rotation system as may be ordered by this permit is June 30, 1938	shall be further foot per acre for further limited acre for each acre oth of one cubic for quantity of water or all three of the herein, and shall the proper state
Actual construction	work shall begin on or before August 20, 1939	and shall
0-1-3-3-2000	ith reasonable diligence and be completed on or before	
	n of the water to the proposed use shall be made on or befo	re .
October 1, 1941		. ~ ,
	d this 20th day of August , 1938.	
	CHAS. E. STRICKLIN	
		STATE ENGINEER