*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

	,	. A. Rickson &		/27					
of	Sile	etz, Oregon (Pos	toffice)	(Name of app		inty of		Lincoln	
State (of	Oregon	, d	lo hereby ma	ke applica	tion fo	r a per	rmit to ap	propriate th
follow	ing descri	bed public water	s of the Sto	ite of Oregoi	n, SUBJE	CT TO	EXIS	TING RIC	GHTS:
	If the app	olicant is a corpo	ration, give	date and pla	ce of incom	rporation	on	•••••	,
	1. The se	ource of the prop	posed approp	priation is		Unn	amed	eam)	
•••••			, (a tributary o	of	•		*	
	2. The a	mount of water i	vhich the ap	pplicant inten	ds to appl	y to be	neficia	use is	0.02
cubic ;	feet per se	econd	(If water i	s to be used from m	ore then one so	uras giva		om oach)	
*	*3. The u	se to which the u	vater is to b	e applied is	ore than one so	Donae	stic S	Supplies	
	0. 1700 00			(Ir	rigation, power	r, mining,	manufact	uring, domestic	s supplies, etc.)
***********	4. The p	oint of diversion	is located	2660 ft.	N. and	420	ft	E. from	n the Sa
corner	of	Section 3	31 - T. 8	S. R. 10 W. (Section or su	• Y. • 141 •			•••••	
•••••			(If preferable, giv	e distance and bear					
		(If there is more tha							
being	within th	e SW $\frac{1}{N}$ E $\frac{1}{2}$	smallest legal su	bdivision)	of ,	Sec	31	, Тр	8 S. (N. or S.)
	10W	, $W.\ M.$, in the co	unty of	Lincol	n	··			
	5. The	Pipe l	ine	al or nine line)		to b		(Miles o	r feet)
in leng	gth, termin	nating in the	Lots 3	& 5	(of Sec	31	, Tp	8 S.
R		W. M., the prope							
			DESCH	RIPTION OF	works				
DIVER	sion Wori	KS							
	6. (a) H	Height of dam	3	feet, lengt	h on top	4		feet, len	gth at botto
	4	feet; material to	be used and	d character o	of construc	ction		/ T ann mal	***
	Wo	ooden Box cons	struction	- Wasteway	over da			(Loose roc	
rock and	brush, timber o	crib, etc., wasteway over c							
	(b) Desc	cription of headg	ate	(Tin	nber, concrete, e	tc., numbe	r and size	of openings)	
*	(c) If w	vater is to be pur		eneral descri					
		(Size and tyr	oe of engine or m	otor to be used, to	tal head water	is to be l	ifted, etc.)		
								•••••	

[•] A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CA	NAT.	SYSTEM	ΛĐ	DIDE	T.INE
L /A	NAL	OISLEM	UK	FIFE	1/11/19

			line)	
ousand feet.	feet; depth of	water	feet; grade	feet fall per o
•	,	miles from head	aate: width on ton (at wate	er line)
		-		
				vater fee
rade	feet fa	l per one thousa	nd feet.	
(c) Leng	oth of pipe,26	00 ft.; si	ze at intake,1	in.; size at
rom intake	in.;	size at place of	use in.; di	ifference in elevation betwe
take and place	of use.	QQ ft. Is	grade uniform?	Yes Estimated capacit
	2 sec. ft.	·		
	T			Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
8 South	10 West	31	Lots 3 & 5	
	-			·-
	-			
	-			
••••••		'		
	•	••••••		
	•	(If more space rec	quired, attach separate sheet)	
(a) Cha	racter of soil			
(b) Kin	d of crops raised			
ower or Mini	NG PURPOSES-			
9. (a) '	Total amount of	power to be dev	eloped	theoretical horsepow
(b) Quantity of water to be used for power			r power	sec. ft.
(c) 1	Total fall to be u	ilized	(Head)	
			` ,	be developed
(a).	the nature of th	e works by med	ins of which the power is to	o de developea
	•••••			
(e) A	Such works to be	located in	! (Legal subdivision)	of Sec
p	, R (No. E. c	, W. M.		
			ream?	
			(Yes or No)	
			•	, R, W.
(h)	The use to which	n power is to be	applied is	

Mun	ICIPAL OR DOMESTIC SUPPLY—		
	10. (a) To supply the city of		
		ent population of	
and o	an estimated population of	in 193	
	(b) If for domestic use state number of	families to be supplied	Two
	(Answer questions 11, 12,		-
	11. Estimated cost of proposed works, \$ 275	.00	
	12. Construction work will begin on or befor13. Construction work will be completed on		
	14. The water will be completely applied to		•
	<u></u>		in use.
		C. A. Rick (Signatur	SON e of applicant)
		Charles H.	Davis Jr.
	Signed in the presence of us as witnesses:		
(1)	A. H. Oscarson	Taft, Ore.	
• ,	(Name)	(Addres	s of witness)
(2)	R. O. Lippert (Name)	(Addres	s of witness)
	Remarks:		
STA:	TE OF OREGON, ss.		
C	County of Marion,	•	
	This is to certify that I have examined the for	egoing application, toge	ther with the accompanying
maps	and data, and return the same for		
	completion, signature and ba	lance of fees.	
			•••••••••••
	In order to retain its priority, this applica		
corr	ections on or beforeSeptember 10		
	WITNESS my hand this11th day of.		198 8
		CHAS, E. STRI	
		TALL STATE	N STATE ENGINEER

Application	No. 17475
Permit No	13186

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.....

	··	
	This instrument was first received is office of the State Engineer at Salem, Or	
	on the 3rd day of August	
	193.8 at 1:00 o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	•
*.		
	Approved:	
	November 28, 1938	
	Recorded in book No. 37	of
	Permits on page13186	
	CHAS. E. STRICKLIN	
	STATE ENGIN	
	Drainage Basin No. 18 Page 20 Fees Paid $$10.00$	•••••
	rees Paia	
STATE OF OREGON,]	PERMIT	
County of Marion.	•	
subject to existing rights of	at I have examined the foregoing application and the following limitations and condition the amount of water wh	ens:
and shall not exceed	.Q2 cubic feet per second measured	at the point of diversion from the
	case of rotation with other water users, fr	
The use to which th	is water is to be applied is	Domestic
second	is appropriation shall be limited to	
and shall be subject to suc The priority date of	this permit is August 3, 1938	rdered by the proper state officer.
	work shall begin on or before Nove	
Uctober 1,	ith reasonable diligence and be completed o	on or before
Complete application October 1,	1940	
	n of the water to the proposed use shall be	made on or before
	n of the water to the proposed use shall be	· · · ·
	n of the water to the proposed use shall be 1941 d this28th day ofNovember	, 193.8
WITNESS my hand	n of the water to the proposed use shall be 1941 d this28th day ofNovember	, 193 8 S. E. STRICKLIN STATE ENGINEER