CERTIFICATE NO. /3743

## \*APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I,	Wm. B. Chandlee Inc.
of Rev	(Name of applicant)  Country of Workington
	te #4, Sherwood, Oregon , County of Washington , (Postoffice)
State of	Oregon, do hereby make application for a permit to appropriate the
following	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If t	the applicant is a corporation, give date and place of incorporation Dec. 10- 1923.  Oregon
	The source of the proposed appropriation is
2.	The amount of water which the applicant intends to apply to beneficial use istwo
cubic feet	per second. (If water is to be used from more than one source, give quantity from each)
**3.	The use to which the water is to be applied is
	The point of diversion is located860 ft. N. and300 ft. W. from theSE (E. or W.)
corner of	the SE4 of the SW4 of Sec. 4, T. 2 S., B. 2 W. (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
***************************************	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being wit	hin the $SE_4^1$ $SW_4^1$ of Sec. 4 , $Tp$ . 2. S. (N. or S.)
R. 2 W.	W. M., in the county of washing ton
5.	The Pipe line to be 4000 feet  (Main ditch, canal or pipe line) (Miles or feet)
in length,	(Main ditch, canal or pipe line) (Miles or feet) terminating in the $SE_4^{\perp}$ of the $NE_4^{\perp}$ of Sec. 4 , $Tp$ . 2 S.
	(N. or S.)  W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
DIVERSION	Works—
6.	(a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock and brush	, timber crib, etc., wasteway over or around dam)
(b)	) Description of headgate(Timber, concrete, etc., number and size of openings)
(c)	If water is to be pumped give general description 5 inch centrifugal
**********	(Size and type of pump)  12 H.P. electric motor, total lift 60 feet
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  10 inch concrete pipe
***************************************	TA TIME PARKERS AS TABE

<sup>\*</sup> A different form of application is provided where storage works are contemplated

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

4	043747	SYSTEM	<b>^</b>	Depri	Train
1	LANAI.	SYSTEM	OR	PIPE	LINE_

			ter line)	
ousand feet.	feet; depth of	water	feet; grade	feet fall pe <b>r</b> or
(b) At		miles from he	eadgate: width on top (at wate	er line)
	feet; width	on bottom	feet; depth of r	vat <del>er</del> fee
rade	feet fa	all per one thou	usand feet.	
(c) Leng	th of pipe,4	000 ft.,	size at intake, 10"	in.; size at 2000
rom intake	10" in.,	size at place	of usein.; di	fference in elevation betwee
ntake and place	of use, 30 to	60 ft.	Is grade uniform? Yes	Estimated capacit
two	sec. ft.			
8. Locati	on of area to t	oe irrigated, o	r place of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	2 W	4	$NW_{4}^{1}$ of $SE_{4}^{1}$	17
2 S	2 W	4	NEL OF SEL	4
2 S	2 W	4	SW1 of NE1	
2 S	2 W	4	SE <sup>1</sup> 4 of NE <sup>1</sup> 4	6
2 S	2 W	4		3
2 S	2 W	4	SE <sup>1</sup> 4 of SW <sup>1</sup> 4	
	***************************************			35
			,	-
	Within Ab	ram Landess	DLC Not. 5712	-
	***************************************	<u> </u>	e required, attach separate sheet)	.
(a) Char	acter of soil		Willamette loam	
(b) Kind	of crops raised	dFilber	ts, walnuts, berries & g	arden
ower or Minin	G PURPOSES—			
9. (a) T	otal amount of	power to be	developed	theoretical horsepowe
(b) Q	uantity of wat	ter to be used	for power	sec. ft.
(c) T	otal fall to be u	tilized	(Head)	
			neans of which the power is to	be developed
	•••••			
(e) S	uch works to be	e located in	(Legal subdivision)	of Sec
p(No. N. or S.)				
	-	•	stream?	
			(Yes or No)  point of return	
(0) -1	ŕ		, <i>Tp</i> (No. N. or S.	
		, ~~~	(No. N. or S.)	(No. E. or W.)
			be applied is	•

STATE ENGINEER

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
(Name of)	sent population of
and an estimated population of	in 193
(b) If for domestic use state number of	f families to be supplied
(Answer questions 11,	12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$22	200.00
	oreMay 1st, 1939
	s or before " 1940
	to the proposed use on or before May 1st, 1940
	Wm. B. Chandlee Inc.
	(Signature of applicant)
	Wm. B. Chandlee, Pres.
Signed in the presence of us as witnesses:	
(1) J. C. Rushlow,	Hillsboro (Address of witness)
	Hillsboro, Ore.
(Name)	(Address of witness)
Remarks:	
·	
	·
STATE OF OREGON, County of Marion,  888.	
County of Marion	
	oregoing application, together with the accompanying
	cation must be returned to the State Engineer, with
corrections on or before	
WITNESS my hand this day o	f, 193

Application		No17483	
Pormit	Nο	13199	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 5th day of August,
	193.8., at8:00 o'clockAM.
	Returned to applicant:
	Corrected application received:
	Approved:
	November 28, 1938
	Recorded in book No 37 of
	Permits on page 13192
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No2
	Fees Paid\$10.25
STATE OF OPECON )	PERMIT
County of Marion.	
•	at I have examined the foregoing application and do hereby grant the same,
	and the following limitations and conditions:
The right herein gro	ented is limited to the amount of water which can be applied to beneficial use
and shall not exceed	Q.88 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in	case of rotation with other water users, from
	Tualatin Biver
	is water is to be applied is
	is appropriation shall be limited to
second or its equivale	nt for each acre irrigated and shall be further limited to a
,	m of not to exceed one acre foot per acre for each acre irri-
the stream of not to e	y period and shall be limited still further to a diversion at xceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the ach year.
	h reasonable rotation system as may be ordered by the proper state officer.
The priority date of	this permit is August 5, 1938
Actual construction	work shall begin on or before
	ith reasonable diligence and be completed on or before
	of the water to the proposed use shall be made on or before
	1941
	this 28th day of November , 1938
	CHAS. E. STRICKLIN
Damita for names developmen	STATE ENGINEER