

\*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, The Union Central Life Insurance Company of Cincinnati, Ohio, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation January 30, 1867 - Cincinnati, Ohio

1. The source of the proposed appropriation is North Fork of Scappoose Creek, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is three-eighths cubic feet per second.

\*\*3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 1320 ft. North and 1100 ft. East from the SW corner of Section 35, Township 4 North, Range 2 West, W. M.

being within the NW 1/4 of SW 1/4 & SW 1/4 SW 1/4 of Sec. 35, Tp. 4 North, R. 2 West, W. M., in the county of Columbia

5. The main ditch to be 3000 feet in length, terminating in the NE 1/4 of NW 1/4 of Sec. 2, Tp. 3 North, R. 2 West, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam four feet, length on top thirty feet, length at bottom thirty feet; material to be used and character of construction temporary dam of timber and gravel to be in place only during irrigation season.

(b) Description of headgate Wood construction - 24" wide and 12 inches high

(c) If water is to be pumped give general description

\* A different form of application is provided where storage works are contemplated. \*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....50.00.....

12. Construction work will begin on or before .....

13. Construction work will be completed on or before .....

14. The water will be completely applied to the proposed use on or before ... Has been  
.....  
completely applied .....

THE UNION CENTRAL LIFE INSURANCE COMPANY

R. H. Thayer (Signature of applicant) MFE 7/19/38  
BY R. H. Thayer, Assistant Treasurer (S E A L)

Signed in the presence of us as witnesses:

(1) M. F. Eberly ..... 3223 Lookout Circle, Cinti., Ohio  
(Name) (Address of witness)

(2) R. E. Lindeman ..... R. Route 10, Dawson Rd., Cinci, Ohio  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for .. correction and completion .....

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before .. September 10 .., 193<sup>8</sup>.....

WITNESS my hand this .. 11th .. day of .. August .., 193<sup>8</sup>..

CHAS. E. STRICKLIN  
LN STATE ENGINEER

Ralph Langdon #23661

Application No. 17486

Permit No. 13195

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 6th day of August,

1938, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

November 28, 1938

Recorded in book No. 37 of

Permits on page 13195

CHAS. E. STRICKLIN.

STATE ENGINEER

Drainage Basin No. 3 Page 16

Fees Paid \$9.50

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Scappoose Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 19, 1938

Actual construction work shall begin on or before November 28, 1939 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1940

Complete application of the water to the proposed use shall be made on or before

October 1, 1941

WITNESS my hand this 28th day of November, 1938.

CHAS. E. STRICKLIN,

STATE ENGINEER