To Appropriate the Public Waters of the State of Oregon

Ι,	(Name of applicant)
of	Carlton , County of Yamhill , (Postoffice)
	Oregon , do hereby make application for a permit to appropriate the
following	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	the applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation is Panther Creek (Name of stream)
	, a tributary of Yamhill River
2.	The amount of water which the applicant intends to apply to beneficial use is 1.0 (pump Cap
ubic feet	t per second. for sprinkling system not to exceed 20 acres. (If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied is
4.	The point of diversion is located 300 ft. South and 250 ft. West from the center (E. or W.)
corner of	Section 25, T. 3 S., R. 5 W., W. M., (Section or subdivision)
	: (If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being wit	thin the $NE_4^{\frac{1}{2}}SW_4^{\frac{1}{2}}$ of Sec. 25 , $Tp.$ 3 S. (Give smallest legal subdivision) (N. or S.)
R. 5 W.	, W. M., in the county ofYamhill
5.	The to be (Miles or feet)
in tength, _	t, terminating in the of Sec, Tp, (Smallest legal subdivision) (N. or S.)
R(E. or	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion	on Works—
6.	(a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock and brus	sh, timber crib, etc., wasteway over or around dam)
(ł	b) Description of headgate
(0	c) If water is to be pumped give general description 12" Cent. (Size and type of pump)
	6 H.P. Tractor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	10 ft. lift.

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Communicipalities. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salam Oragon

CANTAL	SYSTEM	AD DIDE	TANE
UANAL	SYSTEM	OR PIPE	LINE

	dgate: width	£ an ##		,
iousand feet.	feet; aepth o	j w ater	feet; grade	feet fall per on
(b) At		. miles from headg	ate: width on top (at water	r line)
	. feet; width	on bottom	feet; depth of w	ater feet
rade	feet f	all per one thousar	nd feet.	
(c) Lengt	h of pipe,	500 ft.; siz	ee at intake,4	in.; size at f
rom intake	in.	; size at place of r	ıse in.; dif	ference in elevation betwee
ntake and place o	f use,	ft. Is	grade uniform?	Estimated capacity
	sec. ft. 1	0 sprinklers		
8. Locatio	n of area to	be irrigated, or pl	lace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S.	5 W.	25	$SW_{4}^{1} NE_{4}^{1}$	6
				7
	***************************************		NE_{4}^{1} SW_{4}^{1}	5
		_	SE ¹ NW ¹	2
				;
]
,				,
	••••••••••			

				i
		<u>'</u>	pired, attach separate sheet)	
(a) Chara	cter of soil	Silty Loam		
(b) Kind	of crops raise	$_{d}$ Ladina Clove	·	······································
OWER OR MINING				
9. (a) To	otal amount o	f power to be deve	eloped	theoretical horsepowe
(b) Q	uantity of wa	ter to be used for	· power	sec. ft.
(c) To	tal fall to be	utilized	feet.	
			•	be developed
		••••••		
(e) Su	ch works to b	e located in	(Legal subdivision)	of Sec
p(No. N. or S.)				
			eam?(Yes or No)	
(g) If	so, name str	eam and locate po	(,	
		, Sec	, Tp	, R, W. M
				(110. 15. 01 11.)

- A part of the tract of land situate in Sections 23, 24, 25 and 26, Township 3 South, Range 5 West of the Willamette Meridian, in the William L. Adams Donation Land Claim No. 43, Notification No. 2198, in Yamhill County, Oregon, conveyed to the United States by R. R. Thompson by deed recorded January 27, 1937, in Book 112, Page 184, of the Deed Records of Yamhill County, Oregon, said part being more particularly described as follows, to wit:
- Beginning at a point marked by a 3/4" iron pipe on the East line of the R. R. Thompson Tract, from which point the Northeast Corner of the R. R. Thompson tract is North 1° 13' 46" East 1289.17 feet, said corner being marked by a 3/4" iron pipe set in County Survey No. 2708;
- Thence North 86° 31' 30" West 1165.28 feet along the line common with United States Farm Security Administration Farm Unit No. 29 to a point marked by a 3/4" iron
- Thence North 0° 32' 00" West 41.90 feet along the line common with Farm Unit No. 29 to a point marked by a 3/4" iron pipe:
- Thence North 880 19' 30" West 426.56 feet along the line common with Farm
- Unit No. 30 to a point marked by a 3/4" iron pipe; Thence South 21° 32' 30" West 73.55 feet along the line common with Farm Unit No. 30 to a point marked by a 3/4" iron pipe;
- Thence South 0° 28' 00" West 2383.80 feet along the line common with Farm Unit No. 34 to a point marked by a 3/4" iron pipe on the South line of the W. L. Adams Donation Land Claim;
- Thence North 82° 35' 47" East 1469.00 feet along the South line of the W. L. Adams Donation Land Claim to a point marked by an iron pipe;
- Thence North 90 16' 06" East 955.63 feet along the line common with Farm Unit No. 3
- to a point marked by an iron pipe; Thence North 1° 13' 46" East 1194.96 feet along the line common with Farm Unit No. 3 and Farm Unit No. 1 to the point of beginning;
- This Unit contains 82.557 acres, more or less.

MUNICIPAL OR DOMESTIC SUPPLY—			
10. (a) To supply the city of			
County, having a pres	ent population of		
and an estimated population of			
	families to be supplied		
·	,		
(Answer questions II, I	(2, 13, and 14 in all cases)		
11. Estimated cost of proposed works, \$109	00.00		
12. Construction work will begin on or befo	re May 1, 1939		
13. Construction work will be completed on	Construction work will be completed on or before June 1, 1939		
14. The water will be completely applied t	to the proposed use on or before June 1, 1939		
	•		
	Frenk A Miller		
	(Signature of applicant)		
Signed in the presence of us as witnesses:			
(1) Doris Leeman	Rt. #2. McMinnville. Oregon		
(Name)	(Address of witness)		
(2) Constance Norton (Name)	538So. Baker McMinnville, Oregon. (Address of witness)		
·	(Madres of William)		
temans.			
······			
STATE OF OREGON,			
County of Marion,			
	;		
	regoing application, together with the accompanying		
maps and data, and return the same for			
	cation must be returned to the State Engineer, with		
corrections on or before			
WITNESS my hand this day of	·, 19 3		

Application		No.17497
Permit	No.	13202

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

•	OF OREGON
	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on theday of
	193.8, at 8:00 o'clock
	Returned to applicant:
	Corrected application received:
	Approved:
	November 28, 1938
	Recorded in book No 37 of
	Permits on page 13202.
	CHAS. E. STRICKLIN.
	Drainage Basin No 2 Page 900
	Fees Paid \$9.50.
	2 000 2 000 1
STATE OF OREGON, ss.	PERMIT
County of Marion.	
subject to existing rights of The right herein gra	at I have examined the foregoing application and do hereby grant the same, and the following limitations and conditions: unted is limited to the amount of water which can be applied to beneficial use
	cubic feet per second measured at the point of diversion from the
stream, or its equivalent in	case of rotation with other water users, from
The was to aubich thi	is water is to be applied is Irrigation
second or its equivale diversion at the strea during any 30-day peri stream of not to excee irrigation season of e	is appropriation shall be limited to 0.05 of one cubic foot per ent for each acre irrigated and shall be further limited to a sim of not to exceed one acre-foot per acre for each acre irrigated and shall be limited still further to a diversion at the ed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the each year, and shall be subject to such reasonable rotation systems the proper state officer.
The priority date of	this permit is August 9, 1938
Actual construction	work shall begin on or before November 28, 1939 and shall
thereafter be prosecuted wi Extended to O October 1, 1940	ith reasonable diligence and be completed on or before
	of the water to the proposed use shall be made on or before
	this 28th day of November 1938.
	CHAS. E. STRICKLIN.
Permits for power development	STATE ENGINEER