*APPLICATION FOR A PERMIT CERTIFICATE NO. 14436

To Appropriate the Public Waters of the State of Oregon

I, Guy J. Frink (Name of applicant)
of 244 N. 5th St. Corvellis , County of Benton
State ofOregon, do hereby make application for a permit to appropriate
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is (1). Greasy Creek. (2) Mary!s River. (Name of stream)
, a tributary of (1) Mary's River. (2) Willemette
2. The amount of water which the applicant intends to apply to beneficial use is One
cubic feet per second. 1/3 cu.ft.per Sec. from Greasy Creek, 2/3 cu.ft.per sec.from Ma (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located330. ftS and125 ftE from the NW
corner of NE of SW of Sec. 11, Township 12 S. Range 6 W. (Section or subdivision)
Diversion points #2 and #3 on separate sheet. (If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the $NE_4^1SW_4^{\frac{1}{4}}$ of Sec. 11 , $Tp.$ 12 S. (Give smallest legal subdivision)
R. Benton Benton
5. The pipe line and ditch to be 500 (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SEANWA of Sec. 11, Tp. 12 (Smallest legal subdivision)
R6. W., W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bo
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description 6. inch centrifugal (Size and type of pump)
9-18 horsepower Fordson tractor 30 ft. head maximum (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE-

7. (a) Gi	ive dimensions a	t each point of c	anal where materially chan	ged in size, stating miles from
headgate. At he	adgate: width o	n top (at water	line)	feet; width on bottom
thousand feet.				feet fall per one
(b) At	1	miles from head	gate: width on top (at wat	er line)
	feet; width o	n bottom	feet; depth of a	vater feet;
grade	feet fal	ll per one thousa	and feet.	
(c) Leng	th of pipe,50	0 ft.; s	ize at intake,8	. in.; size at250 ft.
from intake	in.;	size at place of	use8 in.; de	ifference in elevation between
intake and place	of use,30	ft. Is	grade uniform? Yes	Estimated capacity,
One	sec. ft.			
8. Locati	on of area to b	e irrigated, or 1	olace of use	
Township	Range	Section	Forty-acre Truct	Number Acres To Be Irrigated
12	6 W	11	SE <mark>≟</mark> NW <mark>≟</mark>	7 acres
12	6 W	11	ne√sw√	9 acres
12	6 W	11	SW <mark>1</mark> NE1	l acre
12	6 W	11	NW¹4SE¹4	15 acres
12	6 W	11	NE¹SE¹	2 acres
				34. 0 acres
•				
••••••				

**				

			quired, attach separate sheet)	
(a) Char	acter of soil			c Silty Clay Loam
• •	•		o, Onions, Corn, Alfal	• •
Power or Minin				
		power to be der	veloped	theoretical horsepower.
(b) Q	Quantity of water	er to be used fo	r power	sec. ft.
(c) T	otal fall to be u	tilized	(Head)	
				be developed
				•••••
(e) S	uch works to be	located in		of Sec,
Tp(No. N. or S.)			! (Legal subdivision)	
,,	,	,	tream?	
			(Yes or No)	
		Sec	<i>Tp</i>	, R, W. M.
			,) (No. E. or W.)
(i) T	he nature of th	e mines to be s	served	
	·			

ADDITIONAL DIVERSION POINTS.

- #2 0 ft. N. or S. 50 ft. West of SE corner of NW_{4}^{1} of Sec. 11, T. 12 R. 6 W. Pipe line and ditch 400 ft. terminating NE_{4}^{1} of Sw₄ of Sec. 11, Township 12 R. 6 W.
- #3 100 ft. south 660 ft. E. of NW corner of SE_4^1 of Sec. 11, T. 12 R 6 W. Pipe line and ditch terminating in NW_4^1 of SE_4^1 of Sec. 11, T. 12 R 6 W.

MUNICIPAL OR DOMESTIC SUPPLY—			
10. (a) To supply the city of			
	a present population of		
and an estimated population of	in 193		
(b) If for domestic use state nun	mber of families to be supplied		
(Answer que	estions 11, 12, 13, and 14 in all cases)		
11. Estimated cost of proposed works	s, \$ 1,000,00		
	or before0ct. 1, 1938		
13. Construction work will be completed on or beforeOct, 1, 1939			
	oplied to the proposed use on or before Oct. 1, 1940		
	Guy J. Frink (Signature of applicant)		
Signed in the presence of us as witnes	38 <i>e</i> 8:		
(1) R. F. Smith (Name)	Corvallis, Ore. (Address of witness)		
	Corvallis, Ore.		
	······		
······································			
STATE OF OREGON, ss.			
County of Marion,	•		
This is to certify that I have examined	d the foregoing application, together with the accompanying		
maps and data, and return the same for			
	······································		
7J 1 ** ** ** ** ***			
	s application must be returned to the State Engineer, with		
corrections on or before	·		
WITNESS my nana this	day of, 193		
	STATE ENGINEER		

Application	No17502
Permit No.	13207

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.....

	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 11th day of August,
	1938, at8:QQ. o'clockA.M.
	Returned to applicant:
	Corrected application received:
	Approved:
	November 28, 1938
	Recorded in book No 37 of
	Permits on page 13207
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No2 Page19. &22
	Fees Paid\$10.10
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	PERMIT
County of Marion.	
	at I have examined the foregoing application and do hereby grant the same, and the following limitations and conditions:
	anted is limited to the amount of water which can be applied to beneficial use
and shall not exceed	cubic feet per second measured at the point of diversion from the
stream, or its equivalent in	a case of rotation with other water users, from Greasy Creek and Mary's
River, being 0.3	33 c.f.s. from Greasy Creek and 0.67 c.f.s. from Mary's River.
The use to which th	is water is to be applied isIrrigation
	is appropriation shall be limited to 1/34th of one cubic foot per
	Lent for each acre irrigated and shall be further limited to a
diversion of not to exirtigation season of e	xceed 2 acre feet per acre for each acre irrigated during the each year,
and shall be subject to suc	ch reasonable rotation system as may be ordered by the proper state officer.
The priority date of	this permit is August 11, 1938
Actual construction	work shall begin on or before November 28, 1939 and shall
thereafter be prosecuted w	ith reasonable diligence and be completed on or before
October 1,	1940
	n of the water to the proposed use shall be made on or before
	d this 28th day of November , 1938.
	CHAS. E. STRICKLIN
Permits for power developmen	STATE ENGINEER It are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74. Session Laws of 1983.