*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Lawrence C. Shearer and Mabel Shearer (Name of applicant)
of
State ofOregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Calapooya River (Name of stream) , a tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is Q.25 Sec.Ft
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 2500 ft. N and 2180 ft. W. from the SE (E. or W.)
corner of Section 14 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N W of SE ¹ / ₄ Section of Sec. 14 , Tp. 12 S. (Give smallest legal subdivision) (N. or S.)
R. 4 W., W. M., in the county of Linn (E. or W.)
5. The pipe line to be 800 feet (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.W.40 of Sec. 14 , Tp. 12 S. (Smallest legal subdivision) (N. or S.)
R. 4 W . W . M ., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description $2\frac{1}{2}$ in. centrifugal (Size and type of pump) Required horsepower 12 - car engine to be used
(Size and type of engine or motor to be used, total head water is to be lifted, etc.) Lifting water 24 feet by Sprinkler System.
TITOTHE MOTOR VET TOOL DA PARTHETER DASCENT.

[•] A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer

CANAL SYSTEM OR PIPE LINE

eadgate. At hea	idgate: width o	n top (at water	· line)	feet; width on botton
	feet; depth of	water	feet; grade	feet fall per or
ousand feet. (b) At		niles from head	lgate: width on top (at wa	ter line)
				water fee
				, , , , , , , , , , , , , , , , , , , ,
	feet fai			
				in.; size at
om intake	in.;	size at place of	use in.;	difference in elevation betwee
take and place	of use,	ft. I	s grade uniform?	Estimated capacit
	•			
8. Location	on of area to b	e irrigated, or	place of use On attach	ed map.
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
12 S	4 W.	14	NW of SE	12 acres
		,		
	•••••			

		***************************************	•	
	***************************************		•	
			•••••	
	<u>'</u>	<u>'</u>	equired, attach separate sheet)	
(a) Char	acter of soil	Silt 1	loam	
(b) Kind	of crops raised	Clo	over and Alfalfa	
ower or Minin	G PURPOSES			
9. (a) T	otal amount of	power to be de	veloped	theoretical horsepowe
(b) Q	uantity of wat	er to be used fo	or power	sec. ft.
(c) T	otal fall to be u	tilized	(Head)	
			• •	to be developed
(e) S	uch works to he	located in		of Sec.
			(Legal subdivision)	of Sec
	(No. E. c			
			(Yes or No)	
			•	
		, Sec	, Tp(No. N. or	S.) (No. E. or W.)
(h) T	he use to which	n power is to be	e applied is	

Mun	ICIPA	L OR DOMESTIC SUPPLY—	
	10.	(a) To supply the city of	
	·····		present population of
and o	an est	timated population of	in 193
		(b) If for domestic use state numbe	er of families to be supplied
			ss 11, 12, 13, and 14 in all cases)
		Estimated cost of proposed works, \$.	
	12.	Construction work will begin on or	beforeMarch 1st 1939
			d on or before May 1st 1939
	14.	•	led to the proposed use on or before June 1, 1939
			Lawrence C. Shearer (Signature of applicant)
			Mabel Shearer
		gned in the presence of us as witnesses	
(1)		W. E. Forster (Name)	Tangent, Oregon (Address of witness)
(2)		J. E. Jenks, Jr.	Tangent, Oregon (Address of witness)
	Ke	marks:	
	•		
			······································
STA	TE (OF OREGON.	
	~ .	$\left. egin{array}{l} OF \ OREGON, \ y \ of \ Marion, \end{array} ight. ight.$	
(
			he foregoing application, together with the accompanying
map	s and	l data, and return the same for	
	In	order to retain its priority, this a	pplication must be returned to the State Engineer, with
corr		ns on or before	
		·	ay of, 193
	** .		- g - ;
			STATE ENGINEER

Application	No.17604
Permit No	17005

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.....

	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 26th day of September,
	193.8., at8:00 o'clock
	Returned to applicant:
	Corrected application received:
	Approved:
	November 28, 1938
	Recorded in book No37 of
	Permits on page 13297
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No2
	Fees Paid\$9.50
STATE OF OREGON,)	PERMIT
County of Marion.	3.
The right herein gr	and the following limitations and conditions: canted is limited to the amount of water which can be applied to beneficial use
and shall not exceedQ. stream, or its equivalent in	anted is limited to the amount of water which can be applied to beneficial use 25 cubic feet per second measured at the point of diversion from the n case of rotation with other water users, from
and shall not exceedQ. stream, or its equivalent in	canted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the
and shall not exceedQ. stream, or its equivalent in	canted is limited to the amount of water which can be applied to beneficial use 25
and shall not exceedQ. stream, or its equivalent in The use to which the	canted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the case of rotation with other water users, from
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival	canted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Calapaoya River his water is to be applied is
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival diversion at the stream gated during any 30-d the stream of not to irrigation season of	cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Calapooya River his water is to be applied is
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival diversion at the stream gated during any 30-d the stream of not to irrigation season of and shall be subject to su	canted is limited to the amount of water which can be applied to beneficial use 25
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival diversion at the stream gated during any 30-d the stream of not to irrigation season of and shall be subject to su The priority date of	cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Calapaoya River his water is to be applied is
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival diversion at the stream gated during any 30-d the stream of not to irrigation season of and shall be subject to su The priority date of Actual construction	cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Calapaoya River is water is to be applied is
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival diversion at the stream of not to irrigation season of and shall be subject to su The priority date of Actual construction thereafter be prosecuted use	cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Calapaoya River his water is to be applied is
and shall not exceed	cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Calapaoya River his water is to be applied is
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival diversion at the stree gated during any 30-d the stream of not to irrigation season of and shall be subject to sue The priority date of Actual construction thereafter be prosecuted us October 1, 194 Complete application	canted is limited to the amount of water which can be applied to beneficial use 25
and shall not exceedQ. stream, or its equivalent in The use to which the If for irrigation, the second or its equival diversion at the streageted during any 30-d the stream of not to irrigation season of and shall be subject to sue The priority date of Actual construction thereafter be prosecuted us October 1, 194 Complete application October 1, 194	canted is limited to the amount of water which can be applied to beneficial use 25