

*APPLICATION FOR A PERMIT CERTIFICATE NO. 14204

To Appropriate the Public Waters of the State of Oregon

I, George Lane (Name of applicant) of Hebo, (Post office) County of Tillamook State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring (Name of stream), a tributary of Big Nestucca River

2. The amount of water which the applicant intends to apply to beneficial use is .22 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 355 ft. North and 550 ft. West from the SE corner of SW 1/4 SW 1/4 of Section 1, T. 4 S., R. 10 W., W. M., (Section or subdivision) (If preferable, give distance and bearing to section corner)

being within the SW 1/4 SW 1/4 of Sec. 1, Tp. 4 S., R. 10 W., W. M., in the county of Tillamook (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe Line (Main ditch, canal or pipe line) to be 240 feet (Miles or feet) in length, terminating in the SW 1/4 SW 1/4 of Sec. 1, Tp. 4 S., R. 10 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 1 ft. feet, length on top 2 ft. feet, length at bottom 2 ft. feet; material to be used and character of construction concrete (Loose rock, concrete, masonry, over rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated populatoin of in 193.....

(b) If for domestic use state number of families to be supplied Two
.....
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 30.00
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before now complete
- 14. The water will be completely applied to the proposed use on or before now in use

George Lane
.....
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) C. H. Bergstrum, Tillamook, Oregon.
(Name) (Address of witness)
- (2) Velma O Neil, Tillamook, Oregon.
(Name) (Address of witness)

Remarks: 240 ft. of one inch pipe carries the water from the new spring
to the old tank with a 30 ft. head. The water runs free into the old tank at
all times. The dam is made of concrete and has but a few gallon capacity.
This new water right is to supplement the present system as not enough water
can be obtained from the present system. The present system is filed in the
name of the First National Bank of Tillamook.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

Application No. 17656

Permit No. 13351

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 10th day of November

1938, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

February 14, 1939

Recorded in book No. 37 of

Permits on page 13351

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 16A

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 10, 1938

Actual construction work shall begin on or before February 14, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1940

Complete application of the water to the proposed use shall be made on or before October 1, 1941

WITNESS my hand this 14th day of February, 1939.

STATE ENGINEER