

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, City of Coquille (Name of applicant) of Coquille (Post office), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rink Creek & Reservoir (Name of stream), a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is One cubic feet per second. Additional (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic Supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of S 26° - 43' East 1882' from NW corner Section 4, T. 28 S., R. 12 W., W. M., (Section or subdivision) (If preferable, give distance and bearing to section corner)

being within the Lot 4 of Sec. 4, Tp. 28 S., R. 12 W., W. M., in the county of Coos (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The For storage - no canal (Main ditch, canal or pipe line) to be in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.) (Miles or feet)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 52 feet, length on top 500 feet, length at bottom 20 feet; material to be used and character of construction Upstream portion rolled clay, downstream portion of sandstone. See plans and specifications filed with application for reservoir permit October 20, 1938. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Gate tower in reservoir as in Dw. 303. One 20" CI pipe for unwatering, one 8" CI pipe for city service already constructed. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use City of Coquille in

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S.	13 W.	36	SE $\frac{1}{4}$	
			E $\frac{1}{2}$ SW $\frac{1}{4}$	
27 S.	12 W.	31	W $\frac{1}{2}$ SW $\frac{1}{4}$	
28 S.	13 W.	1	NE $\frac{1}{4}$	
		1	E $\frac{1}{2}$ NW $\frac{1}{4}$	
		1	N $\frac{1}{2}$ N $\frac{1}{2}$ S $\frac{1}{2}$	
28 S.	12 W.	6	W $\frac{1}{2}$ NW $\frac{1}{4}$	
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of Coquille
Coos County, having a present population of 3500
(Name of) and an estimated populatoin of 4000 in 1945.

(b) If for domestic use state number of families to be supplied about 1000

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 45,425
- 12. Construction work will begin on or before At once
- 13. Construction work will be completed on or before June 30, 1939
- 14. The water will be completely applied to the proposed use on or before June 30, 1939

City of Coquille
(Signature of applicant)
J. D. Rankin, Mayor
F. G. Leslie, Recorder

Signed in the presence of us as witnesses:

- (1) W. S. Sicket
(Name) (Address of witness)
- (2) D. E. Cruickshank
(Name) (Address of witness)

Remarks: This is a companion application to one filed October 20, 1938,
for permit to increase the size of the storage reservoir on Rink Creek, constructed
in 1923, Under Permits 8923 and R613. City has Certificate No. 9517 for 3 c.f.s.
from Rink Creek, priority of June 27, 1922. Drawings accompanying above mentioned
application for reservoir permit apply also to this application as follows: 697-1248,
Plan of Rink Creek Dam; 697-1249 Spillway Details. Plan of Reservoir; 506-303 Re-
vision of Gate Tower.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193.

WITNESS my hand this _____ day of _____, 193.

Application No. 17658

Permit No. 13352

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 12th day of November,

1938, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

February 14, 1939

Recorded in book No. 37 of

Permits on page 13352

CHAS. E. STRICKLIN.

STATE ENGINEER

Drainage Basin No. 17 Page 20

Fees Paid \$10.00

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rink Creek and Reservoir to be enlarged under Application No. 17657, Permit No. R-721

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 12, 1938

Actual construction work shall begin on or before February 14, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1940

Complete application of the water to the proposed use shall be made on or before October 1, 1941

WITNESS my hand this 14th day of February, 1939.

CHAS. E. STRICKLIN.

STATE ENGINEER