CERTIFICATE NO. 15065

ASSIGNED, Sec. Misc. Rec. Vol. 2 , Page 1189

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

	I,	United Sta	tes of Amer	ica, (Farm S	Security A	dministra	tion)	
of2	25 Term	inal Sales	Bldg., Por	tland,		y of Multr	nomah	 ,
State o	f	Oregon		, do hereby n	nake applica	tion for a p	ermit to ap	propriate the
followi	ng descri	ibed public u	aters of the S	tate of Oregon	, SUBJECT	TO EXIST	TING RIGE	ITS:
	If the ap	plicant is a	orporation, gi	ve date and pla	ice of incorp	oration		
		0-0-0-0	-0-0					
	1. Th e s	ource of the		opriation is				
				, a tributary				
				applicant inter				
			icient water	r to irrigat	e 50 a cr es	5		
			(If we	ter is to be used from be applied is	more than one so	urce, give quantit	y from each)	
	o. Ine u	ise to which	ne water is to	o ve appuea is	(Irrigation, pov	ver, mining, man	ufacturing, dome	estic supplies, etc.)
corner	4. The p	oint of diver	sion is located	900 ft. N	orth and	L650 ft. M	est from	ı the Section
				give distance and be				•
R	3 W. Lorw.)	, W. M., in t	he county of	iversion, each must b subdivision) Washington	·	•		
•	5. The		Main Pipe (Main ditch, ea	Line nal or pipe line)		to be	2000 fee (Miles or f	t feet)
in lengt	th, termin	nating in the	NE_{4}^{1} of	the SE_4^{-1}	of S	ec21	, Тр	l N.
R3	W. c. or W.)	., W. M., the	proposed locati	on being show	n throughou	t on the acc	ompanying	map.
			DES	CRIPTION O	F WORKS			
Divers	ion Wori	KS—						
	6. (a) H	Height of day	n	feet, lengt	h on top		feet, len	gth at bottom
				nd character o				
((b) Desc	cription of h	eadgate	(Timber,	concrete, etc., nu	mber and size of c	penings)	
	(c) If w	ater is to be	pumped give	general descri	ption Cer	itrifugal (Size an	type suct	ion pump
		(Size	and type of engine o	ne powered motor to be used, to icient mann	tal head water is	deliveri		ted amount
		······				··		

[•] A different form of application is provided where storage works are contemplated.

^{••} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL.	SYSTEM	OR PIPE	TANE
CANAL	OIDIGIN	OWTIER	

ousand feet.	feet; depth of w	ater	feet; grade	feet fall per
	n	iles from hea	dgate: width on top (at wat	er line)
			feet; depth of	
	fe			
(c) Lengt	h of pipe,20	000 ft.;	size at intake, 6 inch	in.; size at2000
			f usein.;	
			Is grade uniform?Yes	
	sec. ft.			
8. Location	on of area to be i	irrigated, or p	lace of use	·
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
l N.	3 W.	21	$ ext{SE}_4^{rac{1}{4}}$ of $ ext{NE}_4^{rac{1}{4}}$	4
1 N.	3.W.	21	NE Of SE	
l N.	3 W.	21	NW4 of SE4	8
			SW1 of SE1)
	3.W.	21	SE ¹ / ₄ of SE ¹ / ₄	
			,	50
· · · · · · · · · · · · · · · · · · ·				
4 > ~			required, attach separate sheet)	
			Sandy Loam ified Dairy, including	
				partial and low crops
WER OR MINING $9. (a) To$		ower to be de	eveloped	theoretical horsepor
(b) Qi	antity of water	to be used f	or power	sec. ft.
(c) To	tal fall to be uti	lized		
	•		ans of which the power is to	o be developed
			* .	
(e) Su	ch works to be l	located in	(Legal subdivision)	of Sec
	, R(No. E. o			
(No. N. or S.) (f) Is	water to be ret	urned to any	stream?(Yes or No)	
			oint of return	
			, Tp(No. N. C	
			e applied is	
				

MUNICIPAL OR DOMESTIC SUPPLY—	4
10. (a) To supply the city of	
	resent population of
and an estimated populatoin of	in 193
(b) If for domestic use state numb	er of families to be supplied
(Answer questions	3 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	2,000.00
	before November 29th, 1939
	d on or before October 1st, 1940
14. The water will be completely applied	d to the proposed use on or before October 1st, 194
······································	Walter A. Duffy,
	(Signature of applicant) CAF
	Regional Director,
	Farm Security Administration.
Signed in the presence of us as witnesse	28:
(1) James B. Ackley (Name)	949 - NE 31st Ave., Portland, Oregon. (Address of witness)
	4816 NE Champaign St., Portland, Oregon (Address of witness)
Remarks:	
	······································
<u> </u>	
<u></u>	
STATE OF OREGON,]	
County of Marion,	
	he foregoing application, together with the accompanying
	plication must be returned to the State Engineer, with
corrections on or before	
WITNESS my hand this de	
	STATE ENGINEER

Application	No
Permit No.	13399

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the6th day of January,
	193 9., at 11:00 o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	February 14, 1939
	Recorded in book No. 38 of
·	Permits on page13399
	CHAS. E. STRICKLIN. STATE ENGINEER
	Drainage Basin No. 2 Page 62D. Fees Paid \$12.50.
STATE OF OREGON,	PERMIT
$County\ of\ Marion,$ $\}^{8}$	9.
	at I have examined the foregoing application and do hereby grant the same
	RIGHTS and the following limitations and conditions:
	ented is limited to the amount of water which can be applied to beneficial use
	•625 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from
-	Dairy Creek
The use to which this	water is to be applied isIrrigation
	s appropriation shall be limited to
second or its equivale	nt for each acre irrigated and shall be further limited to a
diversion of not to ex	ceed 2 acre feet per acre for each acre irrigated during the
irrigation season of e	ach year,
	h reasonable rotation system as may be ordered by the proper state officer.
•	his permit is January 6, 1939
thereafter be prosecuted wi	work shall begin on or before February 14, 1940 and shall
October 1. 1940 Extended to	th reasonable diligence and be completed on or before
	th reasonable diligence and be completed on or before
Complete application Extended to Oc	th reasonable diligence and be completed on or before
Complete application Extended to October 1, 1941	th reasonable diligence and be completed on or before Oct. 1, 1941 Oct. 1, 1942 Extended to Oct. 1, 1943 of the water to the proposed use shall be made on or before tt. 1, 1942 Extended to Oct. 1, 1943
Complete application Extended to October 1, 1941	th reasonable diligence and be completed on or before Oct. 1, 1941 Oct. 1, 1942 Extended to Oct. 1, 1943 of the water to the proposed use shall be made on or before tt. 1, 1942 Extended to Oct. 1, 1943 this 14th day of February , 193 9.
Complete application Extended to October 1, 1941 WITNESS my hand to	th reasonable diligence and be completed on or before Oct. 1, 1941 Oct. 1, 1942 Extended to Oct. 1, 1943 of the water to the proposed use shall be made on or before tt. 1, 1942 Extended to Oct. 1, 1943