

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, United States of America (Name of applicant) of Portland, Terminal Sales Bldg., Room 235 F.S., (Post office) County of Multnomah State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0

1. The source of the proposed appropriation is East Fork of Dairy Creek (Name of stream) a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is .63 cubic feet per second. sufficient water to irrigate 50 acres (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1233 ft. North and 675 ft. East from the Quarter corner of between sections 4 and 9., (Section or subdivision) (If preferable, give distance and bearing to section corner)

being within the SW 1/4 of the SE 1/4 of Sec. 4, Tp. 1 N., R. 3 W., W. M., in the county of Washington. (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The main pipe line to be 1400 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 of the NE 1/4 of Sec. 9, Tp. 1 N., R. 3 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifugal type water pump (Size and type of pump) either gasoline, diesel or electric driven capable of delivering sufficient (Size and type of engine or motor to be used, total head water is to be lifted, etc.) water for successful irrigation of 50 acres.

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1,400 ft.; size at intake, 4 or 6 in.; size at 1,400 ft. from intake 4 or 6 in.; size at place of use 2 inches in.; difference in elevation between intake and place of use, 20 ft. ft. Is grade uniform? yes Estimated capacity, 180 gallons per ~~second~~ minute. 15 overhead sprinklers, working from lateral lines from main lines. Openings for laterals every 60 feet.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	3 W.	4	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	3
1 N.	3 W.	4	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	$\frac{1}{2}$
1 N.	3 W.	4	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	32
1 N.	3 W.	4	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	2
1 N.	3 W.	4	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	7 $\frac{1}{2}$
1 N.	3 W.	9	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	$\frac{1}{2}$
1 N.	3 W.	9	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	4 $\frac{1}{2}$
				50

(If more space required, attach separate sheet)

(a) Character of soil Silty Loam
 (b) Kind of crops raised Diversified dairy, clover, beans, peas, corn, etc.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
 Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)
 (g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 17703

Permit No. 13404

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of December 1938, at 4:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

February 14, 1939

Recorded in book No. 38 of Permits on page 13404

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62D

Fees Paid \$12.50

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.63 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from East Fork of Dairy Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 19, 1938

Actual construction work shall begin on or before February 14, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1940

Complete application of the water to the proposed use shall be made on or before October 1, 1941

WITNESS my hand this 14th day of February, 1939

CHAS. E. STRICKLIN STATE ENGINEER