CERTIFICATE NO. 14208

## \*APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Andrew Waris (Name of applicant)
of Clatskanie , County of Columbia , County of Columbia ,
State ofOregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Has no name (Name of stream)
, a tributary of Beaver Slough
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. Continuous flow at capacity of a one-inch pipe or 8 gal. per  (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Domestic Supplies, livestock and (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
agricultural purposes, but not for irrigation,
4. The point of diversion is located 241.7. ft. North and 34.2 ft. West. from the NE
corner of SW4 of Section 4, T. 7 N., R. 4 W., W. M.,  (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the SE4 of NW4 of Sec. 1 our Tp. 7 N.  (Give smallest legal subdivision) (N. or S.)
R. 4 W. W. M., in the county of Columbia
5. The Pipe Line to be 1000 feet total (Miles or feet)
in length, terminating in the $SE_4$ of $NW_4$ of Sec. 4, $Tp$ . $7.N$ . (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of damtwo feet, length on topTwelve feet, length at bottom
six feet; material to be used and character of construction Concrete (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)
Total brush, timber trib, etc., wasteway over or atomic tamp
(b) Description of headgateConcrete etc., number and size of openings)
0
(c) If water is to be pumped give general description Gravity (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>•</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

SYSTEM	

				feet; width on bottom
6 <i>Hodsand</i> feet. Hundred	feet; depth of	water	_2 feet; grade	
(b) At $\Omega$	nly one dam	. miles from he	adgate: width on top (at wa	ter line)
	feet; width	on bottom	feet; depth o	f water feet;
rade		feet fall per on	e thousand feet.	•
(c) Leng	th of pipe,	500 ft.;	size at intake,One	in.; size atSame ft.
rom intake	in	ı.; size at place d	of use One in.,	; difference in elevation between
ntake and place	of use,35	ft.	Is grade uniform?	Ies Estimated capacity,
	sec. ft.			· · · · · · · · · · · · · · · · · · ·
		e irrigated, or i	place of use No irrige	ation
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 N	1 W	Δ	$SW_4^1 NE_4^2$	
				•
·		-		
,				
				***
			· · · · · · · · · · · · · · · · · · ·	
		/74		
(a) Cham	matam of apil		required, attach separate sheet)	
	of crops raised	t mittir		<del></del>
OWER OR MININ		f magner to be d	lov aloned	theoretical horsepower.
				•
		,	for power	sec. ft.
(c) T	otal fall to be	utilized	(Head)	
(d) T	he nature of t	he works by m	eans of which the power is	to be developed
(e) S	uch works to b	e located in	(T.egal subdivision)	of Sec,
		, W. M		
(No. N. or S.)	No.	E. or W.) returned to anu	stream?(Yes or No)	
	-			
				, R, W. M.
(h) T	ne use to which	en power is to b	e applied is	
			ν	

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
	sent population of
(Name of)  and an estimated populatoin of	in 193
	of families to be supplied
	1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	100.00
	efore Pipe Line already in, no dam.
	on or before Mar. 1, 1939
used.	to the proposed use on or beforealready_being
	Andrew Waris (Signature of applicant)
	Claskanie, Oregon.
Signed in the presence of us as witnesses	
	5223 S. E. Insley, Portland, Oregon.
(Name)	(Address of witness)  Esterday Bldg., Clatskanie, Oregon,
(2) G. A. HELKALIA (Name)	(Address of witness)
Remarks: The main pipe line from	the dam to the premises is about 500
feet in length; the total length of	the pipe lines leading from the main
line to the various buildings is abou	t another 500 feet making a total length
for the entire system of about 1000 f	eet.
	·
County of Marion,	•
	e foregoing application, together with the accompanying
,	
7 · * .	
	lication must be returned to the State Engineer, with
corrections on or before	
WITNESS my hand this day	y of 193
	STATE ENGINEER

$Application\ No.$	17596
Permit No	13410

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. ..... District No. ....

	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 20th day of September,
	193 8, at 8:00 o'clock
	Returned to applicant:
	Corrected application received:
	Approved:
	February 14, 1939
	Recorded in book No of
	Permits on page13410
	CHAS. E. STRICKLIN. STATE ENGINEER
	Drainage Basin No Page6A Fees Paid\$10.00
STATE OF OREGON,	PERMIT
County of Marion, $\int_{0}^{8i}$	s.
	t I have examined the foregoing application and do hereby grant the san RIGHTS and the following limitations and conditions:
	nted is limited to the amount of water which can be applied to beneficial u
and shall not exceed8.0	g.p.m.cubic feet per second measured at the point of diversion from t
stream, or its equivalent in	case of rotation with other water users, from
	An Unnamed Stream
	water is to be applied is Domestic and Stock, being 4.0 g.p.m.
	g.p.m. for stock.
	appropriation shall be limited to of one cubic foot p
second	
and shall be subject to such	h reasonable rotation system as may be ordered by the proper state office
-	his permit is September 20, 1938
Actual construction	work shall begin on or before February 14, 1940 and sho
october 1, 1940	th reasonable diligence and be completed on or before
October 1 1941	of the water to the proposed use shall be made on or before
	his 14th day of February , 193 9.
	CHAS. E. STRICKLIN.
	omic a bittomin