CENTIFICATE NO. 12484

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Umpqua National Forest, U. S. Forest Service, Department of Agric (Name of applicant)	ulture
of Roseburg, Oregon , County of Douglas (Post office)	
State ofOregon , do hereby make application for a permit to appr	opriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHT	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is Deadman Creek	
(Name of stream) , a tributary of South Umpqua River	
2. The amount of water which the applicant intends to apply to beneficial use is	
•	
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	••••••••
**3. The use to which the water is to be applied is	supplies, etc.)
4. The point of diversion is located 330 ft. South and 758 ft. East from t	he .NW
corner of Section 18, (Section or subdivision)	
(Section of subdivision) S 69° E - 14 chains from NW Corner, Section 18,	
(If preferable, give distance and bearing to section corner)	
being within the NWA of NWA of NWA of Sec. 18, Tp. 30 (Give smallest legal subdivision)	 S
	N. or S.)
R. 1 W. Douglas (E. or W.)	, , , , , , , , , , , , , , , , , , ,
5. The Ditch to be 4356 feet (Main ditch, canal or pipe line)	
in length, terminating in the $\frac{NE_4^{\perp}}{}$ of SE_4^{\perp} of $Sec.$ 13 , $Tp.$ (Smallest legal subdivision)	30 S.
(Smallest legal subdivision) R 2 W. W M the proposed location being shown throughout on the accompanying me	(N. or S.)
R, W. M., the proposed location being shown throughout on the accompanying mo	up.
DESCRIPTION OF WORKS	
DIVERSION WORKS—	
6. (a) Height of dam8 feet, length on top36 feet, length	h at bottom
30 feet; material to be used and character of constructionTimber	
(Loose rock, con	ncrete, masonry,
Wasteway over dam rock and brush, timber crib, etc., wasteway over or around dam)	
N	
(b) Description of headgate None (Timber, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general description Pump from Canal	
into storage tank - $l\frac{1}{2}$ horse gas engine - piston pump.	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

System	

•	eadgate: width	on top (at water	line)2	feet; width on bott
ousand feet.	. feet; depth of a	water 1 in size	feet; grade	5 feet fall per
(b) At .		miles from headg	ate: width on top (at wate	r line)
	feet; width o	n bottom	feet; depth of a	vater fe
ade		feet fall per one t	housand feet.	
(c) Leng	th of pipe,	600 ft.; siz	e at intake, $\frac{1\frac{1}{2}}{2}$	in.; size at
om intake	in.	; size at place of r	ısein.; d	lifference in elevation betwe
take and place	of use,50	ft. Is	grade uniform? No	Estimated capaci
0.10	sec. ft.		e total e e	
8. Locat	ion of area to be	irrigated, or plac	ce of use South Umpqua	Falls CCC Camp
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 S.	R. 2 W.	13 .	NE_{4}^{1} of SE_{4}^{1}	
				# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				-
	•			
·····				
				-
		,	·	-
			and the second of the second o	
(n) (lh no			uired, attach separate sheet)	
				<u></u>
				· · · · · · · · · · · · · · · · · · ·
	of Purposes—	nower to be deve	loned	theoretical horsepow
			power	
				300. 70.
	•		(Head)	ha danalamad
(a) 1	ne nature of th	e works by mean	s of which the power is to	oe aevelopea
			· · · · · · · · · · · · · · · · · · ·	. ~
			(Legal subdivision)	of Sec
•	, R(No. E.			
			ream?(Yes or No)	
(g) I			t of return	
		, Sec	, Tp(No. N. or	, R, W.
			•	

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of South	Umpqua CCC Camp
Douglas County, having	a present population of200
and an estimated populatoin of	in 193
(b) If for domestic use state no	umber of families to be supplied 200 CCC Men
	estions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed work	ks, \$ 100.00
12. Construction work will begin on	or beforeCompleted
	leted on or beforeTo
14. The water will be completely ap	plied to the proposed use on or beforeDate
;	
	V. V. Harpham
	(Signature of applicant)
Signed in the presence of us as with	nesses:
(1) George W. Churchill (Name)	Roseburg, Oregon, (Address of witness)
(2) Kenneth P. McReynolds	Roseburg, Oregon.
(Name)	(Address of witness)
	t around the hill via canal, pumped from
	storage tank, gravity flow from park to camp.
3.1	
* 100	
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examine	ed the foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this	application must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this	day of, 193
: · · · · ·	STATE ENGINEER

Application No.	17717
Permit No	13421

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

ivision No District No
This instrument was first received in the fice of the State Engineer at Salem, Oregon,
the 28th day of December,
3.8., at8:00 o'clockAM.
eturned to applicant:
errected application received:
oproved:
February 14, 1939
Recorded in book No38 of
ermits on page13421
CHAS. E. STRICKLIN.
rainage Basin No. 16 Page 35
es Paid\$10.00
·
PERMIT
and anominal the forcesing andication and I to broke much the same
ave examined the foregoing application and do hereby grant the sam
HTS and the following limitations and conditions:
HTS and the following limitations and conditions: is limited to the amount of water which can be applied to beneficial us
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from th of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from Deadman Creek er is to be applied is
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from Deadman Creek er is to be applied is
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from Deadman Creek er is to be applied is
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from
is limited to the amount of water which can be applied to beneficial us cubic feet per second measured at the point of diversion from the of rotation with other water users, from