

CERTIFICATE NO. 13412

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Albert C. Allen (Name of applicant) of Central Point (Post office), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rogue River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

SEE ATTACHED SHEET

4. The point of diversion is located ft. and ft. from the corner of (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the of Sec. 31, Tp. 35 S. (Give smallest legal subdivision) (N. or S.)

R. 1 W. (E. or W.), W. M., in the county of Jackson

5. The Main Pipe Line in the NW 1/4 SW 1/4 & SW 1/4 NE 1/4 (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 SW 1/4 & SW 1/4 NE 1/4 of Sec. 31, Tp. 35 S. (Smallest legal subdivision) (N. or S.)

R. 1 W. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

Booster pump, also pump at No. 2 diversion using Meyers 3" Centrifugal, (c) If water is to be pumped give general description (Size and type of pump) No. 3 diversion using Meyers 2" centrifugal, 8 feet total lift. Booster pump (Size and type of engine or motor to be used, total head water is to be lifted, etc.) and Diversion No. 2 pump total lift of each is 20 feet.

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

All powered by gas engines.

QUESTION NO. 4.

No. 1 Diversion:

S. 89° E 3250 feet from the West quarter corner of Section 31, being within the $NW\frac{1}{4}$ $SE\frac{1}{4}$ of Section 31, Township 35 South, Range 1 West, W. M. This is the original diversion mentioned in Permit No. 10577, and water from this diversion will be boosted by pump mentioned in the application to irrigate the 7 acres of bench land in the $NW\frac{1}{4}$ $SW\frac{1}{4}$ of Section 31.

No. 2 Diversion:

N 89° E 3550 feet from the West quarter corner of Section 31, being within the $SW\frac{1}{4}$ $NE\frac{1}{4}$ of Section 31, T. 35 S., R. 1 W., W. M., and will be used to irrigate the one acre tract in the $SW\frac{1}{4}$ of $NE\frac{1}{4}$ of Section 31. This pump is the same type and size as described in the application.

No. 3 Diversion:

S $86^{\circ}-20'$ W 2155 feet from the East quarter corner of Section 31, being within the $NW\frac{1}{4}$ $SE\frac{1}{4}$ of Section 31, T. 35 S., R. 1 W., W. M. This pump was installed after proof was made on Permit No. 10577 to irrigate the 2.4 acres in the $NW\frac{1}{4}$ $SE\frac{1}{4}$ of Section 31.

The purpose of this application is to increase the lands irrigated four additional acres, which are present, actually being irrigated by this system.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated populatoin of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250.00.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

Albert C. Allen
(Signature of applicant)

Central Point, Oregon

Route 1, Box 338.

Signed in the presence of us as witnesses:

(1) Clinton A. Smith, Court House, Medford, Oregon.
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

Application No. 17755

Permit No. 13446

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of January, 1939, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 7, 1939

Recorded in book No. 38 of Permits on page 13446

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 60

Fees Paid \$9.50

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rogue River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4.5 acre feet per acre during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 18, 1939

Actual construction work shall begin on or before April 7, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 7th day of April, 1939.

CHAS. E. STRICKLIN STATE ENGINEER