

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Arnold J. Foster (Name of applicant)

of Nehalem, Oregon (Post office), County of Tillamook

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No

1. The source of the proposed appropriation is Unnamed Stream (Name of stream)

, a tributary of North Fork of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is 1/4 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic Supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1600 ft. South and 100 ft. East from the NW corner of Section 5, T. 3 N., R. 9 W., (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 NW 1/4 of Sec. 5, Tp. 3 N., R. 9 W., W. M., in the county of Tillamook

(Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe (Main ditch, canal or pipe line) to be 1500 ft. (Miles or feet) in length, terminating in the NE 1/4 NE 1/4 of Sec. 6, Tp. 3 N., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 3 feet, length on top 30 feet, length at bottom 30 feet; material to be used and character of construction Timber (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated populatoin of in 193.....

(b) If for domestic use state number of families to be supplied Two

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1000.00

12. Construction work will begin on or before

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Now in Use

Arnold J. Foster
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 25, 1939

WITNESS my hand this 25th day of January, 1939.

CHAS. E. STRICKLIN.
STATE ENGINEER

RE

Application No. 17760

Permit No. 13451

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of January, 1939, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 7, 1939

Recorded in book No. 38 of

Permits on page 13451

CHAS. E. STRICKLIN, STATE ENGINEER

Drainage Basin No. 1 Page 12

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 16, 1939

Actual construction work shall begin on or before April 7, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 7th day of April, 1939

CHAS. E. STRICKLIN, STATE ENGINEER