*APPLICATION FOR A PERMIT CERTIFICATE NO. 14458

To Appropriate the Public Waters of the State of Oregon

I,	George Russell (Name of applicant)
of	Molalla County of Clackamas
	Molalla , County of Clackamas ,
State of .	Oregon , do hereby make application for a permit to appropriate the
	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If	the applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation is Milk Creek (Name of stream)
	, a tributary of Molalla River
	The amount of water which the applicant intends to apply to beneficial use is
	per second. (If water is to be used from more than one source, give quantity from each)
**3.	The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4.	The point of diversion is located 1500 ft. South and 3700 ft. West from the NE
normar of	The point of diversion is located 1500 ft. South and 3700 ft. West from the NE Section 1, T. 5 S., R. 2 E.,
corner oj	Section 1, T. 5 S., R. 2 E., (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
being wit	hin the (SE4 NW4) in Chas. Cutting D.L.C. of Sec. 1, Tp. 5.8,
R. 2 F	(Give smallest legal subdivision) (N. or S.) W. M., in the county of Clackamas
(=: 0	The Pipe Line to be 750! (Main ditch, canal or pipe line) (Miles or feet)
in length,	terminating in the $SW_{4}^{\frac{1}{2}} NW_{4}^{\frac{1}{2}}$ of Sec. $\frac{1}{2}$, $Tp. \frac{5 S.}{(N. or S.)}$
R(E. o	2 E. W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Drumpara	n Works—
	Pumping System
6.	(a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock and brus	h, timber crib, etc., wasteway over or around dam)
<i>(b</i>) Description of headgate
	(Timber, concrete, etc., number and size of openings)
(c.) If water is to be pumped give general description 5" Centrifugal (Size and type of pump)
	(Size and type of pump) 5 H. P. Electricity
•	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
•	

A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL	SYSTEM	OR PIPE	LINE

headgate. At he	adgate: width	on top (at wate	r line)	feet; width on botto
	feet; depth of a	water	feet; grade	feet fall per o
nousand feet.				
				er line)
				water fee
rade	· j	feet fall per one	thousand feet.	Pump outlet
(c) Lengt	h of pipe,	750 ft.; s	size at intake, 6	in.; size at
rom intake	_4 in.	; size at place of	f use4 in.; o	lifference in elevation betwee
ntake and place	of use, 10	ft. I	s grade uniform? Fair	Lstimated capacit
?	sec. ft.		and the second second	
8. Locatio	on of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
	O. 13:		· .	
		1		
		ł . I		
			SW ¹ / ₄ NW ¹ / ₄	. 20
	<u> </u>		$SE_{4}^{1} NW_{4}^{1}$	10
·				
				••
			- 10-	
		/**	equired, attach separate sheet)	
(a) Chama	atom of april	,		
•		010 46	i ciid iidek	<u> </u>
OWER OR MINING		manner to be don	u alamad	the constituted the accountry
				theoretical horsepowe
			r power	sec. †t.
(c) To	tal fall to be u	tilized	(Head)	
(d) Th	e nature of th	e works by mea	ins of which the power is to	be developed
(e) Su	ch works to be	located in	(Legal subdivision)	of Sec
p(No. N. or S.)			(Magair Banday Salvary	
			stream?	
			(Yes or No) int of return	
(8/ 4/				, R, W. M
/1.\ m1			(No. N. or	S.) (No. E. or W.)
(n) Th	e use to which	power is to be	applied is	······································
			and the second s	A Company of the Comp

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
(Name of)	esent population of
and an estimated populatoin of	in 193
(b) If for domestic use state numbe	r of families to be supplied
(Answer questions	11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$.	500,00
12. Construction work will begin on or b	efore One year after approval
	on or before Two years after approval
	to the proposed use on or before Three years
after approval	
	Ca. Du11
	Geo. Russell (Signature of applicant)
Signed in the presence of us as witnesses	
	And the second of the second o
	(Address of witness)
(2)(Name)	(Address of witness)
Remarks:	
	· · · · · · · · · · · · · · · · · · ·
	<u> </u>
	<u></u>
STATE OF OREGON,]	
$County\ of\ Marion,$ $\bigg\} ss.$	
This is to certify that I have examined th	e foregoing application, together with the accompanying
maps and data, and return the same for	
the control of the co	
,	
	and the second of the second o
1 - St	olication must be returned to the State Engineer, with
corrections on or before	
WITNESS my hand this da	y of193
Transacting toutow or to manage was	<i>y</i> - <i>y</i>
	STATE ENGINEER

Application No.	17761
Permit No	13452

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on theday of
	193.9, at 10:45 o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	April 7, 1939
	Recorded in book No. 38 of
	Permits on page13452
	CHAS. E. STRICKLIN. STATE ENGINEER
	Drainage Basin No2 Page32B
	Fees Paid \$9.50.
STATE OF OREGON,]	PERMIT
County of Marion, s	8.
	at I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions:
The right herein groand shall not exceed	RIGHTS and the following limitations and conditions: unted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the case of rotation with other water users, from
The right herein ground shall not exceed	RIGHTS and the following limitations and conditions: unted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the
subject to existing The right herein gro and shall not exceed	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Milk Creek
subject to existing The right herein gro and shall not exceed	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use 58
subject to existing The right herein ground shall not exceed	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use 88
subject to existing The right herein gro and shall not exceed	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use 58
subject to existing The right herein gro and shall not exceed	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use 88
subject to existing The right herein gro and shall not exceed	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use 58
subject to existing The right herein gro and shall not exceed	RIGHTS and the following limitations and conditions: unted is limited to the amount of water which can be applied to beneficial use 88
subject to existing The right herein gro and shall not exceed 0.2 stream, or its equivalent in The use to which this If for irrigation, this second or its equivalent diversion of not to e irrigation season of and shall be subject to such The priority date of the Actual construction thereafter be prosecuted with October 1, 1941 Complete application October 1, 1942	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to beneficial use 58