

*APPLICATION FOR A PERMIT

CERTIFICATE NO. 15575 and 15698 61988

To appropriate the Public Waters of the State of Oregon

I, United States of America, (Farm Security Administration) of 225 Terminal Sales Bldg., Portland, County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 0-0-0-0-0

1. The source of the proposed appropriation is S. Yamhill River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.88 cubic feet per second. Sufficient water to irrigate seventy (70) acres.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1000 ft. North and 1175 ft. West from the corner of center one quarter corner of Section 4, Township 5 S., Range 4 W., W. M.

being within the SE 1/4 of the NW 1/4 of Sec. 4, Tp. 5 S., R. 4 W., W. M., in the county of Yamhill

5. The main ditch to be 3,300 feet in length, terminating in the SE 1/4 of NE 1/4 of Sec. 4, Tp. 5 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

No dam
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description centrifugal type water pump either gasoline or diesel or electric driven capable of delivering requested amount of water for irrigation in an efficient manner - Flood

* A different form of application is provided where storage works are contemplated.
** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ^{Flume} 3,300 ft.; size at intake, 8 by 8 ^{or larger} in.; size at 2000 ft. from intake 8 by 8 ^{larger} or / in.; size at place of use 6 by 6 or / in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S.	4 W.	4	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	7
5 S.	4 W.	4	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	33
5 S.	4 W.	4	SW $\frac{1}{4}$ of NE $\frac{1}{4}$	16
5 S.	4 W.	4	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	6
5 S.	4 W.	4	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	3
5 S.	4 W.	4	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	5
				70

(If more space required, attach separate sheet)

(a) Character of soil Silty Loam
 (b) Kind of crops raised Diversified Dairy, including pasture, clover and row crops.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated populatoin of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1,250.00
- 12. Construction work will begin on or before November 29th, 1939
- 13. Construction work will be completed on or before October 1st, 1940
- 14. The water will be completely applied to the proposed use on or before October 1st, 1941.

Walter A. Duffy LNF
(Signature of applicant)

Regional Director,

Farm Security Administration

Signed in the presence of us as witnesses:

(1) James B. Ackley 949 NE 31st Avenue, Portland, Oregon.
(Name) (Address of witness)

(2) B. R. Slater 4816 NE Champaign St., Portland, Oregon.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

Application No. 17767

Permit No. 13455

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of January, 1939, at 10:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 7, 1939

Recorded in book No. 38 of

Permits on page 13455

CHAS. E. STRICKLIN. STATE ENGINEER

Drainage Basin No. 2 Page 900

Fees Paid \$15.50

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.88 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

S. Yamhill River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 24, 1939

Actual construction work shall begin on or before April 7, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1941 Extended to Oct. 1, 1943 Extended to Oct. 1, 1942

Complete application of the water to the proposed use shall be made on or before

October 1, 1942 Extended to Oct. 1, 1943 Extended to Oct. 1, 1944

WITNESS my hand this 7th day of April, 1939.

CHAS. E. STRICKLIN. STATE ENGINEER