

CERTIFICATE NO. 16632

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, United States of America, (Farm Security Administration) of 225 Terminal Sales Bldg., Portland, County of Multnomah State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 0-0-0-0

1. The source of the proposed appropriation is Yamhill River, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.75 cubic feet per second. Sufficient water to irrigate 60 acres

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 3150 ft. South and 660 ft. East from the Section corner of Sections 3, 2, 10 and 11,

being within the NW 1/4 of the SW 1/4 of Sec. 11, Tp. 4 S., R. 3 W., W. M., in the county of Yamhill

5. The Main Pipe Line to be 2000 feet in length, terminating in the SE 1/4 of the NW 1/4 of Sec. 11, Tp. 4 S., R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) No Dam. Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Centrifugal type water pump, either gasoline, diesel or electric driven, capable of delivering requested amount of water for irrigation in an efficient manner.

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2,000 ..... ft.; size at intake, 4 or 6 ..... in.; size at ..... 825 ..... ft. from intake ..... 4 or 6 ..... in.; size at place of use ..... 4 ..... in.; difference in elevation between intake and place of use, 60 feet ..... ft. Is grade uniform? yes ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S.	3 W.	11	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	24
4 S.	3 W.	11	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	16
4 S.	3 W.	11	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	8
4 S.	3 W.	11	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	12
				60

(If more space required, attach separate sheet)

(a) Character of soil Silty Loam

(b) Kind of crops raised Diversified dairy, including pasture, clover and row crops.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated populatoin of \_\_\_\_\_ in 193\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1,250.00
- 12. Construction work will begin on or before January 1st, 1940
- 13. Construction work will be completed on or before December 1st, 1941
- 14. The water will be completely applied to the proposed use on or before December 1st, 1942.

Walter A. Duffy CEP LNF  
(Signature of applicant)

Regional Director,  
Farm Security Administration.

Signed in the presence of us as witnesses:

(1) James B. Ackley, 949 NE 31st Ave., Portland, Oregon.  
(Name) (Address of witness)

(2) B. R. Slater, 4816 NE Champaign St., Portland, Oregon.  
(Name) (Address of witness)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 193\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193\_\_\_\_\_

STATE ENGINEER

Application No. 17785

Permit No. 13466

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of February, 1939, at 10:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 7, 1939

Recorded in book No. 38 of

Permits on page 13466

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 85

Fees Paid \$14.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.75 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Yamhill River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 2, 1939

Actual construction work shall begin on or before April 7, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 7th day of April, 1939

CHAS. E. STRICKLIN

STATE ENGINEER