*APPLICATION FOR A PERMIT

CERTIFICATE NO. 14463

To Appropriate the Public Waters of the State of Oregon

					/N	Iama of annii	cent\				
of	Sc	io, Route	2			or appro	, Count	y of		L i nn	·····,
											ppropriate the
		cribed publi									
	If the	applicant is	a corporat				; -				
	1. The	e source of t	he propos								
					-			(Na	me of strea	m)	
											_
											Three
cubic f	eet per	· second		(If wate	r is to be use	d from more	than one sou	rce, give q	uantity fro	m each)	
											nestic supplies, etc.)
						(Irr	rigation, pow	er, mining	, manufact	uring, don	iestic supplies, etc.)
	4. The	e point of di	version is	located	<i>f</i>	t(N. or S.	and	·)	ft(E. or	fro	m the
corner	of					Ata		·			••••••
At all	L poin	ts along (H there i	stream u	pon pro	perty a	and bearing to CCESSID must be descr	le to p	oumpin	g equi	pment.	10. S,
R	2. W E. or W.)	, W. M.,	n the coun	ety of	Lin	n		•			
	5. The	e Portab	Le pipe (Mai	line n ditch, cana	l or pipe line)		to be	on	e-half (Miles or	feet)
in leng	th, terr	ninating in	the SN	of SE4	and SE4	of SW	of Se	c	14	, Tp.	10.S,
R	S M	, W. M., t	he propose	d locatio	n being s	hown the	roughout	on the	accomp	oanying	map.
and N	V ₄ of	NE and N	E of NW	of Se	c. 23., RIPTIO	Tp. 10 N OF W	S., R. ORKS	2 W.			
Divers	ion Wo	rks—				÷ (* 1	
	6. (a)	Height of	dam		feet, l	ength on	top			feet, leı	ngth at bottom
		feet; mate	rial to be	used and	d charac	ter of co	onstructi	on		(Loose roc	k, concrete, masonry,
rock and b	rush, timi	per crib, etc., was	eway over or a	round dam)			,				
	(b) De	escription of	headaate						,		
						imber, concr					
	(c) If	water is to	be pumpe	ed give g	eneral d	escription	n4	cent.	rifuga Size and typ	1 pe of pump)
		al pump d		gasoli	ne moto	r					,
						·					

[•] A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

				ged in size, stating miles from feet; width on bottom
				feet fall per on
thousand feet.			•	
				r line)
••••••	feet; width on	bottom	feet; depth of	water feet
rade	fe	et fall per one t	housand feet.	
(c) Len	gth of pipe,36	40 ft.; si	ze at intake,6	in.; size at3640 f
rom intake	in.;	size at place of	use3in.; d	lifference in elevation betwee
intake and plac	e of use,10	ft. Is	grade uniform? yes	Estimated capacity
	sec. ft.			· · ·
		rrigated or pla	ce of use	
Township	Range		Forty-acre Tract	Number Acres To Be Irrigated
10.5	9 W W M	14	CHIL OF CHIL	30
	1			
10.2			NWa of NEa	
			NET of NW	30
				75
	·			
· .			· · · · · · · · · · · · · · · · · · ·	
				<u> </u>
,		·	5	
			······· /	
		(If more space req	uired, attach separate sheet)	
(a) Cha	racter of soil		•	<u> </u>
			over, alfalfa, pastur	
			, , , , , , , , , , , , , , , , , , , ,	<u></u>
	NG PURPOSES— Total amount of n	ower to be devi	eloned	theoretical horsepower
				_
		. ,	power	sec. / t.
			(Head)	
(d) !	The nature of the	works by mean	is of which the power is to	be developed
(e) !	Such works to be l	ocated in		of Sec
			(Legal subdivision)	of Sec
	, R(No. E. or			
			ream? (Yes or No)	
(g) I		_	nt of return	, R, W. M
(h)			pplied is	
	,			
(i) T	The nature of the r	nines to be serv	ved	

.

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
	ng a present population of
nd an estimated populatoin of	in 193
(b) If for domestic use state	number of families to be supplied
:··· (Answer	questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed w	orks, \$2000
12. Construction work will begin	on or beforeJanuary 1, 1939
13. Construction work will be con	mpleted on or before January 4, 1942
14. The water will be completely	applied to the proposed use on or beforeJust as soon as work
e performed.	
	Ben Gooch
• 10	(Signature of applicant)
Signed in the presence of us as u	nitnesses:
(Name) Chester A. Cummings	(Address of witness)
?)	······································
(Name)	(Address of witness)
, ,	······································
MAME OF ORECON	
$TATE \ OF \ OREGON, \ County \ of \ Marion, $	
The second secon	nined the foregoing application, together with the accompanying
aps and data, and return the same for	
,	
In and on to matrix its suisait.	his application must be noturned to the State Timeines will
in order to retain its priority, t	his application must be returned to the State Engineer, with
amartiana an ar Lafana	
orrections on or before	day of, 193, 193

$Application\ No.$	17753
Permit No	13502

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 17th day of January,
	1939., at12 o'clockM.
	Returned to applicant:
	Corrected application received:
	Approved:
	April 7, 1939
	Recorded in book No 38 of
	Permits on page 13502
	CHAS. E. STRICKLIN
	STATE ENGINEER
	Drainage Basin No
	Fees Paid\$16.25
STATE OF OREGON,	PERMIT
$County\ of\ Marion,$ $\}^{ss}$	
	t I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions:
	nted is limited to the amount of water which can be applied to beneficial use
	cubic feet per second measured at the point of diversion from the
	case of rotation with other water users, from
strount, or the equations in	mi d l-
The use to which this	water is to be applied isIrrigation
	1/90+h
• • • • • • •	appropriation shall be limited to
	t for each acre irrigated and shall be further limited to a
diversion of not to exc	ceed 22 acre feet per acre for each acre irrigated during the
	ach year,
	reasonable rotation system as may be ordered by the proper state officer.
The priority date of t	his permit is January 17, 1939
Actual construction i	vork shall begin on or before April 7, 1940 and shall
thereafter be prosecuted wit	h reasonable diligence and be completed on or before
October 1, 1941	······································
Complete application	of the water to the proposed use shall be made on or before
October 1, 1942	
	his 7th day of April , 193 9
	CHAS. E. STRICKLIN STATE ENGINEER