

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, J. Damonte (Name of applicant)
of 4821 NE 100th Ave., Portland (Post office), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream)
a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.11
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, Domestic & Stock
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 600 ft. South and 50 ft. West from the NE
corner of Section 25, T. 1 N., R. 2 E., (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE NE of Sec. 25, Tp. 1 N.,
R. 2 E., W. M., in the county of Multnomah
(E. or W.) (Give smallest legal subdivision) (N. or S.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE NE of Sec. 25, Tp. 1 N.,
R. 2 E., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision) (N. or S.)
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 6 feet, length on top 15 feet, length at bottom
15 feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 in. cent.
(Size and type of pump)
elec motor 5 H.P. Total head 10.0
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated populatoin of _____ in 193.....

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 350.00

12. Construction work will begin on or before _____

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before Water has
been completely applied.

J. Damonte
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Ed K. Humphrey
(Name) (Address of witness)

(2) _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 193.....

WITNESS my hand this _____ day of _____, 193.....

STATE ENGINEER

Application No. 17860

Permit No. 13541

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of March 1939, at 11:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 6, 1939

Recorded in book No. 38 of

Permits on page 13541

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 3 Page 4

Fees Paid \$14.50

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Stream

The use to which this water is to be applied is Irrigation, Domestic and Stock, being 0.10 c.f.s. for irrigation and 0.01 c.f.s. for domestic and stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 28, 1939

Actual construction work shall begin on or before May 6, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 6th day of May, 1939

CHAS. E. STRICKLIN

STATE ENGINEER