

CERTIFICATE NO. 13374

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Arthur Hildebrand of Astoria, Oregon, County of Clatsop, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation None

1. The source of the proposed appropriation is No Name, a tributary of Lewis and Clark River

2. The amount of water which the applicant intends to apply to beneficial use is 0.45 s.f. cubic feet per second.

\*\*3. The use to which the water is to be applied is Manufacturing (Washing Gravel)

4. The point of diversion is located 1491.8 ft. North and 730.5 ft. East from the SE corner of NW 1/4 Section 31, T. 7 N., R. 9 W., W. M.,

N 26° 05' E 1661.0 feet from Center Section 31, T. 7 N., R. 9 W., W. M.,

being within the NW 1/4 of the NE 1/4 of Sec. 31, Tp. 7 N., R. 9 W., W. M., in the county of Clatsop

5. The Pipe Line to be 1215 feet in length, terminating in the NE 1/4 of the NW 1/4 of Sec. 31, Tp. 7 N., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam None feet, length on top None feet, length at bottom None feet; material to be used and character of construction

(b) Description of headgate None

(c) If water is to be pumped give general description None

\* A different form of application is provided where storage works are contemplated. \*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated populatoin of \_\_\_\_\_ in 193\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250.00 \_\_\_\_\_

12. Construction work will begin on or before Feb. 15, 1939 \_\_\_\_\_

13. Construction work will be completed on or before Feb. 28, 1939 \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before Feb. 28, 1939 \_\_\_\_\_

Arthur Hildebrand  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Jalmer J. Saari, Astoria, Oregon  
(Name) (Address of witness)
- (2) Frank Hildebrand, " "  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ signature

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 6th, 1939...

WITNESS my hand this 6th day of April, 1939

CHAS. E. STRICKLIN  
STATE ENGINEER

RE

Application No. 17872

Permit No. 13548

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April, 1939, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 6, 1939

Recorded in book No. 38 of Permits on page 13548

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 8

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream

The use to which this water is to be applied is Manufacturing (Washing Gravel)

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 4, 1939

Actual construction work shall begin on or before May 6, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 6th day of May, 1939

CHAS. E. STRICKLIN STATE ENGINEER