

\*APPLICATION FOR A PERMIT

CERTIFICATE NO. 14225

To appropriate the Public Waters of the State of Oregon

I, J. F. Christensen (Name of applicant) of Astoria (Rt. #1 Box 968) (Post office), County of Clatsop, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No

1. The source of the proposed appropriation is Craig's Creek (Name of stream), a tributary of Young's River

2. The amount of water which the applicant intends to apply to beneficial use is .0.1 second feet cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 267.2 ft. North and 898.1 ft. East from the corner of Sections 16 and 17, T. 8 N., R. 9 W., W. M. in Clatsop County, Oregon. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 of the SW 1/4 of Sec. 16, Tp. 8 N., R. 9 W., W. M., in the county of Clatsop

5. The pipe line to be 600 feet in length, terminating in the SW 1/4 of SW 1/4 of Sec. 16, Tp. 8 N., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam four feet, length on top 25 feet, length at bottom 15 feet; material to be used and character of construction wood (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description no pump (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated populatoin of ..... in 193.....

(b) If for domestic use state number of families to be supplied ..... two.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....100.00.....

12. Construction work will begin on or before .....at once.....

13. Construction work will be completed on or before .....May 30th, 1939.....

14. The water will be completely applied to the proposed use on or before .....  
..... May 30th, 1939

..... J. F. Christensen .....  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Hannah Seeborg ..... Astoria, Oregon .....  
(Name) (Address of witness)

(2) A. W. Norblad ..... Astoria, Oregon .....  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 193.....

WITNESS my hand this ..... day of ....., 193.....

STATE ENGINEER

Application No. 17994

Permit No. 13668

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of May, 1939, at 8 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1939

Recorded in book No. 38 of

Permits on page 13668

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 24

Fees Paid 10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Craig's Creek

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 8, 1939

Actual construction work shall begin on or before August 15, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 15th day of August, 1939

CHAS. E. STRICKLIN

STATE ENGINEER