

*APPLICATION FOR A PERMIT CERTIFICATE NO. 13994

To appropriate the Public Waters of the State of Oregon

I, Perley Crowley (Name of applicant) of Myrtle Point (Post office), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fall Creek (Name of stream), a tributary of East Fork of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is DOMESTIC (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of N 54° 01' W. 1159 feet from SE cor. of SW 1/4 of NE 1/4 of Section 21, T. 28 S. R. 11 W., W.M., Oreg. (If preferable, give distance and bearing to section corner)

being within the SW 1/4 of NE 1/4 (Lot 4) of Sec. 21, Tp. 28 S. R. 11 W., W. M., in the county of Coos (Give smallest legal subdivision)

5. The Pipe line is to be 1039.2 feet in length, terminating in the SW 1/4 of SW 1/4 of Sec. 21, Tp. 28 S. R. 11 W., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Wood tank 5x8x9 feet - 360 cu. ft. cap. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4758.3 ft.; size at intake, 1 1/2" in.; size at 360 ft. from intake 1 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 90 ft. Is grade uniform? no Estimated capacity, .01 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 28 S, 11 W, 21, That part of SW 1/4 of SW 1/4 lying south of East Fork of Coquille River being Lot 10, Domestic.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated populatoin of _____ in 193.....

(b) If for domestic use state number of families to be supplied _____ 1

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 300.00
- 12. Construction work will begin on or before is now complete
- 13. Construction work will be completed on or before is now complete
- 14. The water will be completely applied to the proposed use on or before is now in use

Perley Crowley
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Eugene E. Laird Myrtle Point, Ore.
(Name) (Address of witness)
- (2) Eleanor Breuer Myrtle Point, Ore.
(Name) (Address of witness)

Remarks: This Application is for the purpose of appropriating water from the same source as the Application of A. J. Mayse and J.F. Hobson, this day filed with the State Engineer, and is intended to be a part of these Applications.
The water for this Applicant flows through the same pipe designated in the A. J. Mayse application, which is 3719.1 feet in length, 1039.2 feet in length.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 6, 1939.

WITNESS my hand this 6th day of June, 1939.

CHAS. E. STRICKLIN
RE STATE ENGINEER

Application No. 18146

Permit No. 13790

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 2nd day of June

1939, at 8 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1939

Recorded in book No. 39 of

Permits on page 13790

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 17 Page 20

Fees Paid \$10.00

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Fall Creek

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 2, 1939

Actual construction work shall begin on or before August 15, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1941

Complete application of the water to the proposed use shall be made on or before

October 1, 1942

WITNESS my hand this 15th day of August, 1939

CHAS. E. STRICKLIN

STATE ENGINEER