

***APPLICATION FOR A PERMIT**

CERTIFICATE NO. 13995

To Appropriate the Public Waters of the State of Oregon

We, Roy Dixon and Ila I. Dixon, husband and wife
(Name of applicant)
of Elsie, County of Clatsop
(Post office)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed spring
(Name of stream)
Humbug Creek, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Household use
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1827 ft. E and ft. from the NW
(N. or S.) (E. or W.)
corner of SW $\frac{1}{4}$ of Section 31, Tp. 5 N., R. 7 W., W.M., Clatsop County, Oregon.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec. 31, Tp. 5 N,
(Give smallest legal subdivision) (N. or S.)
R. 7 W, W. M., in the county of Clatsop
(E. or W.)

5. The pipe line to be 680 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N 208 ft. E. 835 ft. of / of SW $\frac{1}{4}$ of Sec. 31, Tp. 5 N,
(Smallest legal subdivision) (N. or S.)
R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 1 $\frac{1}{2}$ feet, length on top 3 feet, length at bottom 3 feet; material to be used and character of construction one 2 inch plank
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
about 3 feet long, reinforced by earth thrown against same on the outside.

(b) Description of headgate none
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description no pump. Gravity
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.
** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 680 ft.; size at intake, one in.; size at 100 ft. from intake 3/4 in.; size at place of use one-half in.; difference in elevation between intake and place of use, about 15 ft. Is grade uniform? partly Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use dwelling house.

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 5 N, 7 W, 31, NW 1/4 SW 1/4, None (domestic).

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? No (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is no power

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated populatoin of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$1.00 for dam, pipe line about \$50.00.
- 12. Construction work will begin on or before when pipe is obtained probably within 30 days.
- 13. Construction work will be completed on or before about 10 days after beginning
- 14. The water will be completely applied to the proposed use on or before as soon as pipe line is completed

Roy Dixon
(Signature of applicant)

Ila I. Dixon

Signed in the presence of us as witnesses:

- (1) A. A. Anderson, 221 Commercial St., Astoria, Oregon
(Name) (Address of witness)
- (2) Anti Tribbner, 306 Columbia Ave., Astoria, Oregon
(copied from signature) (Address of witness)

Remarks: This matter simply involves the obtaining of water from a
spring where the water seeps out of the ground, for the purpose of using said
water in the dwelling house of the applicants for ordinary household purposes.
The spring is located on property owned by Mattie Kampy and Mrs. Mary
Elizabeth Kampy, husband and wife, Elsie, Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 18160

Permit No. 13801

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of May, 1939, at 8 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1939

Recorded in book No. 39 of

Permits on page 13801

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 12

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 26, 1939

Actual construction work shall begin on or before August 15, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 15th day of August, 1939

CHAS. E. STRICKLIN

STATE ENGINEER