

*APPLICATION FOR A PERMIT CERTIFICATE NO. 14481

To appropriate the Public Waters of the State of Oregon

I, Carl S. and Mary E. Hamel (Name of applicant) of Route 5, Box 675, Portland (Post office), County of Washington, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream (Name of stream), a tributary of Beaverton Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.08 cubic feet per second, being 0.05 c.f.s. for irr. and 0.02 c.f.s. for dom. use & 0.01 c.f.s. for operation of ram.

**3. The use to which the water is to be applied is Irrigation and domestic use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located at any point along the source of water described in question 1, and within the property of the applicant in the NE 1/4 of the NE 1/4 of Sec. 28, T. 1 N., R. 1 W.

being within the NE 1/4 NE 1/4 of Sec. 28, Tp. 1 N., R. 1 W., W. M., in the county of Washington

5. The Pipe line to be 1000 feet in length, terminating in the SE 1/4 of the SE 1/4 of Sec. 21, Tp. 1 N., R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Will be pumped with a hydraulic ram for domestic purposes through a 1 inch pipe with a 70 foot lift--gravity system for irrigation or pump if necessary

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied two

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before has already begun
- 13. Construction work will be completed on or before June 15, 1941
- 14. The water will be completely applied to the proposed use on or before May 1, 1942

Carl S. Hamel
(Signature of applicant)

Mary E. Hamel

Route 5, Box 675, Portland, Oregon

Signed in the presence of us as witnesses:

- (1) Mrs. Florence A. Rowe, Route 5, Portland, Oregon
(Name) (Address of witness)
- (2) Raymond Rowe, Route 5, Portland, Oregon
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____.

WITNESS my hand this _____ day of _____, 193_____.

STATE ENGINEER

Application No. 18172

Permit No. 13807

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 8th day of June

1939, at 8 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1939

Recorded in book No. 39 of

Permits on page 13807

CHAS. A. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 F

Fees Paid \$14.75

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed stream

The use to which this water is to be applied is irrigation, domestic and ram, being 0.05 c.f.s. for irrigation, 0.02 c.f.s. for domestic and 0.01 c.f.s. for ram.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 8, 1939

Actual construction work shall begin on or before August 15, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 15th day of August, 1939

CHAS. E. STRICKLIN

STATE ENGINEER