CERTIFICATE NO. 20628

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

. I,	United States of America, Farm Security Administration
of	(Name of applicant) 225 Terminal Sales Bldg., Portland , County of Multnomah (Post office)
State of .	Oregon , do hereby make application for a permit to appropriate the
following	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If	the applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation is
	, a tributary ofTualatin
2.	The amount of water which the applicant intends to apply to beneficial use isone
cubic feet	t per second. (If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied is
4.	The point of diversion is located ft ft
corner of	(Section or subdivision)
	Any place the applicant 's property approaches the unnamed creek, (If preferable, give distance and bearing to section corner)
heina wit	Win the
R2 V	hin the of Sec4, Tp2 S, (Give smallest legal subdivision) (N. or S.) W. M., in the county of Washington
5.	The main pipe line to be 400 feet
	(Main ditch, canal or pipe line) (Miles or feet) terminating in the $NE_{4}^{\perp}-NW_{4}^{\perp}-SW_{4}^{\perp}$ or SE_{4}^{\perp} of NW_{4}^{\perp} of $Sec.$ 4 , $Tp.$ 2 S (N. or S.)
R2 V	W.M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion	N Works No dam
6.	(a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock and brus	th, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
) If water is to be pumped give general description centrifugal type suction water (Size and type of pump)
pump, a	(Size and type of engine or motor to be used, total head water is to be lifted, etc.) 8 H.P. gas engine delivering 200 gallons per minute

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

a	~	- D	T
CANAL	SYSTEM	OR PIPE	LINE

			line)	
iousand feet.	jeet; aeptn oj	water	feet; grade	jeet jau per o
(b) At		miles from head	lgate: width on top (at water	line)
	feet; width o	n bottom	feet; depth of we	iter fe
rade		feet fall per one	thousand feet.	
(c) Lengt	th of pipe,	400 ft.; s	ize at intake,3	in.; size at 400
om intake	.4. in	; size at place of	usein.; dif	ference in elevation betwe
			s grade uniform?no	
	•	e irrigated or all	ace of use	
Township	Range	Section Page 1	Forty-acre Tract	Number Acres To Be Irrigated
0.5			and and	
2 S	2 W	4	NEA NWA	
·			NWA NWA	6
•••••••••••••••••••••••••••••••••••••••			SW ¹ / ₄ NW ¹ / ₄	3
			SEA NWA	
· · · · · · · · · · · · · · · · · · ·				20
		d	w Teng	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	,			
			e se se e e	
(-) Ob.			equired, attach separate sheet)	
			loam	
(b) Kind	of crops raised	. at Aet bit Tea	dairy, including pastu	re, may and low crop
OWER OR MININ				+h +i 1
		-	veloped	
			r power	sec. ft.
(c) To	otal fall to be i	tilized	(Head)	·
(d) T	he nature of th	ie works by med	ns of which the power is to b	e developed
(e) Si	ich works to b	e located in	(Legal subdivision)	of Sec
		, W. M.	•	
			stream?(Yes or No)	
			(Yes or No) int of return	·
(9/1)	-	_		
			, Tp(No. N. or S.	
		morrow in to he	annlied is	
	he use to which	i power is to be	apperou is	
	he use to which	i power is to be	wpp+++++++++++++++++++++++++++++++++++	

MUNICIPAL OR DOMESTIC SUPPLY—	·
10. (a) To supply the city of	······
	a present population of
and an estimated population of	in 193
(b) If for domestic use state nun	nber of families to be supplied
(Ånswer ques	stions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works	¢ 1.000.00
,	November 28th, 1939
	eted on or before October 1st, 1940
14. The water will be completely ap	plied to the proposed use on or before October 1st, 194
	Walter A. Duffy (Signed)
	Walter A. Duffy (Signature of applicant)
	Regional Director
Signed in the presence of us as witnes	ses:
(1) Newell S. Wight	4122 N.E. 39th Ave., Portland, Oregon
(Name)	(Address of witness) 949 N.E. 31st Ave., Portland, Oregon
(2) James B. Ackley (Name)	(Address of witness)
Remarks:	
	•
	······································
·	······································
STATE OF OREGON, County of Marion,	
County of Marion,	į
This is to certify that I have examined	t the foregoing application, together with the accompanying
maps and data, and return the same for	
<u> </u>	·
In order to retain its priority this	application must be returned to the State Engineer, with
corrections on or before	
	. day of, 198, 198
WILLIADS THY NUMBER WAS	. wy 0/
	STATE-ENGINEER

Application	No. 18174
Permit No.	13808

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No......

	This instrument was poffice of the State Engine		
	on the8th day of	June	·
•	1939, at11 o'clo		
	Returned to applicant:		=
	Corrected application rec	eived:	
	Approved:	15, 1939	·····
	Recorded in book No.	39	of
	Permits on page 13	808	
	CHAS. E. STRI		
	·	STATE ENGINEER	=
	Drainage Basin No2 Fees Paid \$9.50		•
	Fees Paid #7.20	-	
STATE OF OREGON,)	PERMIT		
County of Marion.			
subject to existing rights a The right herein gra	nd the following limitation nted is limited to the amount 25 cubic feet per second	es and conditions: nt of water which and measured at t	can be applied to beneficial use the point of diversion from the
stream, or us equivalent in		Jnnamed stream	/
The use to which thi	s water is to be applied is	I	RRIGATION
second or its equivale	ent for each acre irrig	gated and shall	1/80th of one cubic foot per be further limited to a
		acre for each	acre irrigated during the
irrigation season of e	each year,		
	this permit is		red by the proper state officer.
			gust 15, 1940 and shall
thereafter be prosecuted wi			or before
October 1, 1941 Extended to 0			
	of the water to the propose	ed use shall be ma	de on or before
	this15thday of	August	193 9
		CHAS. E. S	,
Permits for power development	are subject to the payment of annua	l fees as provided in section	STATE ENGINEER ons 1 and 2, chapter 74, Session Laws of 1983.