

*APPLICATION FOR A PERMIT CERTIFICATE NO. 14484

To Appropriate the Public Waters of the State of Oregon

I, W. C. Little (Name of applicant) of Yamhill, R. R. #2 (Postoffice), County of Yamhill, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream), a tributary of N. Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of between a point 150' N & 100' E. & a point 200' S & 100' E from SW Cor. Section 34, T. 2 S., R. 4 W., Yamhill County

being within the SW 1/4 SW 1/4 of Sec. 34, Tp. 2 S., R. 4 W., W. M., in the county of Yamhill County

5. The Pipe to be 300 feet in length, terminating in the of Sec. 34, Tp. 2 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 5 feet, length on top 25 feet, length at bottom 20 feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 (Centrifugal) Rotary Model T Ford 22.5 H.P., 25 ft. Static Head

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..100.00.....
- 12. Construction work will begin on or before Construction commenced
- 13. Construction work will be completed on or before ...Two years after approval.....
- 14. The water will be completely applied to the proposed use on or before ...Three years
..... after approval.....

W. C. Little
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Ed K. Humphrey
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON,)
) ss.
County of Marion,)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 18208

Permit No. 13832

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 19th day of June

1939, at 1:30 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1939

Recorded in book No. 39 of Permits on page 13832

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 90E

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions; and SUBJECT TO EXISTING RIGHTS.

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream and shall not exceed 0.05 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed Stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 19, 1939

Actual construction work shall begin on or before August 15, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 15th day of August, 1939

CHAS. E. STRICKLIN

STATE ENGINEER