CEPTIFICATE NO. 13380

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

of Rogue River (Toutstee) Jackson State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation	Ι,.	Frank J. McCa		Bunce			
State of	of	Rogue River	-		fJac	kson	,
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Browns Gulch, trib. of Queens Branch (Name of stream) ———————————————————————————————————							
1. The source of the proposed appropriation is Browns Gulch, trib. of Queens Branch (Name of stream) ———————————————————————————————————	following	described public waters of th	e State of Orego	n, SUBJECT T	O EXISTIN	G RIGHTS	:
	If	the applicant is a corporation	, give date and p	lace of incorpora	tion		
2. The amount of water which the applicant intends to apply to beneficial use is					(Mante of Stream	ш).	
**3. The use to which the water is to be applied is			•	·	-	_	
**3. The use to which the water is to be applied is			`				
4. The point of diversion is locatedft	cuoic feet	t per secona.	If water is to be used fro	m more than one source,	, give quantity from	n each)	•••••
Corner of	**3.	The use to which the water i	s to be applied is	(Irrigation, power,	mining, manufact	uring, domestic s	supplies, etc.)
Corner of	4.	The point of diversion is loca	ted ft	and	ft	from th	e
South, Range 4 West, South, Range 4 West, South, Range 5 West, South, Range 6 West, South, Range 7 West, South, Range 7 West, South 6 Star Negative distance and bearing to section corner) South, Range 7 West, South 7 Sec. South 7 Sec. South 7 Sec. South 8 Sec. South 9 Sec. South 9 Sec. South 9 Sec. South 1 Sec. South 2 Sec. South 2 Sec. South 2 Sec. South 1 Sec. South 2 S					(E. or	w.,	
South, Range 4 West, being within the SEA NEA NEA NEA NEA NEA NEA NEA NEA NEA N	S 570	- 12' W, 4409.9 feet fr	om the South	Corner of Se	ction 32,	Township	34
R. 4 West, W. M., in the county of		(If prefer	able, give distance and b	earing to section corner)	•		
R. 4 West, W. M., in the county of	being with	(If there is more than one poin hin the SE4 NE4	of diversion, each must	be described. Use separate of Sec.	ate sheet if necesss	Tp. 3	5 South
5. The	R. 4 Wes	Give smallest st, W. M., in the county of	legal subdivision) f Jackson			(N	I. or S.)
in length, terminating in the	(E. OI	1 W.)			o be 54	50 feet	
R4 West, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam8 ft feet, length on top15 ft feet, length at bottom 8 ft feet; material to be used and character of construction logs, dirt and rock							South
DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam 8 ft feet, length on top 15 ft feet, length at bottom 8 ft feet; material to be used and character of construction logs, dirt and rock							
6. (a) Height of dam 8 ft. feet, length on top 15 ft. feet, length at bottom 8 ft. feet; material to be used and character of construction logs, dirt and rock	(E. or	r W.)	cation verny snow	n inroughout of	n i ne accomp	anying maj	μ.
6. (a) Height of dam8 ftfeet, length on top15 ftfeet, length at bottom 8 ft feet; material to be used and character of construction logs, dirt and rock		D	ESCRIPTION C	F WORKS			
8 ft. feet; material to be used and character of construction logs, dirt and rock	DIVERSION	n Works-					
8 ft. feet; material to be used and character of construction logs, dirt and rock (Loose rock, concrete, masonry,	6.	(a) Height of dam8 f	t. feet, leng	th on top	15 ft.	feet, length	at bottom
	8 ft.	feet; material to be use	d and character	of construction	logs, dir	t and roc	ck erete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	rock and brush	th, timber crib, etc., wasteway over or around			•		
(b) Description of headgatedirect from stream	(b)) Description of headgate					
(c) If water is to be pumped give general description(Size and type of pump)	(c)) If water is to be pumped g	ive general descr	ription	(Size and typ	e of pump)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)		(Size and type of eng	ne or motor to be used,	total head water is to be	e lifted, etc.)		

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

_			_	
CASTAT	System	Δ	Dirt	T TATES
LANAL	SYSTEM	C)K	PIPE	4 / N H

1000 F 10 P 200

eadgate. At hea	dgate: width	on top (at water	line)		feet; width on botto
					feet fall per o
(b) At	•••••••	miles from head	gate: width on top (a	t water line)
••••••	feet; width o	n bottom	feet; dep	th of water	fee
ade	f	eet fall per one	thousand feet.		
(c) Length	of pipe,	ft.; si	ize at intake,	in.:	size at
					ence in elevation betwe
e .					Estimated capacit
				••••••••••••••••••••••••••••••••••••••	_
		17			
			ce of use		
Township	Range	Section	Forty-acre Tract		To Be Irrigated
34 South	4 West	32	SE¼ SW¼	· · · · ·	Mining
			SW½ SE½		H e e
		*	SE ¹ SE ¹		
	4.				5
			Service and the service of the servi		
					· · · · · · · · · · · · · · · · · · ·
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		<u> </u>			
		·	,		
			quired, attach separate sheet)		
(a) Charai	eter of soil				<u> </u>
·					
					······································
OWER OR MINING		magner to be deep	alamad		theoretical horsepowe
			· power	. ,	ec. jt.
(c) Tot	al fall to be ut	ilized	(Head)	et.	
(d) The	e nature of the	e works by mean	is of which the power	r is to be de	veloped
	······································				
(e) Suc	h works to be	located in			of Sec
),(No. N. or S.)			(Legal subdivision)		
(No. N. or S.) (f) Ie a	(No. E.	or W.) turned to any of	tream?		
			(Yes or No)		
			nt of return		
					R, W. M.
(h) The	e use to which	power is to be a	applied is		
(10) 2111					
(10) 211		, e.			

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	······································
County, having a prese	nt population of
(Name of) and an estimated populatoin of	in 193
(b) If for domestic use state number of	of families to be supplied
	12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$3.1	500.00
12. Construction work will begin on or befo	
	or beforetwo years after date of priority
	the proposed use on or before three years
after date of priority.	
	Fred C. Bunce (Signature of applicant)
	Frank J. McCarvel
Signed in the presence of us as witnesses:	
(1) E. D. Thompson (Name)	Rogue River, Oregon (Address of witness)
	Rogue River, Oregon
(Name)	(Address of witness)
Remarks:	
······	
STATE OF OREGON,	
County of Marion, ss.	•
	oregoing application, together with the accompanying
maps and data, and return the same for	
<u> </u>	
	ation must be returned to the State Engineer, with
corrections on or before	
WITNESS my hand this day o	J, 195
	STATE ENGINEER

Application No.	18211
Permit No.	13833

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 20th day of June	•
	1939, at 8:00 o'clock	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	August 15, 1939	
	Recorded in book No 39 of	
	Permits on page 13833	
	CHAS. E. STRICKLIN	
	Drainage Basin No. 15 Page40	
	Fees Paid\$11.00	
		. •
STATE OF OREGON, County of Marion,	PERMIT s.	
	at I have examined the foregoing application and d	o hereby grant the same,
SUBJECT TO EXISTING	RIGHTS and the following limitations and conditions	ions:
	ented is limited to the amount of water which can b	
	cubic feet per second measured at the por	
•	case of rotation with other water users, from	•
	· · · · · · · · · · · · · · · · · · ·	
	s water is to be applied isMining	
	s appropriation shall be limited to	
second		······································
	:	·
		.7
	h reasonable rotation system as may be ordered by	the proper state officer.
The priority date of t	h reasonable rotation system as may be ordered by this permit isJune_20, 1939	the proper state officer.
The priority date of t	h reasonable rotation system as may be ordered by this permit is	the proper state officer. 240 and shall
The priority date of the Actual construction of thereafter be prosecuted with the control of the	h reasonable rotation system as may be ordered by this permit isJune_20, 1939	the proper state officer. 40and shall
The priority date of the Actual construction of thereafter be prosecuted with October 1, 1941 Complete application October 1, 1942	this permit is June 20, 1939 work shall begin on or beforeAugust 15, 19 th reasonable diligence and be completed on or befor	the proper state officer. 240and shall
The priority date of the Actual construction of thereafter be prosecuted with October 1, 1941 Complete application October 1, 1942	this permit is	the proper state officer. 240 and shall e before
The priority date of the Actual construction of thereafter be prosecuted with October 1, 1941 Complete application October 1, 1942	this permit isJune_20, 1939 work shall begin on or beforeAugust_15, 19 th reasonable diligence and be completed on or before of the water to the proposed use shall be made on or	the proper state officer. 240 and shall e