

**\* APPLICATION FOR A PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, Irene Moreland (Name of applicant)  
of Gold Hill, Route #1, (Post office), Jackson County of  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is Left Fork of Sardine Creek, (Name of stream)  
trib. of Sardine Creek, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01  
cubic feet per second. for domestic use and 0.30 c.f.s. to operate hydraulic ram  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic and 1/2 acre of garden  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2450 ft. South and 772 ft. West from the N 1/4  
(N. or S.) (E. or W.)  
corner of Section 20,  
(Section or subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the SE 1/4 NW 1/4 of Sec. 20, Tp. 35 South,  
(Give smallest legal subdivision) (N. or S.)  
R. 3 West, W. M., in the county of Jackson  
(E. or W.)

5. The Pipe line to be 285 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the SE 1/4 NW 1/4 of Sec. 20, Tp. 35 South,  
(Smallest legal subdivision) (N. or S.)  
R. 3 West, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**DIVERSION WORKS—**

6. (a) Height of dam 3 feet, length on top 15 feet, length at bottom  
10 feet; material to be used and character of construction dirt and rock  
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate.....  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Montgomery Ward hydraulic ram  
(Size and type of pump)  
2" intake and 1" delivery - 45 feet total lift  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
10 ft. head over ram = 1/4 H.P. or less to operate ram.

\*A different form of application is provided where storage works are contemplated.

\*\*Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....  
.....County, having a present population of.....  
(Name of)  
and an estimated population of.....in 193.....

(b) If for domestic use state number of families to be supplied.....one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$100.00.....
- 12. Construction work will begin on or before one year from date of priority.....
- 13. Construction work will be completed on or before two years from date of priority.....
- 14. The water will be completely applied to the proposed use on or before three years.....

Irene Moreland  
.....  
(Signature of applicant)  
Gold Hill, Oregon, Route 1  
.....

Signed in the presence of us as witnesses:

- (1) C. A. Smith, ..... Court House, Medford, Oregon  
(Name) (Address of witness)
- (2) .....  
(Name) (Address of witness)

Remarks: .....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 19, 1939.

WITNESS my hand this 19th day of May, 1939.

CHAS. E. STRICKLIN  
.....  
STATE ENGINEER

RE

Application No. 18039

Permit No. 13844

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 13th day of May, 1939, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1939

Recorded in book No. 39 of

Permits on page 13844

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 76

Fees Paid \$10.25

STATE OF OREGON

County of Marion,

} ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Left Fork of Sardine Creek

The use to which this water is to be applied is Domestic, including the irrigation of a garden not exceeding 1/4 acre in area, and ram, being 0.01 c.f.s. for domestic and garden and 0.05 c.f.s. for ram.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 13, 1939

Actual construction work shall begin on or before August 15, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 15th day of August, 1939.

CHAS. E. STRICKLIN

STATE ENGINEER