*APPLICATION FOR A PERMIT CERTIFICATE NO. 14487

To Appropriate the Public Waters of the State of Oregon

I,Pacific Plywood Corporation	
of Willemina County of Yamhill	
of	
	e one
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
March 9, 1939, Willamina, Oregon	
1. The source of the proposed appropriation isSouth Fork Yamhill River	·
(Name of stream) a tributary ofWillamette River	
2. The amount of water which the applicant intends to apply to beneficial use is10	
cubic feet per second(If water is to be used from more than one source, give quantity from each)	••••••
**3. The use to which the water is to be applied is manufacturing and maintenance of	og
(Irrigation, power, mining, manufacturing, domestic supplie	s, etc.)
pond	
4. The point of diversion is located 435 ft. North and 1,560 ft. East from the (E. or W.)	<u>1</u> 4
(N. or S.) (E. or W.)	
corner 8 on the west side of Section 6, (Section or subdivision)	·
(If preferable, give distance and bearing to section corner)	•••••
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SEA NWA of Sec. 6, Tp. 6. So (Give smallest legal subdivision) (N. or S.)	uth.,
R. 6 West W. M., in the county of Yamhill	
(E. or W.)	
5. The Pipe line to be about 75 feet (Main ditch, canal or pipe line) (Miles or feet)	
in length, terminating in the $SE_4^{\frac{1}{4}}$ NW $_4^{\frac{1}{4}}$ of Sec. 6 , Tp. 6 S (Smallest legal subdivision)	outh,
R. 6 West W. M., the proposed location being shown throughout on the accompanying map.	,
(E. or W.)	
DESCRIPTION OF WORKS	
DIVERSION WORKS—	
6. (a) Height of dam feet, length on top feet, length at be	ttom
feet: material to be used and character of construction	
The water will be pumped from a sump on the river bank	asonry
rock and brigh timber crib etc. wasteway over or ground dam)	
Total and orders, same or the state of the s	·
(b) Description of headaate	
(b) Description of headgate	
(c) If water is to be pumped give general description The pump is a 10-inch De La (Size and type of pump)	/al,
driven by a 50 H.P. 1800 RPM G. E. Motor. The head of water to be lifted will (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	be.
approximately 35 feet.	

[•] A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem Oregon.

System		

			r line)	
ousand feet.	eet; aeptn of i	vater	feet; grade	feet fall per
(b) At		miles from head	lgate: width on top (at water	line)
	. feet; width o	n bottom	feet; depth of we	iter fe
ade		feet fall per one	thousand feet.	
(c) Length	of pipe,	75 ft.; s	rize at intake, 10	in.; size at
om intake	in.	; size at place of	use 10 in.; di	ference in elevation betwe
			s grade uniform?no	•
10				The state of the s
	•	irrigated or nu	ace of use	
Township	Range	Section	Forty-acre Tract	
6 South	6 West	6		
		l I	$SE_{\overline{4}}^{\frac{1}{4}}NW_{\overline{4}}^{\frac{1}{4}}$	
			SW1 NW1	
			HAND OF THE CONTRACTOR	
	······		, v . m	······································
				the second second
				<u> </u>
		,	equired, attach separate sheet)	
	•			
(b) Kind o	f crops raised			
OWER OR MINING	Purposes—			
9. (a) Tot	al amount of	power to be dev	veloped	theoretical horsepow
(b) Que	intity of wate	er to be used fo	r power	sec. ft.
(c) Total	al fall to be u	tilized	(Head)	
	•		(Head) Ins of which the power is to b	e developed
	•			
(a) C	h angula to ha	loogtod in		of Co.
			(Legal subdivision)	of Sec
		or W.)		
(f). Is i	vater to be re	eturned to any s	Stream? Yes (Yes or No)	
(g) If s	o, name strea	m and locate por	int of return South Fork	Yambill River
		, Sec	, Tp(No. N. or S.	, R, W.
			(No. N. or S.	, (MO. E. OF W.)
(h) The	use to which	power is to be	applied is	

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
	g a present population of
and an estimated population of	in 193
(b) If for domestic use state nu	mber of families to be supplied
(Answer qu	estions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed work	8, \$
	or before
,	leted on or before
14. The water will be completely a	pplied to the proposed use on or before
	Pacific Plywood Corporation (Signature of applicant)
	E. S. Wentjar, Vice-Pres.
Signed in the presence of us as witne	8868:
(1) 0. C. Yocom	, Willamina, Oregon
(Name) (2) C. E. Stricklin	(Address of witness)
(Name)	(Address of witness)
Remarks: The water to be appr	opriated under this application is to be
used in connection with manufacturi	ng wood products at a plant located adjacent to
the town of Willamina, Yamhill Coun	ty, Oregon, such as for steam generation, sanitary
purposes, log washing, steam conden	sing, maintenance of log pond, and fire protection
·	
STATE OF OREGON,	
> 88.	
Country of Marton,	
	ed the foregoing application, together with the accompanying
maps and data, and return the same for	
•	
	is application must be returned to the State Engineer, with
corrections on or before	, 198
WITNESS my hand this	day of, 193
	STATE ENGINEER

Application	No. 17825
Permit No	13861

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 23rd day of February,	• • • • • • • • • • • • • • • • • • • •
	193.9., at 3:00o'clockPM.	
	Returned to applicant:	
e et.	Corrected application received:	* * * * * * * * * * * * * * * * * * *
	Approved:	
	August 20, 1939	
	Recorded in book No 39 of	
	Permits on page 13861	
	CHAS. F. STRICKLIN	
	Drainage Basin No2 Page 90D	
	Fees Paid \$19.00	· · · :
STATE OF OREGON,	PERMIT	
County of Marion.	•	
	10.0 cubic feet per second measured at the case of rotation with other water users, from	21
	South Fork Yamhill River	
The use to which the including steam general fire protection.	is water is to be applied is manufacturing an eneration, sanitary purposes, log washin	nd maintenance of log pond g, steam condensing and
	is appropriation shall be limited to	
	· · · · · · · · · · · · · · · · · · ·	······································
	ch reasonable rotation system as may be ordered	
Actual construction	this permit is February 23, 1939 for 5.0 for 5.0 c.f.s. work shall begin on or before October 2	20, 1940 and shall
	rith reasonable diligence and be completed on or b	
October 1, 1941		
Complete application	n of the water to the proposed use shall be made	on or before
	d this20th day ofAugust	, 1939
-		RICKLIN
Domeita dan manuan de-slavere	nt are subject to the neumont of annual feet as received in sections	STATE ENGINEER