CERTIFICATE NO. 15724

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	J. E. Smith
٠ ٦٥	(Name of applicant)
	55 Saginaw Street, Salem , County of Marion , (Post office)
State of.	, do hereby make application for a permit to appropriate the
following	g described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If	the applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation is Willamette River and Horseshoe
Lak	e (Name of stream) a tributary of Willamette River
2.	The amount of water which the applicant intends to apply to beneficial use is 5.35
cubic fee	et per second. being 2.675 s.f. from each source (If water is to be used from more than one source, give quantity from each)
**9	The use to which the water is to be applied isIrrigation
•	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4.	The point of diversion is locatedftandftfrom the
	f Along river within Sections 22 and 15, T. 4 S., R. 3 W., and along lake
wit.hin	(Section or subdivision) Section 23, T. 4 S., R. 3 W.
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being wi	thin the
(E.	, W. M., in the county of
5.	The
in lenath	a, terminating in theof Sec, Tp, (Smallest legal subdision) (N. or S.)
	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversio	on Works—
6.	(a) Height of damfeet, length on topfeet, length at bottom
··	feet; material to be used and character of construction(Loose rock, concrete, masonry,
rock and bru	ısh, timber crib, etc., wasteway over or around dam)
	(Timber, concrete, etc., number and size of openings)
	c) If water is to be pumped give general description3" Centrifugal pump; John Deere
	Tractor 20 H.P. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CARTAT	SYSTEM	OD PIDE	LINIE
LANAL	SYSTEM	OR PIPE	LINE

ousand feet.	.,,	,	, , , , , , , , , , , , , , , , , , ,	feet fall per o
•		miles from hea	dgate: width on top (at wo	iter line)
	feet; width	on bottom	feet; depth of w	aterfe
rade		feet fall per one th	iousand feet.	
(c) Leng	th of pipe,	1000 ft.;	size at intake, 6	in.; size at
rom intake	i	n.; size at place of	use6 in.; d	ifference in elevation betwe
ntake and place	of use,	ft. Is g	grade uniform?	Estimated capaci
	sec. ft.	30 Sprinklers		
8. Locati	on of area to	be irrigated, or pla	ce of use	
Township	Range	Section	Forty-arce Tract	Number Acres To Be Irrigated
4 South	3 West	15	Lot 5	57
		22	Lot 6	<u>51</u>
		22	NW_{4}^{1} NE_{4}^{1}	40
		22	SW ¹ 4 NE ¹ 4	40
		22	$SW_{4}^{\frac{1}{4}}$ $SE_{4}^{\frac{1}{4}}$	40
		22	SE_{4}^{1} SE_{2}^{1}	40
		23	S ¹ / ₂ S ¹ / ₂	160
				428
			·	
	<u>-</u>			
			equired, attach separate sheet)	
, ,	-		Hons	
•	•		Hops	
OWER OR MINIT 9. (a) T			loped	theoretical horsepou
, ,			power	
, , -			feet. (Head)	
				be developed
(/ -			•	· · · · · · · · · · · · · · · · · · ·
(e) S	uch works to	be located in		of Sec
, ,			(Legal Subdivision)	,
		, W. M. (No. E. or W.) returned to any str		
			(Yes or No) nt of return	
		, Dec	, Tp(No. N. or S.)	, A, W.

	10. (a) To supply the city of
ınd a	estimated populatoin of in 193
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
	11. Estimated cost of proposed works, \$
	12. Construction work will begin on or beforeBegun
	13. Construction work will be completed on or before
	14. The water will be completely applied to the proposed use on or before
	24. 210 touse, tous of competition of the property of the competition
	J. E. Smith (Signature of applicant)
	Signed in the presence of us as witnesses:
1) .	Chas. E. Stricklin (Address of witness)
(2) .	(Name) (Address of witness)
	Remarks:
	<u>, , , , , , , , , , , , , , , , , , , </u>
	· · · · · · · · · · · · · · · · · · ·
TAT	E OF OREGON, }
	unty of Marion, \\ \}ss.
,	This is to certify that I have examined the foregoing application, together with the accompanying
	and data, and return the same forsignature
uaps	ina aata, ana return the same for
	•
	In order to retain its priority, this application must be returned to the State Engineer, wit
	tions on or before July 17, 193.9.
orre	

Application No.	18017
Permit No.	13864

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 10th day of May
	193.9., at 4:30 o'clock P. M.
	Returned to applicant:
•	Corrected application received:
	Approved:
	August 20, 1939
	Recorded in book No of
	Permits on page13864
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 64 & 76G
	Fees Paid \$36.40
STATE OF OREGON,)	PERMIT
County of Marion,	8.
	at I have examined the foregoing application and do hereby grant the same,
	RIGHTS and the following limitations and conditions: ented is limited to the amount of water which can be applied to beneficial use
	:35 cubic feet per second measured at the point of diversion from the
	case of rotation with other water users, from Willamette River and
	2.675 c.f.s. from each source.
	water is to be applied is
	s appropriation shall be limited to 1/80th of one cubic foot per
second or its equivale	ent for each acre irrigated and shall be further limited to a
diversion of not to ex	sceed 21 acre feet per acre for each acre irrigated during the
irrigation season of e	each year,
	h reasonable rotation system as may be ordered by the proper state officer.
	his permit is July 22, 1939
	work shall begin on or before October 20, 1940 and shall
thereafter be prosecuted wi	th reasonable diligence and be completed on or before
October 1, 1941 Extended to	; Cct. 1, 1945
Complete application October 1, 1942 Extended to	of the water to the proposed use shall be made on or before
WITNESS my hand	this20th day of0ctober, 193.9
	CHAS. E. STRICKLIN
	STATE ENGINEED