

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 16651

To appropriate the Public Waters of the State of Oregon

I, United States of America, Farm Security Administration, U.S.D.A., of 225 Terminal Sales Bldg., Portland, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Yamhill River, a tributary of Yamhill, Willamette Rivers.

2. The amount of water which the applicant intends to apply to beneficial use is .5 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ft. and ft. from the corner of any point where applicant's land touches Yamhill River in SW 1/4 of SE 1/4 or SE 1/4 of SW 1/4

being within the of Sec. 5, Tp. 3 South R. 4 West, W. M., in the county of Yamhill

5. The Main pipe line to be 1500 feet in length, terminating in the NE 1/4 of NW 1/4 of Sec. 8, Tp. 3 South R. 4 West, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS— No dam.

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description centrifugal type pump either gasoline, electric or diesel powered capable of delivering requested amount in an efficient manner.

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(c) Length of pipe, 1500 ft.; size at intake, 6 inch in.; size at 600 ft. from intake 6 or 4 in.; size at place of use 6 or 4 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? Yes Estimated capacity,.....sec. ft.

8. Location of area to be irrigated, or place of use.....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 South	4 West	8	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	4
3 South	4 West	8	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	16

(If more space required, attach separate sheet)

(a) Character of soil.....Silty Loam

(b) Kind of crops raised.....Diversified Dairy, including pasture and row crops.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed.....theoretical horsepower.

(b) Quantity of water to be used for power.....sec. ft.

(c) Total fall to be utilized.....feet.
(Head)

(d) The nature of the works by means of which the power is to be developed.....

(e) Such works to be located in.....of Sec.....

....., R....., W. M.

(f) Is water to be returned to any stream?.....
(Yes or No)

(g) If so, name stream and locate point of return.....

....., Sec....., Tp....., R....., W. M.

(h) The use to which power is to be applied is.....

(i) The nature of the mines to be served.....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____

(Name of) County, having a present population of _____
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied _____
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1,250.00
- 12. Construction work will begin on or before November 30th, 1939
- 13. Construction work will be completed on or before October 1st, 1940
- 14. The water will be completely applied to the proposed use on or before October 1st, 1941

Herbert M. Peet (Signed)
Herbert M. Peet
(Signature of applicant)
Acting Regional Director
Farm Security Administration

Signed in the presence of us as witnesses:

- (1) Newell S. Wight 4122 N. E. 39 Ave., Portland, Oregon
(Name) (Address of witness)
- (2) James B. Ackley 949 N. E. 31st. Ave., Portland, Oregon
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____

WITNESS my hand this _____ day of _____, 193_____

STATE ENGINEER

Application No. 18229

Permit No. 13890

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 27th day of June 1939, at 11:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

October 20, 1939

Recorded in book No. 39 of

Permits on page 13890

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 90E.

Fees Paid \$9.50

STATE OF OREGON } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Yamhill River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 27, 1939

Actual construction work shall begin on or before October 20, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941 Extended to Oct. 1, 1945 Extended to Oct. 1, 1946

Complete application of the water to the proposed use shall be made on or before October 1, 1942 Extended to Oct. 1, 1945 Extended to Oct. 1, 1946

WITNESS my hand this 20th day of October, 1939.

CHAS. E. STRICKLIN

STATE ENGINEER