

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 16848

To appropriate the Public Waters of the State of Oregon

I, United States of America - Farm Security Administration (Name of applicant) of 225 Terminal Sales Bldg., Portland (Post office), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is Tualatin River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .75 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Any point where applicant's land touches river in SE 1/4 and SW 1/4 of SE 1/4 of Section 32, 1 S; 2 W. and in NE 1/4 and NW 1/4 of NE 1/4 of Section 5, 2 S; 2 W. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the of Sec. , Tp. (N. or S.) R. , W. M., in the county of Washington

5. The main pipe line to be 1000 feet in length, terminating in the NW 1/4 and NE 1/4 of NE 1/4 of Sec. 5, 2 S; 2 W. (Smallest legal subdivision) R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam. No dam. feet, length on top feet, length at bottom feet; material to be used and character of construction.

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifugal type pump (suction) either gasoline, diesel or electric powered capable of delivering requested amount of water for irrigation in an efficient manner.

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(c) Length of pipe, 1000.....ft.; size at intake, 4 or 6.....in.; size at.....1000.....ft. from intake 4 or 6.....in.; size at place of use 2 or 4.....in.; difference in elevation between intake and place of use, 50.....ft. Is grade uniform?.....Yes..... Estimated capacity,.....sec. ft.

8. Location of area to be irrigated, or place of use.....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 South	2 West	32	SW $\frac{1}{4}$ - SE $\frac{1}{4}$	11
1 South	2 West	32	SE $\frac{1}{4}$ - SE $\frac{1}{4}$	1
2 South	2 West	5	NW $\frac{1}{4}$ - NE $\frac{1}{4}$	8
				20

(If more space required, attach separate sheet)

(a) Character of soil.....Silty Loam
 (b) Kind of crops raised.....Diversified dairy, including pasture, row crops and truck gardening.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed.....theoretical horsepower.
 (b) Quantity of water to be used for power.....sec. ft.
 (c) Total fall to be utilized.....feet.
 (Head)

(d) The nature of the works by means of which the power is to be developed.....
 (e) Such works to be located in.....of Sec.....
 (Legal Subdivision)

....., R....., W. M.
 No. N. or S.) (No. E. or W.)
 (f) Is water to be returned to any stream?.....
 (Yes or No)

(g) If so, name stream and locate point of return
 Sec....., Tp....., R....., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served.....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....
..... County, having a present population of.....
(Name of)
and an estimated population of..... in 193.....

(b) If for domestic use state number of families to be supplied.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1,500.00.....
- 12. Construction work will begin on or before... November 29, 1939.....
- 13. Construction work will be completed on or before... October 1, 1940.....
- 14. The water will be completely applied to the proposed use on or before... October 1, 1941.....

Herbert M. Peet (Signed)
Herbert M. Peet
(Signature of applicant)

Acting Regional Director

Farm Security Administration

Signed in the presence of us as witnesses:

- (1) Newell S. Wight....., 4122 N. E. 39th Ave., Portland, Oregon
(Name) (Address of witness)
- (2) James B. Ackley....., 949 N. E. 31st Ave., Portland, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this..... day of....., 193.....

STATE ENGINEER

Application No. 18235

Permit No. 13896

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 27th day of June, 1939, at 11:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 20, 1939

Recorded in book No. 39 of

Permits on page 13896

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 54

Fees Paid \$9.50

STATE OF OREGON

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Tualatin River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 27, 1939

Actual construction work shall begin on or before October 20, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1941 Extended to Oct. 1, 1942 Extended to Oct. 1, 1943 Extended to Oct. 1, 1944

Complete application of the water to the proposed use shall be made on or before

October 1, 1942 Extended to Oct. 1, 1943 Extended to Oct. 1, 1944

WITNESS my hand this 20th day of October, 1939.

CHAS. E. STRICKLIN

STATE ENGINEER