

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Rollin E. Baker (Name of applicant) of Enterprise (Post office), Wallowa County of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. The source of the proposed appropriation is Spring Creek (Name of stream), Wallowa River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, and stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1980 ft. S and 1300 ft. E from the NW corner of Section 11 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 11, Tp. 2 S, R. 44 E, W. M., in the county of Wallowa

5. The Main ditch to be 1540 feet in length, terminating in the NW 1/4 NW 1/4 of Sec. 11, Tp. 2 S, R. 44 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 10 feet, length at bottom 10 feet; material to be used and character of construction temporary wing dam placed in stream each spring before irrigation, and built of plank and dirt.

(b) Description of headgate none

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 feet; width on bottom 3 feet; depth of water 1 feet; grade 1.3 feet fall per one thousand feet.

(b) At 1540 miles from headgate: width on top (at water line) 1½ feet; width on bottom 1 feet; depth of water ½ feet; grade 1.3 feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake, _____ in.; size at place of use, _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	44 E	11	NW¼ NW¼	10
				and Stock use

(If more space required, attach separate sheet)

(a) Character of soil Gravelly loam
 (b) Kind of crops raised Pasture, hay and garden

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed _____ theoretical horsepower.
 (b) Quantity of water to be used for power _____ sec. ft.
 (c) Total fall to be utilized _____ feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

Tp. _____, *R.* _____, *W. M.* _____
No. N. or S. (No. E. or W.)

(f) Is water to be returned to any stream? _____
 (Yes or No)

(g) If so, name stream and locate point of return _____
 _____, *Sec.* _____, *Tp.* _____, *R.* _____, *W. M.* _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 25.00
- 12. Construction work will begin on or before Has begun
- 13. Construction work will be completed on or before May 1, 1940
- 14. The water will be completely applied to the proposed use on or before June 1, 1940

Rollin E. Baker
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) L. E. Jordan, Enterprise, Oregon
(Name) (Address of witness)
- (2) W. W. Zucher, Enterprise, Oregon
(Name) (Address of witness)

Remarks: This land has been irrigated in like manner off and
on since the year 1910.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this..... day of....., 193.....

STATE ENGINEER

Application No. 18284

Permit No. 13932

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 19th day of July, 1939, at 1 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

October 20, 1939

Recorded in book No. 39 of Permits on page 13932

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 8 Page 36

Fees Paid 14.50

STATE OF OREGON

PERMIT

County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring Creek

The use to which this water is to be applied is Irrigation and Stock, being 0.17 c.f.s. for irrigation and 0.01 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to ~~of one cubic foot per second~~ a diversion of not to exceed 1 acre foot per acre for each acre irrigated during any 30-day period from May 1, to July 31, and thereafter not to exceed 1 acre foot per acre for the remainder of the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 19, 1939

Actual construction work shall begin on or before October 20, 1940 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1941

Complete application of the water to the proposed use shall be made on or before October 1, 1942

WITNESS my hand this 20th day of October, 1939.

CHAS. E. STRICKLIN

STATE ENGINEER