

* APPLICATION FOR A PERMIT

ASSIGNED, Sec. Misc. Rec. Vol. 2, Page 33

ASSIGNED, Sec. Misc. Rec. Vol. 3, Page 358

To Appropriate the Public Waters of the State of Oregon

XX We, Earl Hutchison & R. L. Walker

Broadmead, Polk County, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Salt Creek & Reservoir under Application No. R-17842, a tributary of South Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 0.62 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located Any point on stream where it touches applicant's property in NW 1/4 SW 1/4, Section 1, & NE 1/4 SE 1/4 & SE 1/4 SE 1/4, Section 2, T. 6 S., R. 5 W.,

being within the of Sec. Tp. R. W. M., in the county of

5. The to be in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 8 feet, length on top 80 feet, length at bottom 70 feet; material to be used and character of construction timber and earth

(b) Description of headgate timber 7' x 8'

(c) If water is to be pumped give general description 4 in. Centrifugal 5 H.P. electric or gas motor 35 ft. lift

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(c) Length of pipe, 1000.....ft.; size at intake, 4.....in.; size at.....ft. from intake.....in.; size at place of use.....4.....in.; difference in elevation between intake and place of use, 35.....ft. Is grade uniform?..... Estimated capacity,.....sec. ft. 30 sprinklers -- 10 g.p.m. each

8. Location of area to be irrigated, or place of use.....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S.	5 W.	1	Hutchinson NW $\frac{1}{4}$ SW $\frac{1}{4}$	24.5
		1	Walker NW $\frac{1}{4}$ SW $\frac{1}{4}$	8
		2	NE $\frac{1}{4}$ SE $\frac{1}{4}$	16.5
				<u>49.0</u>

(If more space required, attach separate sheet)

(a) Character of soil.....Willamette Silty Loam

(b) Kind of crops raised.....General farm crops

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed.....theoretical horsepower.

(b) Quantity of water to be used for power.....sec. ft.

(c) Total fall to be utilized.....feet.
(Head)

(d) The nature of the works by means of which the power is to be developed.....

(e) Such works to be located in.....of Sec.....
(Legal Subdivision)

Tp....., R....., W. M.
No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?.....
(Yes or No)

(g) If so, name stream and locate point of return.....

....., Sec....., Tp....., R....., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is.....

(i) The nature of the mines to be served.....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....
.....County, having a present population of.....
(Name of)
and an estimated population of.....in 193.....

(b) If for domestic use state number of families to be supplied.....
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....1500.00.....
- 12. Construction work will begin on or before One year after approval.....
- 13. Construction work will be completed on or before Two years after approval.....
- 14. The water will be completely applied to the proposed use on or before Three years after approval.....

Earl Hutchison
(Signature of applicant)

R. L. Walker

Signed in the presence of us as witnesses:

(1) Ed K. Humphrey
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....
.....
.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this.....day of....., 193.....

STATE ENGINEER

Application No. 17843

Permit No. 14004

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 15th day of March,
1939, at 12:00 o'clock - M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1940

Recorded in book No. 39 of

Permits on page 14004

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 90D

Fees Paid \$12.35

STATE OF OREGON }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.62 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Salt Creek and
Reservoir to be constructed under Application No. R-17842, Permit No. R-738.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 15, 1939

Actual construction work shall begin on or before January 10, 1941 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1941 Extended to Oct. 1, 1944
Extended to Oct. 1, 1946

Complete application of the water to the proposed use shall be made on or before
October 1, 1942 Extended to Oct. 1, 1944
Extended to Oct. 1, 1946

WITNESS my hand this 10th day of January, 1940

CHAS. E. STRICKLIN
STATE ENGINEER