

## \* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14003

## To Appropriate the Public Waters of the State of Oregon

I, Virgil Hirtzler  
 (Name of applicant)  
 of Gold Beach, County of Curry,  
 (Post office)  
 State of Oregon, do hereby make application for a permit to appropriate the  
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring, source of unnamed stream  
 (Name of stream)  
 a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125  
 cubic feet per second.  
 (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic-including irrigating  
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
garden and lawn

4. The point of diversion is located 584 ft. South and 82 ft. West from the NE  
 (N. or S.) (E. or W.)  
 corner of Lot 5,  
 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
 being within the Lot 5 of Sec. 1, Tp. 37 South,  
 (Give smallest legal subdivision) (N. or S.)  
R. 15 West, W. M., in the county of Curry  
 (E. or W.)

5. The Pipe Line to be Approx. 200 ft.  
 (Main ditch, canal or pipe line) (Miles or feet)  
 in length, terminating in the Lot 5 of Sec. 1, Tp. 37 South,  
 (Smallest legal subdivision) (N. or S.)  
R. 15 West, W. M., the proposed location being shown throughout on the accompanying map.  
 (E. or W.)

## DESCRIPTION OF WORKS

## DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom 4 ft. x 4 ft.  
feet; material to be used and character of construction Concrete box, with 2" screened intake attached to the 3/4" pipe line which  
 (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  
will be approx. 200 ft. long.

(b) Description of headgate  
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description  
 (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



## MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....  
 .....County, having a present population of.....  
 (Name of)  
 and an estimated population of.....in 193.....

(b) If for domestic use state number of families to be supplied.....one.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 50.00.....  
 12. Construction work will begin on or before August 1, 1939.....  
 13. Construction work will be completed on or before October 1, 1939.....  
 14. The water will be completely applied to the proposed use on or before November 1, 1939.....

Virgil Hirtzler

(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) S. O. Newhouse, Wedderburn, Oregon  
 (Name) (Address of witness)  
 (2) DeForrest F. Soober, Gold Beach, Oregon  
 (Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 25, 1939..

WITNESS my hand this 24th day of August, 1939..

CHAS. E. STRICKLIN

STATE ENGINEER

RE

Application No. 18349

Permit No. 14013

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon  
on the 17th day of August  
1939, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1940

Recorded in book No. 39 of

Permits on page 14013

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 2A

Fees Paid \$10.00

STATE OF OREGON }  
County of Marion, } ss.

**PERMIT**

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.0125 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from  
Spring

The use to which this water is to be applied is Domestic, including the irrigation of  
a lawn and garden not exceeding  $\frac{1}{2}$  acre in area.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per  
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 17, 1939

Actual construction work shall begin on or before January 10, 1941 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1941

Complete application of the water to the proposed use shall be made on or before  
October 1, 1942

WITNESS my hand this 10th day of January, 1940

CHAS. E. STRICKLIN

STATE ENGINEER