* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	Will			
of Woodbi	urn. Route 1. Box 22	(Name 29	of applicant)	Marion County
0)	(Post office	ce)	, County of	mar ron ocarby
State of	Oregon	, do hereby r	nake application fo	r a permit to appropriate the
	described public waters			XISTING RIGHTS:
2,7 0.				
1.			Case Cree	k, trib. of
Char	anoes Creek	a trobutam.		me of stream) te River
		_		
				ficial use is 0.08
cubic feet	per second	(If water is to be used from	more than one source, gi	ve quantity from each)
**3.	The use to which the wo	iter is to be applied is.	Irrig	ation
				nanufacturing, domestic supplies, etc.)
4	The point of diversion i	s locatedftft	ft N. of S.)	from the
		(Section	on or subdivision)	& SW1NW4, Sec. 13,
T. 4 S.	, R. 2 W.,	referable, give distance and bea	ring to section corner)	
		point of diversion, each must be		
being with	in the(Give small	est legal subdivision)	of Sec	, <i>Tp</i> , (N. or S.)
	, W. M., in the co			(200 22 20)
(E. or	W.)			•••••
5.	The(Mair	n ditch, canal or pipe line)	to be	(Miles or feet)
in length,	terminating in the		of Sec	, Tp,
	, W. M., the prop			
•		DESCRIPTION OF	F WORKS	
DIVERSION	Works—	No Dam		
6.	(a) Height of dam	feet, length	n on top	feet, length at bottom
	feet; material to be	used and character of d	construction	(Loose rock, concrete, masonry,
rock and brush,	, timber crib, etc., wasteway over o			
(b)	Description of headgate			e of openings)
•••••			ion	ize and type of pump)
				*
		of engine or motor to be used, tot		
	Will Use Sprinklers	2	***************************************	

^{*}A different form of application is provided where storage works are contemplated.

^{**}Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

C	ANTAT.	SYSTEM	OR PIPE	LINE-
ι,	ANAL	OTOTION	OR FIFE	

	feet; depth of	f water	feet; grade	feet fall per
$us and \ feet.$ (b) At		miles from he	adgate: width on top (at wa	ter line)
			feet; depth of wo	
	•	eet fall per one t	•	
			size at intake,	in.: size at
			f usein.; di	
			grade uniform?	
_	sec. ft.			
			ace of use	
Township	Range	Section	Forty-arce Tract	Number Acres To Be Irrigated
4 South	2 West	13	NW¼ Nvv¾	2
			SW4 NW4	1
				,
		(If more space	required, attach separate sheet)	
			Loam	
(b) Kind	d of crops raise	d	Ladino	
	ING PURPOSES-		-11	the section the second
			eloped	
` ,			power	sec. jt.
			(Head)	
(d) !	The nature of t	he works by mean	is of which the power is to b	e developed
				4 9
			(Legal Subdivision)	of Sec
		, W. M		
			ream?(Yes or No)	
	•		int of return	
			(No. N. or S.)	
(h)	The use to which	h power is to be	applied is	

MUNICIPLAL OR DOMESTIC SUPPLY-	
10. (a) To supply the city of	
County, having of	a present population of
(Name of) and an estimated population of	in 193
(b) If for domestic use state num	ber of families to be supplied
	nestions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed work	· \$ 500.00
	or before One year after approval
	eted on or before Two years after approval
	olied to the proposed use on or before Three years
after approval.	
	William F. Coleman
	(Signature of applicant)
Signed in the presence of us as witne	esses:
(1) Ed K. Humphrey	······································
(Name)	(Address of witness)
(2) H. S. Coleman (Name)	(Address of witness)
Remarks:	
	. ,
STATE OF OREGON,	
STATE OF OREGON, ss. county of Marion, ss.	•
This is to certify that I have examined	l the foregoing application, together with the accompanying
mans and data, and return the same for	
-	
,	
In order to retain its priority, this	application must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this	day of, 193
	STATE ENGINEER

Application	No. 18487
Permit No.	14154

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the 29th day of November,
	1939., at 3:30 o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	April 20, 1940
	Recorded in book Noof
	Permits on page 14154.
	CHAS. E. STRICKLIN
	Drainage Basin No2 Page76H
	Fees Paid \$9.50
	·
STATE OF OREGON) PERMIT }ss.
County of Marion,)
This is to certify	that I have examined the foregoing application and do hereby grant the same,
	NG RIGHTS and the following limitations and conditions: granted is limited to the amount of water which can be applied to beneficial use
-	
	0.08 cubic feet per second measured at the point of diversion from the
stream, or its equivalent	t in case of rotation with other water users, from
The use to which	this water is to be applied is Irrigation
If for irrigation,	this appropriation shall be limited to 1/80th of one cubic foot per
second or its equiv	alent for each acre irrigated and shall be further limited to a
diversion of not to	exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the
irrigation season o	f each year,
and shall be subject to s	such reasonable rotation system as may be ordered by the proper state officer.
•	of this permit is November 29, 1939
- · · · · · · · · · · · · · · · · · · ·	ion work shall begin on or before April 20, 1941 and shall
thereafter be prosecuted	d with reasonable diligence and be completed on or before
-	
Complete applica	······································
October 7 19/3	tion of the water to the proposed use shall be made on or before
0000001 1, 1945	
	tion of the water to the proposed use shall be made on or before
	tion of the water to the proposed use shall be made on or before