* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, J. G. Kraft	4	•••••
ofRoute 2, Cornelius		ngton
State of Oregon , do hereby make		
following described public waters of the State of Oregon, SU	BJECT TO EXISTING	RIGHTS:
If the applicant is a corporation, give date and place of		
1. The source of the proposed appropriation is	Dairy Creek	•••••
	(Name of stream)	
, a tributary of		
2. The amount of water which the applicant intends to	o apply to beneficial use	is .4750
cubic feet per second. (If water is to be used from more		
**3. The use to which the water is to be applied is		
(Irrigation)	on, power, mining, manufacturing,	, domestic supplies, etc.)
4. The point of diversion is locatedftft.	andft	from the
corner of Any point on my property where stream		
SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 27; SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sect	subdivision)	
(If preferable, give distance and bearing t		or bec 01011 ,
(If there is more than one point of diversion, each must be descri	bed. Use separate sheet if necessary	y)
being within the(Give smallest legal subdivision)	of Sec,	(N. or S.)
R. 3 W. W. M., in the county of Washington		
5. The (Main ditch, canal or pipe line)	to be	Miles or feet)
in length, terminating in the(Smallest legal subdision)		
R, W. M., the proposed location being shown		
DESCRIPTION OF W	ORKS	
Diversion Works—		
6. (a) Height of damfeet, length on	topfee	et, length at bottom
feet; material to be used and character of cons	è	
rock and brush, timber crib, etc., wasteway over or around dam)		
(b) Description of headgate(Timber, concrete		
(c) If water is to be pumped give general description	(Size and type o	of pump)
15 horsepower electric motor or gas engine 60 (Size and type of engine or motor to be used, total he		ed flood and
low pressure sprinkler system.		

^{*}A different form of application is provided where storage works are contemplated.

^{**}Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL	SYSTEM	OR PIPE	TINE-

agate. At h	eaagate: wiath	on top (at water)	line)	jeei, wiain on ooiii
usand feet.	feet; depth of	water	feet; grade	feet fall per o
•		miles from he	adgate: width on top (at wa	ter line)
	feet; width	on bottom	feet; depth of wo	iterfe
de	fc	eet fall per one t	housand feet.	
			size at intake,	in.: size at
			f usein.; dij	
			grade uniform?	
			grave unijorm:	Estimatea capaci
			•	
	Range	Section Section	ace of use	
Township			Forty-arce Tract	Number Acres To Be Irrigated
1 N.	3 W•	34	NEG OF NEG	16
1 N.	3.W.	34	NW_{4}^{3} of NE_{4}^{1}	2
1 N.	3 W.	35	NW4 of NW4	5
1 N.	3. W.	26	SW_{4}^{1} of SW_{4}^{1}	1
1 N.	3 W•	27	SE4 of SE4	10
l N.	3 W.	27	$SW_{\overline{A}}^{\frac{1}{2}}$ of $SE_{\overline{A}}^{\frac{1}{2}}$	4
				38
	-			-
			·	
				-
		·		
() (II		Clerr	required, attach separate sheet) and Silt Loam	
, ,	racter of soil			
(b) Kind	l of crops raised	lLadino	Clover, Corn, Truck ar	nd General Farm Crops
	NG PURPOSES—	to be done	alam ad	4h a + i
• •	·		elope d	_
			power	8ec. ft.
(c) T	otal fall to be	utilized	feet.	
(d) T	The nature of th	e works by mean	s of which the power is to b	e developed
(e) S	luch works to be	e located in	(Legal Subdivision)	of Sec
	, R	, W. M		
			ream?	•
			(Yes or No) int of return	
	•		(No. N. or S.)	
(n) 1	ne use to which	i power is to be o	applied is	
		e mines to be ser		

MUNICIPLAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
	population of
and an estimated population of	_in 193
(b) If for domestic use state number of fa	milies to be supplied
(Answer questions 11, 12	3
11. Estimated cost of proposed works, \$ 100	0.00
	December 1, 1940
	before January 1, 1943
14. The water will be completely applied to th	e proposed use on or before January 1, 1943
	······
	J. G. Kraft (Signature of applicant)
	······································
-	
Signed in the presence of us as witnesses:	
(1) Arthur M. Stook (Name)	Forest Grove, Oregon (Address of witness)
·	Hillsboro, Oregon
(Name)	(Address of witness)
Remarks:	
STATE OF OREGON, County of Marion, Ss.	
County of Marion,	:
This is to certify that I have examined the fore	going application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority this application	on must be returned to the State Engineer, with
• • •	
corrections on or before	
WITNESS my hand thisday of	, 193

Application	No. 18653
Permit No.	14285

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the 9th day of April ,
	19\$4Q, at 8:00 o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	July 30, 1940
	Recorded in book No55of
	Permits on page 14285
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 62G
	Fees Paid \$10.70
STATE OF OREGON	PERMIT
County of Marion,	$\{ss.$
	that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTIN	NG RIGHTS and the following limitations and conditions:
The right herein g	granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed	0.475cubic feet per second measured at the point of diversion from the
,	in case of rotation with other water users, from
	·
The use to which	this water is to be applied is Irrigation
If for irrigation,	this appropriation shall be limited to 1/80th of one cubic foot per
second or its equive	lent for each acre irrigated and shall be further limited to a
diversion of not to	exceed 23 acre feet per acre for each acre irrigated during the
irrigation season of	each year,
and shall be subject to s	uch reasonable rotation system as may be ordered by the proper state officer.
,	of this permit is April 9, 1940
Actual constructi	on work shall begin on or before. July 30, 1941 and shall
thereafter be prosecuted	with reasonable diligence and be completed on or before
October 1, 1942Extend	ed to C 1, 1, 1944 Extended to Oct. 1, 1949 ed to Cct. 1, 1946 Extended to Oct. 1, 1962
Complete applica	tion of the water to the proposed use shall be made on or before
October 1, 1943 _{Exterd}	21 to C J. 1944 Separated to Oct 1, 1949
WITNESS my h	and this 30th day of July , 198 40
	CHAS. E. STRICKLIN STATE ENGINEER
	STAIR ENGINEER