\*Permit No. 1436

## APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Media of Composition (Possoffice)  State of Oragon	I, D L McNary	
State of Oregon , do hereby make application for a permit to appropriate following described public waters of the State of Oregon, subject to existing rights:  If the applicant is a corporation, give date and place of meorporation  1. The source of the proposed appropriation is  Coleman Greek (branch of Bear Greek to Kame of stream)  West of Phoenix, Ore.)  2. The amount of water which the applicant intends to apply to beneficial use is 5 ½ inches or 11/80  cubic feet per second.  3. The use to which the water is to be applied is  Irrigation  Grigation, power, mining, manufactur (Grigation, power, mining, manufactur 20 - 21 T 38 S R 1 W W M  being within the. SW2 of SE2  CO - 21 T 38 S R 1 W W M  being within the. SW2 of SE3  (No. N. or 8)  F. The Use 2 mil to Bounty of Sec. 17 Tp. 35 S (No. N. or 8)  (No. N. or 8)  SW3 of SE4  (No. N. or 8)  F. The Use 2 mil to Bounty of Sec. 17 Tp. 38 S R 1 W W M  (No. E or W.)  Swall of the Bounty of Sec. 17 Tp. 38 S R 1 W W M  M. the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  Konstry Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1 ½ feet, length on top. 10 feet, length at bot 10 feet; material to be used and character of construction.  Wood & Rook & Dirt  massenzy, rock and brash, timber crib, sec, wasteway over or around dam)	Medford	(Name of Applicant.)  Jackson
following described public waters of the State of Oregon, subject to existing rights:  If the applicant is a corporation, give date and place of uncorporation  1. The source of the proposed appropriation is Coleman Greek {branch of Bear Greek to Name of streams}  West of Phoenix, Ore.}  2. The amount of water which the applicant intends to apply to beneficial use is 5½ inches r 11/80 cubic feet per second.  3. The use to which the vecter is to be applied is Irrigation  (irrigation, power, mining, manufacture)  4. The point of diversion is located 1592' West & 94' North of corner Sec. 16 - 17  20 - 21 T 38 S R 1 W W M  being within the SW2 of SW2 (No. North)  (Give smallest legal subdivision)  R 1 W (No. E or W.)  5. The Use \$\frac{1}{2}\$ 110 Old Paddy Little Ganal to be \$\frac{1}{2}\$ mile jointly miles (Main dich, canal or pipe line)  (Main dich, canal or pipe line)  (Main dich, canal or bipe line)  W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is McNary Appropriation in Daddy Little Ganal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1½ feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction (Loose rock, construction)  Wood & Rook & Dirt massoury, rock and brush, limber cirb. (te. wassowny over or around dam)	(Postoffice)	, County of
1. The source of the proposed appropriation is Coleman Creek (branch of Bear Creek to (Name of stream))  2. The amount of water which the applicant intends to apply to beneficial use is 5 ½ inches 11/80 cubic feet per second.  3. The use to which the water is to be applied is Irrigation  (Irrigation, power, mining, manufacture)  domestic supplies, etc.)  4. The point of diversion is located. 1592' West & 94' North of corner 3ec. 16 - 17  20 - 21 T 38 3 R 1 W M  being within the SW2 of SE2 (Give smallest legal subdivision)  5. The Use & millest legal subdivision)  5. The Use & millest legal subdivision)  6. The name of the ditch, canal or pips line)  length, terminating in the SE2 of SE2 (Smallest legal subdivision) of Sec. 17, Tp. 38, S. (No. N. or S.)  W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  McNary Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1 ½ feet, length on top 10 feet, length at bot  10 feet; material to be used and character of construction.  Classe rock, conc.  Wood & Rook & Dirt  massoury, rock and brush, timber crib, t.t., wasteway over or around dam)	State of Oragon	, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is Coleman Creek (branch of Bear Creek to (Name of stream)  West of Fhoenix, Ore.]  2. The amount of water which the applicant intends to apply to beneficial use is 5½ inches relifed control of the stream of the supplies, etc.)  3. The use to which the water is to be applied is Irrigation  Grigation, power, mining, manufactor of the point of diversion is located in the supplies, etc.)  4. The point of diversion is located in the supplies of the point of diversion is located in the supplies, etc.)  4. The point of diversion is located in the supplies of the point of diversion is located in the supplies, etc.)  5. The point of diversion is located in the supplies of the point of diversion is located in the supplies, etc.)  6. The point of diversion is located in the supplies of the point of the supplies of the supplies, etc.)  7. The point of diversion is located in the supplies of the s		
1. The source of the proposed appropriation is Coleman Creek (branch of Bear Creek to (Name of stream)  West of Fhoenix, Ore.)  2. The amount of water which the applicant intends to apply to beneficial use is 5½ inches r 11/60		
2. The amount of water which the applicant intends to apply to beneficial use is. 5 ½ inches r 11/80 cubic feet per second.  3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacture)  4. The point of diversion is located 1592' West & 94' North of corner Sec. 16 - 17 (Give distance and bearing to section corner)  20 - 21 T 38 S R 1 W W M  being within the SW½ of SE½ of SE½ of Sec. 17 , Tp. 3& 5 (No. N. or N.)  (No. N. or N.)  5. The Use ½ mile Old Baddy Little Canal to be ½ mile jointly miles (Main ditch, canal or pips line)  length, terminating in the SR½ of SE½ of SE½ of Sec. 17 , Tp. 38 S , R 1 W (No. N. or S.)  W. M., the proposed location being shouth throughout on the accompanying map.  6. The name of the ditch, canal or other works is McNary Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1½ feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction. (Loose rock, conc. Wood & Rook & Dirt massonry, rock and brush, timber crib, cic., wasteway over or around dam)	the approach to a componential,	groe date and place of the property of the second s
2. The amount of water which the applicant intends to apply to beneficial use is. 5 ½ inches r 11/80 cubic feet per second.  3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacture)  4. The point of diversion is located 1592' West & 94' North of corner Sec. 16 - 17 (Give distance and bearing to section corner)  20 - 21 T 38 S R 1 W W M  being within the SW½ of SE½ of SE½ of Sec. 17 , Tp. 3& 5 (No. N. or N.)  (No. N. or N.)  5. The Use ½ mile Old Baddy Little Canal to be ½ mile jointly miles (Main ditch, canal or pips line)  length, terminating in the SR½ of SE½ of SE½ of Sec. 17 , Tp. 38 S , R 1 W (No. N. or S.)  W. M., the proposed location being shouth throughout on the accompanying map.  6. The name of the ditch, canal or other works is McNary Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1½ feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction. (Loose rock, conc. Wood & Rook & Dirt massonry, rock and brush, timber crib, cic., wasteway over or around dam)	1. The common of the managed are	Coleman Creek (branch of Bear Creek to
2. The amount of water which the applicant intends to apply to beneficial use is 5 ½ inches 11/80	1. The source of the proposed up	·
cubic feet per second.  3. The use to which the water is to be applied is Irrigation  Circination, power, mining, manufacture in the use of the water is to be applied is Irrigation  Circination, power, mining, manufacture in the use of the water is to be applied is Irrigation  4. The point of diversion is located 1592' West & 94' North of corner Sec. 16 - 17  Cive distance and bearing to section corner)  20 - 21 T 38 S R 1 W W M  being within the SW\$ of SE\$ OF SE\$ OF SE\$ OF SEC. 17 OF SEC.		West of Phoenix, Ore.)
consists supplies, etc.)  4. The point of diversion is located  4. The point of diversion is located  4. The point of diversion is located  5. The point of SE\frac{1}{4}  6. Give similar legal subdivision)  7. The Use \frac{1}{2} of SE\frac{1}{2}  6. The Use \frac{1}{2} of SE\frac{1}{2}  6. The proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  McNary Appropriation in Dadly Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam  1\frac{1}{2} feet, length on top  Vood & Rock & Dirt  Tensoury, tock and brush, thaber or b, etc., wasteway over or around dam)  1592' West & 94' North of cormer Sec. 16 - 17  (Give distance and bearing to section corner)  20 - 21 T 38 S R 1 W W M  (Give distance and bearing to section corner)  20 - 21 T 38 S R 1 W W M  (Give distance and bearing to section corner)  20 - 21 T 38 S R 1 W W M  (Ro. N. or E)  7. The Use \frac{1}{2} mile location to particle legal subdivision)  6. The name of the ditch, canal or other works is  McNary Appropriation in Dadly Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam  1\frac{1}{2} feet, length on top  10 feet, length at bot	2. The amount of water which the	e applicant intends to apply to beneficial use is 5 1 inches
3. The use to which the water is to be applied is	m 11 /00	
Itemestic supplies, etc.)  4. The point of diversion is located.  1592' West & 94' North of corner Sec. 16 - 17  (Give distance and bearing to section corner)  20 - 21 T 38 S R 1 W W M  Desiring within the SWA of SEA (Give smallest legal subdivision)  R. 1 W		
4. The point of diversion is located    Comparison   Comp	3. The use to which the water is	to be applied is(Irrigation, power, mining, manufacturing,
4. The point of diversion is located    Correct Sec. 16 - 17		
being within the SW\$\frac{1}{4}\$ of SE\$\frac{1}{4}\$ of SE\$\frac{1}{4}\$ of SE\$\frac{1}{4}\$ of SE\$\frac{1}{4}\$ of SE\$\frac{1}{4}\$ of SE\$\frac{1}{4}\$ (Give smallest legal subdivision)  R	domestic supplies, etc.)	1592' West & 94' North of corner Sec. 16 - 17 -
being within the SW1 of SE1 Of SE1 Of Sec. 17 Tp. 33 S S (No. N. or S.)  R	4. The point of diversion is located	ed (Give distance and bearing to section corner)
R. 1 W		20 - 21 T 38 S R 1 W W M
R. 1 W		
R. 1 W	owl -a owl	, ar – ar
(No. E. or W.)  5. The Use ½ mile Old Daddy Little Canal to be ½ mile Jointly miles (Main ditch, canal or pipe line)  length, terminating in the SE¼ of SE¼ (Smallest legal subdivision)  W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is McNary Appropriation in Dadiy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1½ feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction. (Loose rock, concursions)  Wood & Rock & Dirt (Loose rock, concursion)	being within the $SW_{\overline{4}}$ or $SE_{\overline{4}}$ (Give smallest legal	of Sec. 17, Tp. 33 5 (No. N. or S.)
(No. E. or W.)  5. The Use ½ mile Old Daddy Little Canal to be ½ mile Jointly miles (Main ditch, canal or pipe line)  length, terminating in the SE¼ of SE¼ (Smallest legal subdivision)  W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is McNary Appropriation in Dadiy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1½ feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction. (Loose rock, concursions)  Wood & Rock & Dirt (Loose rock, concursion)		
(Main ditch, canal or pipe line)  length, terminating in the SEA of SEA (Smallest legal subdivision) of Sec. 17 , Tp. 38 S , R. 1 W (No. N. or S.) (No. E. or W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is McNary Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1 ½ feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction (Loose rock, conc. Wood & Rock & Dirt masonry, rock and brush, timber crib, etc., wasteway over or around dam)	(No. E. or W.)	_
The serious was a serious shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  McNary Appropriation in Dadiy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1 2 feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction (Loose rock, concursion, rock and brush, timber crib, etc., wasteway over or around dam)	O. 1.00	
W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is		,
6. The name of the ditch, canal or other works is  McNary Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam	(Smallest l	legal subdivision) (No. N. or S.) (No. E. or W.)
McNary Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam. 1½ feet, length on top. 10 feet, length at bot 10 feet; material to be used and character of construction.  Wood & Rock & Dirt  masonry, rock and brush, timber crib, etc., wasteway over or around dam)	W. M., the proposed location being sho	wn throughout on the accompanying map.
McNary Appropriation in Daddy Little Canal  DESCRIPTION OF WORKS  Diversion Works—  7. (a) Height of dam 1½ feet, length on top 10 feet, length at bot 10 feet; material to be used and character of construction (Loose rock, cone Wood & Rock & Dirt  masonry, rock and brush, timber crib, etc., wasteway over or around dam)	6. The name of the ditch, canal	or other works is
DESCRIPTION OF WORKS  Oversion Works—  7. (a) Height of dam. 1 ½ feet, length on top. 10 feet, length at bot 10 feet; material to be used and character of construction.  Wood & Rock & Dirt  masonry, rock and brush, timber crib, etc., wasteway over or around dam)	•	on in Daddy Little Canal
7. (a) Height of dam. 1½ feet, length on top. 10 feet, length at bot  10 feet; material to be used and character of construction. (Loose rock, conc.)  Wood & Rock & Dirt  masonry, rock and brush, timber crib, etc., wasteway over or around dam)		
7. (a) Height of dam. 1½ feet, length on top. 10 feet, length at bot  10 feet; material to be used and character of construction. (Loose rock, conc.)  Wood & Rock & Dirt  masonry, rock and brush, timber crib, etc., wasteway over or around dam)		DESCRIPTION OF WORKS
7. (a) Height of dam. 1½ feet, length on top. 10 feet, length at bot  10 feet; material to be used and character of construction. (Loose rock, concentration)  Wood & Rock & Dirt  masonry, rock and brush, timber crib, etc., wasteway over or around dam)		DESCRIPTION OF WORKS
10 feet; material to be used and character of construction.  Wood & Rock & Dirt  masonry, rock and brush, timber crib, etc., wasteway over or around dam)		
Wood & Rock & Dirt masonry, rock and brush, timber crib, etc., wasteway over or around dam)	7. (a) Height of dam 1 を	feet, length on topfeet, length at bottom
Wood & Rock & Dirt masonry, rock and brush, timber crib, etc., wasteway over or around dam)	10 feet; material to be used	and character of construction
masonry, rock and brush, timber crib, etc., wasteway over or around dam)	Wood & Rock &	n ni
Name of managed		
(b) Description of headgate None at present  (Timber concrete etc. number and size of openings)	(h) Description of headaute	None at present
(Timber, constant, etc.) Lamber and the opening.		(Timber, Constitute, Con, Timber, and Timber, Constitute, Constitu
One of wood to be constructed.	One of wood to be constr	ructed.
	*A different form of application is pro	ovided where an appropriation is to be made by the enlargement of existing works,

<sup>\*</sup>A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

	436(a)
Canal Syst	tem—
8. (	(a) Give dimensions at each point of canal where materially changed in size, stating miles from
readgate	. At headgate: Width on top (at water line). 1½. feet; width on bottom
	feet; depth of water feet; grade feet fall per one
housand	feet.
(	(b) At miles from headgate: Width on top (at water line)
	feet; width on bottom feet; depth of water feet;
grade	feet fall per one thousand feet.
	FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:
Irrigation	
9.	The land to be irrigated has a total area ofacres, located in each
smallest	legal subdivision, as follows: SE of SE S. 17 T 38 S R 1 W. W. M.
	(Give area of land in each smallest legal subdivision which you intend to irrigate)
	· · · · · · · · · · · · · · · · · · ·
	(If more space required, attach separate sheet)
Power, M	ining, Manufacturing, or Transportation Purposes—
10.	(a) Total amount of power to be developedtheoretical horsepower
	(b) Total fall to be utilizedfeet.
	(Head)  (c) The nature of the works by means of which the power is to be developed
••••	
	(d) Such works to be located inof Secof Sec
Tp	, R, W. M. N. or S.) (No. E. or W.)
	(e) Is water to be returned to any stream? (Yes or No.)
	(f) If so, name stream and locate point of return
	()) 1) to, name or can una totale point of recent
	, Sec, Tp, R, W. M. (No. N. or S.) (No. E. or W.)

(h) The nature of the mines to be served.

ŀ	L4	36	3()	<b>b</b> )

Municipal Supply—	·
County, having a pre	esent population of, and an
(Name of) estimated population ofin 19	·•
•	
(Answer questions 12,	13, 14, and 15 in all cases)
12. Estimated cost of proposed works, \$	
13. Construction work will begin on or be	efore 1 yr from date of approval
	n or before 2 yrs from date of approval
15. The water will be completely applied to	the proposed use on or before 3 yrs from date of approva
Duplicate maps of the proposed ditch or of	ther works, prepared in accordance with the rules of the
Board of Control, accompany this application.	
	D L McNary
	(Name of applicant)  Medford. Ora.
	Medford, Ore.
Signed in the presence of us as witnesses:	······································
(1) L W Whiting	Medford, Ore.
(Name)  J C Brown	(Address of witness)
(2)(Name)	(Address of witness)
Remarks: I desire to use that por	tion of the Old Daddy Little Canal, which is necess-
ary to deliver the water upon my proper	ty as shown in accompanying sketch. The portion of
this old canal I desire to use jointly	with the present owners lies entirely on my land, an
is badly in need of repair. It has not	been used for over a year. If I receive such pro-
portion of the waters at Coleman Creek	as may be available I will repair and maintain that
portion of the canal which I use,	
	`
STATE OF OREGON,	
County of Marion \\ ss.	
	oregoing application, together with the accompanying maps
	r completion, as follows:
and adia, and recurre the same for correction of	Conspection, we produce in the second
	F
In order to retain its priority this applica	ution must be returned to the State Engineer, with cor-
rections, on or before	
	day of, 19, 19
WII WE GOLD THE TWING THE STATE OF THE STATE	
	State Engineer.

13

PERMIT				
Permit No	1436			
Application No. 2718				

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No.\_\_\_1 District No.\_\_\_\_

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the

30 Dec.

19**12** , at 8:30 o'clock A M.

Returned to applicant for correction

 $Corrected\ application\ received$ 

Approved

Mar 7 1913

Recorded in Book No. ..... 6 Permits on 1436

Page......

John H Lewis
1 map CES HCB 4.55

State Engineer.

STATE OF OREGON,

 $County \ of \ Marion$ 

This is to certify that I have examined the foregoing application and do hereby grant the same, subject The appropriation for irrigation purposes shall be to the following limitations and conditions: limited to one-eightieth of one cu. ft. per sec. for each acre irrigated. The use hereunder shall conform to any reasonable rotation system ordered by the proper State officers. The date of priority of this permit is December 30, 1912 The amount of water appropriated shall be limited to the amount which can be applied to beneficial or its equivalent in case use and not to exceed. 11/80 cubic feet per second. of rotation. Actual construction work shall begin on or before March 7, 1914 and shall thereafter be prosecuted with reasonable diligence and be completed on or before..... June 1, 1915 Complete application of the water to the proposed use shall be made on or before..... October 1, 1915 WITNESS my hand this 7th day of March , 19.13. John H Lewis State Engineer.

· • • •