

CERTIFICATE NO. 13541

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Mt. Hood National Forest - U. S. Department of Agriculture,
301 Terminal Sales Bldg. (Name of applicant)
of Portland, Oregon (Post office), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Mt. Hood National
Forest - U. S. Department of Agriculture

1. The source of the proposed appropriation is Bear Spring tributary to Indian
(Name of stream)
Creek, a tributary of Beaver Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.03
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Bear Springs Ranger Station and Ram

4. The point of diversion is located 350 ft. North and 1150 ft. West from the Section
(N. or S.) (E. or W.)
corner of Sections 22, 23, 26, 27, T. 5 S., R. 10 E.,
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 22, Tp. 5 S.
(Give smallest legal subdivision) (N. or S.)
R. 10 E., W. M., in the county of Wasco
(E. or W.)

5. The Pipeline to be 2025 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 27, Tp. 5 S.
(Smallest legal subdivision) (N. or S.)
R. 10 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 3 feet, length on top 6 feet, length at bottom
4 feet; material to be used and character of construction Concrete head wall.
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete head wall with one 2 inch pipe opening.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Columbia Hydraulic Ram Size #2
(Size and type of pump)
Head for Ram 19 ft. Water to be lifted 90 feet.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
Discharge at Storage Tank 4200 gallons per day.

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....
..... County, having a present population of.....
(Name of)
and an estimated population of..... in 193.....

(b) If for domestic use state number of families to be supplied..... 3

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000.00 Already constructed

12. Construction work will begin on or before April 1st, 1937

13. Construction work will be completed on or before June 1, 1937

14. The water will be completely applied to the proposed use on or before June 1, 1937

Foster Steele

(Signature of applicant)

Acting Forest Supervisor

Signed in the presence of us as witnesses:

(1) W. T. Sommerville, 301 Term. Sales Bldg., Portland, Ore.
(Name) (Address of witness)

(2) Ruth I. Baker, 301 Terminal Sales Bldg., Portland, Ore.
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this..... day of....., 193.....

STATE ENGINEER

Application No. 18727

Permit No. 14375

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 20th day of May, 1940, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1940

Recorded in book No. 35 of

Permits on page 14375

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 5 Page 34

Fees Paid \$10.25

STATE OF OREGON } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Bear Spring

The use to which this water is to be applied is Domestic and Power for Operation of Ram.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 20, 1940

Actual construction work shall begin on or before July 30, 1941 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1942

Complete application of the water to the proposed use shall be made on or before October 1, 1943

WITNESS my hand this 30th day of July, 1940

CHAS. E. STRICKLIN

STATE ENGINEER