

**\* APPLICATION FOR A PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, John L. Carter (Name of applicant)  
of Long Creek, County of Grant,  
(Post office)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is 1 (one) spring (Name of stream)  
....., a tributary of occasionally runs into Spring Creek,  
trib. of John Day River  
2. The amount of water which the applicant intends to apply to beneficial use is 1/10th  
cubic feet per second. 1/10th (one-tenth)  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic, irrigation, livestock  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

All will be used for domestic purposes for next two or three years, after that 2/3  
of water will be used for irrigation, 1/6 for domestic, and 1/6 for livestock

4. The point of diversion is located 2000 ft. east and ..... ft. from the  
(N. or S.) (E. or W.)  
corner of Section corner common to Sections 21, 22, 27 and 28  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 SW 1/4 of Sec. 22, Tp. 10 S,  
(Give smallest legal subdivision) (N. or S.)  
R. 30 E, W. M., in the county of Grant  
(E. or W.)

5. The pipe line to be 2200 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the N 1/4 E 1/4 SW 1/4 of Sec. 22, Tp. 10 S,  
(Smallest legal subdivision) (N. or S.)  
R. 30 E, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**DIVERSION WORKS—**

6. (a) Height of dam.....feet, length on top.....feet, length at bottom  
.....feet; material to be used and character of construction.....  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate.....  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description .....  
(Size and type of pump)  
.....  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 193....

(b) If for domestic use state number of families to be supplied. CCC spike camp for  
\_\_\_\_\_ (Answer questions 11, 12, 13, and 14 in all cases)  
few years, after that one or two families

11. Estimated cost of proposed works, \$ 800 labor, \$350 material, Total \$1150.00

12. Construction work will begin on or before May 1, 1940

13. Construction work will be completed on or before June 1, 1940

14. The water will be completely applied to the proposed use on or before Be used for  
CCC spike camp by June 1, 1940

John L. Carter

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Orval D. Yokom \_\_\_\_\_ John Day, Ore.  
(Name) (Address of witness)

(2) Audrey Badley \_\_\_\_\_ " " "  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

Applicant already has complete right for all water in Spring  
Creek for irrigation purposes. This spring flows into Spring Creek during  
some parts of the year.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before June 6, 1940

WITNESS my hand this 6th day of May, 1940

CHAS. E. STRICKLIN

STATE ENGINEER  
RE

Application No. 18694

Permit No. 14377

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 2nd day of May, 1940, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1940

Recorded in book No. 35 of

Permits on page 14377

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 6 Page 26 A

Fees Paid 14.50

STATE OF OREGON } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from A Spring

The use to which this water is to be applied is Domestic, Irrigation, and Stock being 0.07 c.f.s. for irrigation, 0.015 c.f.s. for domestic and 0.015 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second for each acre irrigated prior to June 1st and thereafter 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during any month prior to June 1st and shall be further limited to a total diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season from April 1st to September 30th of each year, and shall be limited still further to a total diversion of not to exceed 0.07 c.f.s., and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 2, 1940

Actual construction work shall begin on or before July 30, 1941 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1942

Complete application of the water to the proposed use shall be made on or before October 1, 1943

WITNESS my hand this 30th day of July, 1940

CHAS. E. STRICKLIN STATE ENGINEER