

48633

CERTIFICATE NO. ~~XXXXXXXXXX~~

*** APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, We, Multnomah County Drainage District No. 1, by A. J. Walters, Sec.-Mgr.
(Name of applicant)
of Terminal Sales Building, Portland, (Post office), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is Columbia Slough, Blue Lake, McBride
(Name of stream)
Lake and all drainage waters and, a tributary of Willamette River
springs within the District boundaries.

2. The amount of water which the applicant intends to apply to beneficial use is 110
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of Water will be diverted for the irrigation of lands by means of many small
(Section or subdivision)
pumping plants and also by checks within drains and ditches throughout the district.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the of Sec., Tp. 1 N.
(Give smallest legal subdivision) (N. or S.)

R1E-2E-3E, W. M., in the county of Multnomah
(E. or W.)

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.,
(Smallest legal subdivision) (N. or S.)
R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Note: Water will be diverted for the irrigation of lands by means of
DIVERSION WORKS— many small pumping plants and also by checks within drains and
ditches throughout the District.

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)
Due to the large number of small individual pumping units which are and will be
constructed, it is impossible to give a description of the same.

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

8. Location of area to be irrigated, or place of use

TOWNSHIP	RANGE	SECTION	NUMBER OF ACRES TO BE IRRIGATED
1 North	1 East W.M.	1	350
"	"	12	640
"	"	11	240
"	"	13	130
"	"	14	10
1 North	2 East W.M.	6	360
		7	640
		8	640
		9	400
		10	20
		13	30
		14	160
		15	510
		16	620
		17	480
		18	360
		21	20
		22	140
		23	320
		24	500
1 North	3 East W. M.	19	490
		20	480
		21	560
		22	40
		27	50
		28	130
		29	20
		Total	<u>8,340</u> acres

All land being within the boundaries of Multnomah County Drainage District No. 1.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before Has Begun
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before 5 years after approval

MULTNOMAH COUNTY DRAINAGE DISTRICT NO. 1
(Signature of applicant)

By: A. J. Walters

Signed in the presence of us as witnesses:

- (1) (Name) (Address of witness)
- (2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 10,, 1934

WITNESS my hand this 10th day of July , 1934.

CHAS. E. STRICKLIN
STATE ENGINEER

BB

Application No. 18081

Permit No. 14393

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 18th day of May

1939, at 10:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 21, 1940

Recorded in book No. 35 of Permits on page 14393

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 3 Page 4

Fees Paid \$138.40 PERMIT

STATE OF OREGON,) ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: and SUBJECT TO EXISTING RIGHTS

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 104.3 cubic feet per second, measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Columbia Slough, Blue Lake, McBride Lake and all drainage waters and springs within the District.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 18, 1939

Actual construction work shall begin on or before October 21, 1941 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1942. Extended to Oct. 1, 1949. Extended to Oct. 1, 1953. Extended to Oct. 1, 1958.

Complete application of the water to the proposed use shall be made on or before October 1, 1943. Extended to Oct. 1, 1949. Extended to Oct. 1, 1953. Extended to Oct. 1, 1958.

WITNESS my hand this 21st day of October, 1940

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.