CERTIFICATE NO. 15431

ASSIGNED, Sec. Misc. Rec. Vol. 3 Poca 228

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

Ι,	G. A. Collier					
o.f	Arago	(Name of a		Coos		
oj	Arago (Post office)		, County of			,
State of	Oregon	, do hereby mak	ke application	for a permi	it to approp	priate the
	described public waters of the					
If	the applicant is a corporation,	give date and place	of incorpora	tion		
	The source of the proposed of		(Name of stream)		
	•••••••••	,				
	The amount of water which the					
cubic feet	per second. per acre	ater is to be used from mo:	re than one source	e, give quantity	from each)	
	The use to which the water is	to be applied is		ation		
	The point of diversion is locat $NE_{4}^{\frac{1}{4}}$ $NE_{4}^{\frac{1}{4}}$, Sec. 25, T. 28					
	(See Attac	(Section or hed Sheet) , give distance and bearing	subdivision)			
	(If there is more than one point of					
being wit	hin the SE ₄ SE ₄ , Se	c. 24 (Lot 12) subdivision)	of Sec	,	<i>Tp.</i> 28	S., or S.)
R. 13 W	. W. M., in the county of	of Coos				
5.	The pipeline (por	table) anal or pipe line)	to be		Miles or feet)	
in lenath.	, terminating in the		of Sec		•	
R	, W. M., the proposed by					
(2.0)		ESCRIPTION OF W	VORKS			
Diversion	N Works—					
6.	(a) Height of dam	feet, length or	n top	fe	et, length	at bottom
	feet; material to be used a	and character of con	struction	(Lo	ose rock, concr	ete, masonry,
rock and brus	h, timber crib, etc., wasteway over or around	dam)		••••		
(b)) Description of headgate	(Timber, concret				
(c)) If water is to be pumped give	general description	2" Cent	rifugal (Size and type	of pump)	
	Gasoline Single Cylinde (Size and type of engine	or motor to be used, total he				
	lift.					

^{*}A different form of application is provided where storage works are contemplated

^{**}Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CYA STAT	SYSTEM	OD DIDE	T TATES
CANAL	SYSTEM	OR PIPE	LINE

			line)	
sand feet.	feet; depth	of water	feet; grade	feet fall per
(b) At		miles from h	eadgate: width on top (at wa	ter line)
	feet; width	on bottom	feet; depth of w	ater
e		feet fall per one	thousand feet.	
(c) Len	gth of pipe,	9 9 0 ft.	size at intake,3"	in.; size at 500
			of usein.; di	
		,	grade uniform? yes	
1		,	37	•
	•	he irrigated on n	lace of use	
Township	Range	Section	Forty-arce Tract	Number Acres To Be Irrigated
28 S.	12 W.	30	NW ² NW ¹	
20 0.			,	
	13 W•		NE NE	
			SE NE	
			Total	49•3
••••••			·	
<u></u>	<u></u>		e required, attach separate sheet)	
(a) Cho	racter of soil	Sandy :	Loam	
(b) Kin	d of crops rais		ial Legumes & Grasses,	
	ING PURPOSES-			
			veloped	theoretical horsepo
(b)	Quantity of w	ater to be used for	r power	sec. ft.
, ,	•		feet.	
			(Head) ns of which the power is to b	he developed
(u)	The nature of	the worns og mou	ins of whitely the power is to	,
				A G
•		•	(Legal Subdivision)	01 Sec
		(No. E. or W.)		
(f)	Is water to be	returned to any s	tream?(Yes or No)	
(g)	If so, name str	ream and locate p	oint of return	,
		, Sec	, Tp(No. N. or S.)	, R, V
	The use to wh	ich power is to be	applied is	

4. POINTS OF DIVERSION

- 1) 130' S and 645' E NW corner $NE_{4}^{\frac{1}{4}}$ $NE_{4}^{\frac{1}{4}}$ Section 25, Tp. 28 S. R. 13 W. being within the $NE_{4}^{\frac{1}{4}}$ Section 25, Tp. 28 S. R. 13 W.
- 2) 175' S and 1250' E NW corner NE_{4}^{1} NE_{4}^{1} Section 25, Tp. 28 S. R 13 W being within the NE_{4}^{2} NE_{4}^{2} Section 25, Tp. 28 S. R. 13 W.
- 3) 325' S and 390' E NW corner $NW_{\frac{1}{4}}$ $NW_{\frac{1}{4}}$ Section 30, Tp. 28 S. R. 12 W. being within the $NW_{\frac{1}{4}}$ $NW_{\frac{1}{4}}$ Section 30, Tp. 28 S. R. 12 W.
- 4) 925' S and 350' E NW corner $NW_{\frac{1}{4}}$ $NW_{\frac{1}{4}}$ Section 30, Tp. 28 S. R. 12 W. being within the $NW_{\frac{1}{4}}$ $NW_{\frac{1}{4}}$ Section 30, Tp. 28 S. R. 12 W.
- 5) 695' S and 150' W NE corner $SE_{4}^{\frac{1}{4}}$ $NE_{4}^{\frac{1}{4}}$ Section 25, Tp 28 S. R. 13 W. being within the $SE_{4}^{\frac{1}{4}}$ $NE_{4}^{\frac{1}{4}}$ Section 25, Tp. 28 S. R. 13 W.
- 6) 1100' S and 150' W NE corner SE NE NE NE Section 25, Tp. 28 S. R. 13 W. being within SE NE Section 25, Tp. 28 S., R. 13 W.

MUNICIPLAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
	nt population of
and an estimated population of	in 193
(b) If for domestic use state number of	families to be supplied
	, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$9	950.00
	e Construction under way
	or before June 10, 1939
14. The water will be completely applied to	the proposed use on or beforeJune 10, 1939
	G. A. Collier (Signature of applicant)
	(Signature of approach)
Signed in the presence of us as witnesses:	
(1) Mildred E. English (Name)	, Coquille, Oregon (Address of witness)
(2) Pearl Jackson	
(Name)	(Address of witness)
Remarks:	
<u> </u>	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON, \{\}ss.	
County of Marion, \\ \{ \text{88.} \\ \text{County of Marion,} \\ \text{1.5}	·
This is to certify that I have examined the for	regoing application, together with the accompanying
maps and data, and return the same for	
r	tion must be returned to the State Engineer, with
corrections on or before	
·	
WITNESS my hand thisday of)], 193,
	STATE ENGINEER

Application	No18822
Permit No.	14460

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the lst day of July ,
•	19\$40, at 8:00 o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	October 21, 1940
	Recorded in book No55
	Permits on page 14460.
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 17 Page 11
	Fees Paid. \$12.50
STATE OF OREGON)PERMIT
County of Marion,	}88.]
This is to certify to	hat I have examined the foregoing application and do hereby grant the same,
	GRIGHTS and the following limitations and conditions: canted is limited to the amount of water which can be applied to beneficial use
-	0.63 cubic feet per second measured at the point of diversion from the
	n case of rotation with other water users, from
The use to which the	his water is to be applied is Irrigation
second or its equival of not to exceed $2\frac{1}{2}$	his appropriation shall be limited to
	· · · · · · · · · · · · · · · · · · ·
	ch reasonable rotation system as may be ordered by the proper state officer.
The priority date of	of this permit is July 1, 1940
Actual construction	n work shall begin on or before October 21, 1941 and shall
thereafter be prosecuted	with reasonable diligence and be completed on or before
	on of the water to the proposed use shall be made on or before
October 1, 1943	
WITNESS my ha	nd this 21st day of October , 198 40
	CHAS. E. STRICKLIN
Parmits for nower develorms	STATE ENGINEER ont are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.
Torming tor power developme	